

Instructions for Authors 2020

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. Each article should include a concrete conclusion constituting of a “new piece of knowledge” backed up by scientific evidence. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal’s secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the “Shorter Oxford English Dictionary”.

Manuscripts. Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication “review”, “clinical”, “epidemiological”, or “experimental” study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors’ contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author’s opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalgleish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. Anticancer Res 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticanres.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: Receptors for Reproductive Hormones. O’ Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region,

2000-2015. Geneva, World Health Organisation, 2016. Available at http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html. Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXXX (where XXXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXXX (where XXXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human foetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references.

Manuscripts must be submitted only through our online submission system at: <http://www.iiar-submissions.com/login.html>

In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iiar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email (iiar@iiar-anticancer.org) within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for peer-review in confidence to two-three suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.

5. All accepted manuscripts are carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.

6. Authors should pay attention to the following points when writing an article for AR:

- The Instructions to Authors must be followed in every detail.
- The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
- The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
- Results given in figures should not be repeated in tables.
- Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
- Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
- Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
- Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
- Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
- References. Each article should address, list and discuss the entire spectrum of current publications relevant to its field.
- By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.

7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.

8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).

9. Articles submitted to AR may be rejected without review if:

- they do not fall within the journal's policy.
- they do not follow the instructions for authors.
- language is unclear.
- results are not sufficient to support a final conclusion.
- results are not objectively based on valid experiments.
- they repeat results already published by the same or other authors before the submission to AR.
- plagiarism is detected by plagiarism screening services.

(Rejection rate (2016): 66%).

10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.

11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iilar-anticancer.org

12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.


13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service. (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2020 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

CANCER GENOMICS & PROTEOMICS

ISSN (online): 1790-6245

Volume 17, Number 1, January–February 2020



Published by the International Institute of Anticancer Research

Online ISSN: 1790-6245

General Policy

- **CANCER GENOMICS & PROTEOMICS (CGP)** welcomes submissions of original high quality articles and reviews on all aspects of the application of genomic and proteomic technologies to experimental and clinical cancer research. The journal's scientific spectrum includes: (a) molecular causes of carcinogenesis, cancer progression and metastasis; (b) structural and functional aspects of genes in the cancer cell; (c) advances in genomic and proteomic technologies applicable to cancer research; (d) anticancer drug design and drug development. A main aim of CGP is to ensure the prompt and confidential review, and rapid publication of original works and reviews, generally within 1-3 months from submission.
- CGP is published bimonthly by the **International Institute of Anticancer Research (IIAR)** and is available online only and open access with **Stanford University HighWire Press**. For more information please visit our website www.cgp.iiarjournals.org.
- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.
- **U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.
- **E-mail:** journals@iar-anticancer.org; IIAR WEBSITES: www.iar-anticancer.org and www.iiarjournals.org

● Selection of Recent Articles

Duplex DNA from Sites of Helicase-Polymerase Uncoupling Links Non-B DNA Structure Formation to Replicative Stress. C. AMPARO, J. CLARK, V. BEDELL, J.L. MURATA-COLLINS, M. MARTELLA, F. PICHIORRI, E.F. WARNER, M. ABDELHAMID, Z.A.E. WALLER, S.S. SMITH (*Duarte, CA, USA; Norwich, UK*)

Pazopanib Inhibits Tumor Growth, Lymph-node Metastasis and Lymphangiogenesis of an Orthotopic Mouse of Colorectal Cancer. G. ZHU, M. ZHAO, Q. HAN, Y. TAN, Y. SUN, M. BOUVET, S.R. SINGH, J. YE, R.M. HOFFMAN (*San Diego, CA; Frederick, MD, USA; Fuzhou, PR China*)

KIF15 Expression in Tumor-associated Monocytes Is a Prognostic Biomarker in Hepatocellular Carcinoma. A. KITAGAWA, T. MASUDA, J. TAKAHASHI, T. TOBO, M. NODA, Y. KURODA, Q. HU, Y. KOUYAMA, Y. KOBAYASHI, S. KURAMITSU, K. SATO, A. FUJII, Y. YOSHIKAWA, H. WAKIYAMA, D. SHIMIZU, Y. TSURUDA, H. EGUCHI, Y. DOKI, M. MORI, K. MIMORI (*Oita; Osaka; Fukuoka, Japan*)

Chromosome Translocation t(14;21)(q11;q22) Activates Both OLIG1 and OLIG2 in Pediatric T-cell Lymphoblastic Malignancies and May Signify Adverse Prognosis. I. PANAGOPOULOS, L. GORUNOVA, I.M. RINVOLL JOHANNSDOTTIR, K. ANDERSEN, A. HOLTH, K. BEISKE, S. HEIM (*Oslo, Norway*)

Whole Transcriptomic Analysis of Apigenin-mediated Influence on TNF α Immuno-activated MDA-MB-231 Breast Cancer Cells. D. BAUER, E. MAZZIO, K.F.A. SOLIMAN (*Tallahassee, FL, USA*)

Significant Association Between the MiR146a Genotypes and Susceptibility to Childhood Acute Lymphoblastic Leukemia in Taiwan. J.-S. PEI, W.-S. CHANG, P.-C. HSU, C.-C. CHEN, Y.-T. CHIN, T.-L. HUANG, Y.-N. HSU, C.-C. KUO, Y.-C. WANG, C.-W. TSAI, C.-L. GONG, D.-T. BAU (*Taoyuan; Taichung, Taiwan, ROC*)

Clonal Relationship Between Lichen Sclerosus, Differentiated Vulvar Intraepithelial Neoplasia and Non HPV-related Vulvar Squamous Cell Carcinoma. A.-F.W. POUWER, L.C.G. VAN DEN EINDEN, M. VAN DER LINDEN, J.Y. HEHIR-KWA, J. YU, K.M. HENDRIKS, E.J. KAMPING, A. EIJKELENBOOM, L.F.A.G. MASSUGER, J. BULTEN, A.A.G. VAN TILBORG, J.A. DE HULLU, R.P. KUIPER (*Nijmegen; Utrecht, the Netherlands*)

Identification of Novel Prognosis and Prediction Markers in Advanced Prostate Cancer Tissues Based on Quantitative Proteomics. O.K. KWON, Y.-S. HA, A.Y. NA, S.Y. CHUN, T.G. KWON, J.N. LEE, S. LEE (*Daegu, Republic of Korea*)

BRD4-Regulated Molecular Targets in Mantle Cell Lymphoma: Insights into Targeted Therapeutic Approach. T. TSUKAMOTO, S. NAKAHATA, R. SATO, A. KANAI, M. NAKANO, Y. CHINEN, S. MAEGAWA-MATSUI, Y. MATSUMURA-KIMOTO, T. TAKIMOTO-SHIMOMURA, Y. MIZUNO, S. KUWAHARA-OTA, Y. KAWAJI, M. TANIWAKI, T. INABA, K. TASHIRO, K. MORISHITA, J. KURODA (*Kyoto; Miyazaki; Hiroshima, Japan*)

MicroRNAs Involved in Metastasis of Hepatocellular Carcinoma: Target Candidates, Functionality and Efficacy in Animal Models and Prognostic Relevance. U.H. WEIDLE, D. SCHMID, F. BIRZELE, U. BRINKMANN (*Penzberg, Germany; Basel, Switzerland*)

Increased Expression of Gremlin1 Promotes Proliferation and Epithelial Mesenchymal Transition in Gastric Cancer Cells and Correlates With Poor Prognosis of Patients With Gastric Cancer. Z. SUN, S. CAI, C. LIU, Y. CUI, J. JI, W.G. JIANG, L. YE (*Cardiff, UK; Beijing, PR China*)

Contents**Reviews**

Reasons to Reconsider Risk Associated With Power Morcellation of Uterine Fibroids. C. HOLZMANN, W. KUEPKER, B. ROMMEL, B. HELMKE, J. BULLERDIEK (*Rostock; Baden-Baden-Buehl; Bremen; Stade, Germany*) 1

Three-dimensional Versus Two-dimensional Laparoscopic Surgery for Colorectal Cancer: Systematic Review and Meta-analysis. G. PANTALOS, D. PATSOURAS, E. SPARTALIS, D. DIMITROULIS, G. TSOUROUFLIS, N. NIRITEAS (*Athens, Greece*) 11

Intraoperative Indocyanine Green (ICG) Angiography for the Identification of the Parathyroid Glands: Current Evidence and Future Perspectives. E. SPARTALIS, G. NTOKOS, K. GEORGIOU, G. ZOGRAFOS, G. TSOUROUFLIS, D. DIMITROULIS, N.J. NIRITEAS (*Athens, Greece*) 23

Fanconi Anemia Mouse Genotype-specific Mitigation of Total Body Irradiation by GS-Nitroxide JP4-039. M.W. EPPERLY, R. FISHER, X. ZHANG, W. HOU, D. SHIELDS, P. WIPF, H. WANG, S. THERMOZIER, J.S. GREENBERGER (*Pittsburgh, PA, USA*) 33

Second-generation Probiotics Producing IL-22 Increase Survival of Mice After Total Body Irradiation. X. ZHANG, R. FISHER, W. HOU, D. SHIELDS, M.W. EPPERLY, H. WANG, L. WEI, B.J. LEIBOWITZ, J. YU, L.M. ALEXANDER, J.-P. VAN PIJKEREN, S. WATKINS, P. WIPF, J.S. GREENBERGER (*Pittsburgh, PA; Madison, WI, USA*) 39

The Association of MMP7 Genotype With Pterygium. P.-S. HU, Y.-C. WANG, C.-H. LIAO, N.-Y. HSIA, M.-F. WU, J.-S. YANG, C.-C. YU, W.-S. CHANG, D.-T. BAU, C.-W. TSAI (*Taichung; Changhua; Taipei, Taiwan, ROC*) 51

Contents continued on the back cover

ISSN (online): 1791-7549**General Policy**

- **IN VIVO** is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the frames of human physiology, pathology and disease management. A special focus of the journal is the publication of works on: (a) Experimental development and application of new diagnostic procedures; (b) Pharmacological and toxicological evaluation of new drugs and drug combinations; (c) Clinical trials; (d) Development and characterization of models of biomedical research.
- The principal aim of **IN VIVO** is to provide prompt online publication for accepted articles, generally within 1-2 months from final acceptance (3 months from submission).

- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.

U.S. Branch: Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.

- **E-mail:** journals@iilar-anticancer.org; IILAR WEBSITES: www.iilar-anticancer.org and www.iilarjournals.org

- **International Journal of Experimental and Clinical Pathophysiology and Drug Research**
- **Published bimonthly by the International Institute of Anticancer Research**
- **Available online only and open access with Stanford University HighWire Press**

● Selection of Recent Articles

Fanconi Anemia Mouse Genotype-specific Mitigation of Total Body Irradiation by GS-Nitroxide JP4-039. M.W. EPPERLY, R. FISHER, X. ZHANG, W. HOU, D. SHIELDS, P. WIPF, H. WANG, S. THERMOZIER, J.S. GREENBERGER (*Pittsburgh, PA, USA*)

Oral Recombinant Methioninase Prevents Obesity in Mice on a High Fat Diet. Y. TASHIRO, Q. HAN, Y. TAN, N. SUGISAWA, J. YAMAMOTO, H. NISHINO, S. INUBUSHI, T. HIGUCHI, T. AOKI, M. MURAKAMI, R.M. HOFFMAN (*San Diego, CA, USA; Tokyo, Japan*)

Radical-scavenging and Pro-/anti-inflammatory Activity of Tetracycline and Related Phenolic Compounds With or Without Visible Light Irradiation. Y. MURAKAMI, A. KAWATA, S. SUZUKI, S. FUJISAWA (*Sakado, Japan*)

TRPV1 Mediates Glucose-induced Insulin Secretion Through Releasing Neuropeptides. B. ZHONG, S. MA, D.H. WANG (*East Lansing, MI, USA*)

Health-related Quality of Life of Breast Cancer Survivors Attending an Exercise Intervention Study: A Five-year Follow-up. E. ROINE, H. SINTONEN, P.-L. KELLOKUMPU-LEHTINEN, H. PENTTINEN, M. UTRIAINEN, L. VEHMANEN, R. HUOVINEN, H. KAUTIAINEN, R. NIKANDER, C. BLOMQVIST, T. SAARTO (*Helsinki; Tampere; Turku; Kuopio; Jyväskylä, Finland*)

The Anthropometric Assessment With the Bioimpedance Method Is Associated With the Prognosis of Cirrhotic Patients. E.-I. MORIWAKI, H. ENOMOTO, M. SAITO, N. HARA, H. NISHIKAWA, T. NISHIMURA, Y. IWATA, H. IIJIMA, S. NISHIGUCHI (*Hyogo; Osaka, Japan*)

Surgical Intervention for Uterine Fibroids. Our 4-Year Experience and Literature Review: Is It Time to Centralise Care Provision Via Specialist Fibroid Centres? S.M. STRONG, M. SIDERIS, Z. MAGAMA, S. ROUABHI, F. ODEJINMI (*London, UK*)

Symptom Burden in Patients With Reduced Performance Status at the Start of Palliative Radiotherapy. C. NIEDER, T.A. KÄMPE (*Bodø; Tromsø, Norway*)

The Association of MMP7 Genotype With Pterygium. P.-S. HU, Y.-C. WANG, C.-H. LIAO, N.-Y. HSIA, M.-F. WU, J.-S. YANG, C.-C. YU, W.-S. CHANG, D.-T. BAU, C.-W. TSAI (*Taichung; Changhua; Taipei, Taiwan, ROC*)

Reasons to Reconsider Risk Associated With Power Morcellation of Uterine Fibroids. C. HOLZMANN, W. KUEPKER, B. ROMMEL, B. HELMKE, J. BULLERDIEK (*Rostock; Buehl; Bremen; Stade, Germany*)

Chemoprevention of Breast Cancer With Vitamins and Micronutrients: A Concise Review. KEFAH MOKBEL, KINAN MOKBEL (*London, UK*)

Serum Level of microRNA-375-3p Is not a Reliable Biomarker of Teratoma? G. BELGE, F. GROBELNY, C. MATTHIES, A. RADTKE, K.-P. DIECKMANN (*Bremen; Hamburg, Germany*)

Targeting BCL-2 as a Therapeutic Strategy for Primary p210BCR-ABL1-positive B-ALL Cells. M. MASSIMINO, E. TIRRO, S. STELLA, M.S. PENNISI, S.R. VITALE, A. PUMA, C. ROMANO, S. DI GREGORIO, M.A. ROMEO, F. DI RAIMONDO, L. MANZELLA (*Catania, Italy*)

| | |
|--|------|
| Radical Nephrectomy and Pulmonary Lobectomy for Renal Cell Carcinoma With Tumor Thrombus Extension into the Inferior Vena Cava and Pulmonary Arteries. A. MANOHARAN, A. LUGO-BARQUI, G. CIANCIO (<i>Miami, FL, USA; Guadalajara, Mexico</i>) | 5837 |
| Endoscopic Ultrasound-guided Sampling of Solid Pancreatic Lesions: A Comparative Analysis of 25 Gauge Versus 22 Gauge Core Biopsy Needles. D.A. SIDDIQUE, M.A. RAHAL, K. TREVINO, H.H. WU, M.A. AL-HADDAD (<i>Indianapolis; Carmel, IN, USA</i>) | 5845 |
| Upfront Radiotherapy in Patients With Asymptomatic Incurable Rectal Cancer: A Retrospective Cohort Study. G. JONSSON, L. PHILIPSON, K. VILLMAN, A. VALACHIS (<i>Eskilstuna; Örebro, Sweden</i>) | 5853 |
| Bladder-conserving Approach in Radical Treatment of Patients With Bladder Cancer – A Single-institution Experience. W. MAJEWSKI, J. NIECKULA, T. DWORZECKI, L. MISZCZYK (<i>Gliwice, Poland</i>) | 5861 |
| Radical Surgical Procedures in Advanced Ovarian Cancer and Differences Between Primary and Interval Debulking Surgery. V. MITSOPoulos, A. INNAMAA, J. LIPPIATT, N. PLEVRISS, I. BILIATIS (<i>Poole, UK</i>) | 5869 |
| Diagnostic Accuracy of Pleural Fluid Cytology, Carcinoembryonic Antigen and C-Reactive Protein Together in Patients With Pulmonary Metastases and Malignant Pleural Effusion. S.M.M. BASSO, A. DEL CONTE, U. ZUCCON, S.C. SULFARO, G. FANTI, F. MAFFEIS, P. UBIALI, M. ERMANI, F. LUMACHI (<i>Pordenone; Padua, Italy</i>) | 5877 |
| Predictive Role of TP53, PIK3CA and MLL2 in ER+ HER2+ Breast Cancer: Biomarker Analysis of Neo-ALL-IN [NCT 01275859]. J.H. PARK, J.-H. AHN, J.E. KIM, K.H. JUNG, G. GONG, H.J. LEE, B.-H. SON, S.-H. AHN, H.-H. KIM, H.J. SHIN, D.-H. MOON, D. KIM, S.-B. KIM (<i>Seoul, Republic of Korea</i>) | 5883 |
| Prognostic Significance of Oligometastatic Disease Classification by the ESTRO/EORTC of Cancer for Patients With Lung Cancer Treated With Definitive Radical Radiotherapy. H.-J. CHEN, C.-Y. TU, T.-C. HSIA, H.-Y. FANG, C.-H. CHEN, S.-C. CHEN, C.-H. LI, Y.-M. LIAO, C.-Y. HSIEH, M.-Y. LEIN, J.-A. LIANG, C.-R. CHIEN (<i>Taichung; Hsinchu, Taiwan, ROC</i>) | 5895 |
| Predictors of Local Control for Stereotactic Ablative Radiotherapy (SAbR) in Pulmonary Oligometastases from Gastrointestinal Malignancies. N. SIMONI, R. MICERA, G. ROSSI, M.G. GIRI, M. PAVARANA, A. MURAGLIA, N.L.V. CERNUSCO, M. DE LIGUORO, S. GUARIGLIA, C. CAVEDON, M. MILELLA, R. MAZZAROTTO (<i>Verona, Italy</i>) | 5901 |
| Incidence of CMV Replication and the Role of Letermovir Primary/Secondary Prophylaxis in the Early Phase After Allogeneic Hematopoietic Stem Cell Transplantation – A Single Centre Study. U. STUDER, N. KHANNA, K. LEUZINGER, H.H. HIRSCH, D. HEIM, C. LENGERKE, D.A. TSAKIRIS, J. HALTER, S. GERULL, J. PASSWEG, M. MEDINGER, M. GWERDER (<i>Basel, Switzerland</i>) | 5909 |
| First Reported Case of Localized Extra-pulmonary Small Cell Carcinoma (EPSC) of the Esophagus Treated With Triple Therapy. A. HAAG, T. JAYAKRISHNAN, D. SHAH, A. SANDHU, D. MONGA (<i>Pittsburgh, PA, USA</i>) | 5919 |
| Characterization of Paired Box 8 (PAX8)-expressing Metastatic Breast Carcinoma. S.-W. KIM, H.-S. KIM, K. NA (<i>Seoul, Republic of Korea</i>) | 5925 |
| A Rare Case of Locally Advanced Primary Small Cell Neuroendocrine Carcinoma of the Adrenal Gland. V. LIMONNIK, D. SHAH, A. SANDHU, D.K. MONGA (<i>Pittsburgh, PA, USA</i>) | 5933 |
| Oncological and Reproductive Outcomes of Abdominal Radical Trachelectomy. A. YOSHINO, E. KOBAYASHI, M. KODAMA, K. HASHIMOTO, Y. UEDA, K. SAWADA, T. TOMIMATSU, T. KIMURA (<i>Osaka, Japan</i>) | 5939 |
| Erratum | 5949 |

| | |
|---|------|
| Angiosarcomas of Primary Gynecologic Origin – A Case Series and Review of the Literature. L. CHINCZEWSKI, E.T. TAUBE, F.W. FELDHAUS, L.A. DRÖGE, R. CHEKEROV, M.Z. MUALLEM, K. PIETZNER, J. SEHOULI, S. ALAVI (<i>Berlin, Germany</i>) | 5743 |
| Contribution of Matrix Metalloproteinase-9 rs3918242 Genotypes to Childhood Leukemia Risk. C.-C. KUO, C.-W. TSAI, W.-S. CHANG, T.-C. SHEN, H.-E. TZENG, C. LI, Y.-C. WANG, F.-J. TSAI, D.-T. BAU (<i>Taichung; Taipei, Taiwan, ROC</i>) | 5751 |
| Treatment of Patients With Non-small-cell Lung Cancer With Uncommon <i>EGFR</i> Mutations in Clinical Practice. Y. YAMADA, T. TAMURA, Y. YAMAMOTO, H. ICHIMURA, K. HAYASHIHARA, T. SAITO, H. YAMADA, T. ENDO, R. NAKAMURA, Y. INAGE, H. SATOH, K. IGUCHI, K. SAITO, M. INAGAKI, N. KIKUCHI, K. KURISHIMA, H. ISHIKAWA, M. SAKAI, K. KAMIYAMA, T. SHIOZAWA, N. HIZAWA, I. SEKINE, Y. SATO, Y. FUNAYAMA, K. MIYAZAKI, T. KODAMA, S. HAYASHI, A. NOMURA, H. NAKAMURA, K. FURUKAWA, T. YAMASHITA, H. OKUBO, H. SUZUKI, M. KIYOSHIMA, T. KABURAGI (<i>Kasama; Hitachi; Tokai; Hitachinaka; Mito; Tsuchiura; Tsukuba; Ryugasaki; Sakai; Ami; Toride, Japan</i>) | 5757 |
| Dendritic Cell-based Immunotherapy Pulsed With Wilms Tumor 1 Peptide and Mucin 1 as an Adjuvant Therapy for Pancreatic Ductal Adenocarcinoma After Curative Resection: A Phase I/IIa Clinical Trial. K. NAGAI, T. ADACHI, H. HARADA, S. EGUCHI, H. SUGIYAMA, Y. MIYAZAKI (<i>Nagasaki; Osaka, Japan</i>) | 5765 |
| Expression of Insulin-like Growth Factor II mRNA-binding Protein 3 in Gallbladder Carcinoma. S.J. KIM, S.-W. KIM, C.H. OH, M. HONG, S.-I. DO, Y.W. KIM, H.-S. KIM, K. NA (<i>Seoul, Republic of Korea</i>) | 5777 |
| Hypothalamic-Pituitary Axis Dysfunction After Whole Brain Radiotherapy – A Cohort Study. J. GEBAUER, P. MEHTA, F.B. FAHLBUSCH, S.M. SCHMID, D. RADES, S. JANSSEN (<i>Luebeck; Erlangen; Hannover, Germany</i>) | 5787 |
| Preoperative Evaluation of Myxofibrosarcoma: Prognostic Value and Reproducibility of Different Features on MRI. H. MÜHLHOFER, A. GERSING, D. PFEIFFER, K. WÖRTLER, U. LENZE, F. LENZE, V. LALLINGER, B. HALLER, R. BURGKART, R. VON EISENHART-ROTHE, C. KNEBEL (<i>Munich, Germany</i>) | 5793 |
| Clinical Efficacy of Tumor Treating Fields for Newly Diagnosed Glioblastoma. Y. LIU, M.S. STRAWDERMAN, K.T. WARREN, M. RICHARDSON, J.N. SERVENTI, N.A. MOHILE, M.T. MILANO, K.A. WALTER (<i>Rochester, NY, USA</i>) | 5801 |
| Is it Necessary to Confirm Negative Margins in Gastrectomy for Peritoneal Lavage Cytology-positive Gastric Cancer? S. ENDO, Y. FUJIWARA, T. YAMATSUJI, K. NISHIKAWA, K. FUJITANI, M. IKENAGA, J. KAWADA, Y. OKAMOTO, H. KUBOTA, M. HIGASHIDA, T. UENO (<i>Okayama; Osaka, Japan</i>) | 5807 |
| Clinical Significance of Glioma-associated Oncogene 1 Expression in Patients With Locally Advanced Gastric Cancer Administered Adjuvant Chemotherapy With S-1 After Curative Surgery. I. HASHIMOTO, N. OUE, Y. KIMURA, Y. HIROSHIMA, K. HARA, Y. MAEZAWA, K. KANO, H. FUJIKAWA, T. AOYAMA, M. NUMATA, T. YAMADA, H. TAMAGAWA, N. YAMAMOTO, T. OGATA, M. SHIOZAWA, S. MORINAGA, Y. RINO, W. YASUI, M. MASUDA, Y. MIYAGI, T. OSHIMA (<i>Yokohama; Hiroshima, Japan</i>) | 5815 |
| Complete Removal of Adrenal Metastasis in Hepatocellular Carcinoma Using Indocyanine Green Fluorescent Imaging. K. YAMAMURA, T. BEPPU, N. SATO, K. KINOSHITA, E. ODA, H. YUKI, T. MOTOHARA, H. MIYAMOTO, Y. KOMOHARA, S. AKAHOSHI (<i>Kumamoto, Japan</i>) | 5823 |
| Five-year Outcomes of Chemotherapy With Docetaxel, Cisplatin, and 5-Fluorouracil Followed by Oesophagectomy in Oesophageal Cancer. Y. TANISHIMA, K. NISHIKAWA, Y. ARAKAWA, A. MATSUMOTO, M. YUDA, Y. TANAKA, N. MITSUMORI, K. YANAGI (<i>Tokyo, Japan</i>) | 5829 |

| | |
|---|------|
| High Expression of p21 as a Potential Therapeutic Target in Ovarian Clear-cell Carcinoma. Y. MINAGAWA, K. ISHINO, R. WADA, M. KUDO, Z. NAITO, T. TAKESHITA, R. OHASHI (<i>Tokyo, Japan</i>) | 5631 |
| Mesenchymal Stem Cells Combined With IFN γ Induce Apoptosis of Breast Cancer Cells Partially Through TRAIL. E.N. YENILMEZ, D. GENC, A.A. FAROOQI, S. TUNOGLU, U. ZEYBEK, T. AKKOC, İ. YAYLIM (<i>Istanbul; Mugla, Turkey; Islamabad, Pakistan</i>) | 5641 |
| The Relationship of GATA3 and Ki-67 With Histopathological Prognostic Parameters, Locoregional Recurrence and Disease-free Survival in Invasive Ductal Carcinoma of the Breast. E. YILDIRIM, S. BEKTAS, O. GUNDOGAR, D. FINDIK, S. ALCICEK, K.O. ERDOGAN, M. YILDIZ (<i>Istanbul; Osmaniye, Turkey</i>) | 5649 |
| <i>LINE-1</i> Hypomethylation Is Associated With Malignant Traits and Cell Proliferation in Lung Adenocarcinoma. H. KITAHARA, T. OKAMOTO, S. SHIMAMATSU, M. KOHNO, Y. MORODOMI, T. TAGAWA, H. KITAO, S. OKANO, Y. ODA, Y. MAEHARA, M. MORI (<i>Fukuoka, Japan</i>) | 5659 |
| Expression Analysis of Tyrosine Phosphatase Genes at Different Stages of Renal Cell Carcinoma. I. LACZMANSKA, L. LACZMANSKI, M.M. SASIADEK (<i>Wroclaw, Poland</i>) | 5667 |
| Clinical Studies | |
| Minimal Access vs. Open Spine Surgery in Patients With Metastatic Spinal Cord Compression - A One-Center Randomized Controlled Trial. S.S. MORGREN, L.V. HANSEN, T. KARBO, R. SVARDAL-STELMER, M. GEHRCHEN, B. DAHL (<i>Copenhagen, Denmark; Houston, TX, USA</i>) | 5673 |
| Cytopathological Heterogeneity of Circulating Tumor Cells in Non-metastatic Esophageal Adenocarcinoma. J. KUVENDJISKA, M.B. PITMAN, V. MARTINI, C. BRAUN, K. GREBE, S. TIMME, S. FICHTNER-FEIGL, T. GLATZ, C. SCHMOOR, J. GUENZLE, J. HOEPPNER, B. KULEMANN (<i>Freiburg; Bochum, Germany; Boston, MA, USA</i>) | 5679 |
| Highly Activated <i>Ex Vivo</i> -expanded Natural Killer Cells in Patients With Solid Tumors in a Phase I/IIa Clinical Study. K. NAGAI, Y. HARADA, H. HARADA, K. YANAGIHARA, Y. YONEMITSU, Y. MIYAZAKI (<i>Nagasaki; Fukuoka, Japan</i>) | 5687 |
| The Induction of Antioxidant Catalase Enzyme With Decrease of Plasma Malonidialdehyde: An Important Reactive Oxidative Species Inhibiting Mechanism. M. RUOTTINEN, V. KAARONEN, I. SAIMANEN, V. KUOSMANEN, J. KÄRKKÄINEN, T. SELANDER, S. ASPINEN, M. ESKELINEN (<i>Kuopio, Finland</i>) | 5701 |
| Association of ANRIL Polymorphism With Overall Survival in Adult Patients With Hematologic Malignancies After Allogeneic Hematopoietic Stem Cell Transplantation. J. LI, N. SELIGSON, X. ZHANG, J. JOHNSON, Z. VANGUNDY, D. WANG, M. PHELPS, C. HOFMEISTER, W. SADEE, M.J. POI (<i>Columbus, OH; Gainesville, FL; Atlanta, GA, USA</i>) | 5707 |
| Prognostic Significance of Combined Platelet Distribution Width and C-Reactive Protein Score in Esophageal Cancer. Y. KAWAKITA, S. MOTOYAMA, Y. SATO, A. WAKITA, Y. NAGAKI, K. IMAI, Y. MINAMIYA (<i>Akita, Japan</i>) | 5715 |
| Impact of the Affordable Care Act on Timeliness to Treatment for Patients With Multiple Myeloma. T. JAYAKRISHNAN, V. BAKALOV, N.S. CALLANDER, S. SADASHIV, R. WAGNER, S. AILAWADHI (<i>Pittsburgh, PA; Madison, WI; Jacksonville, FL, USA</i>) | 5727 |
| Utility of Bone Scintigraphy and PET-CT in the Surgical Staging of Skeletal Chondrosarcoma. J.D. JOHNSON, W.G. RAINER, P.S. ROSE, M.T. HOUDEK (<i>Rochester, MN, USA</i>) | 5735 |
| Surgical Resection With Pedicled Rotation Flap for Post-mastectomy Locoregional Breast Cancer Recurrence. Y. SHINDEN, A. NAGATA, Y. NOMOTO, H. SAHO, A. NAKAJO, K. MINAMI, T. OWAKI, T. OHTSUKA, Y. KIJIMA (<i>Kagoshima; Toyoake, Japan</i>) | 5739 |

| | |
|---|------|
| Differences in Linear Energy Transfer Affect Cell-killing and Radiosensitizing Effects of Spread-out Carbon-ion Beams. S. SHIBA, M. WAKATSUKI, T. OHNO, T. NAKANO (<i>Chiba; Maebashi, Japan</i>) | 5497 |
| Association of Caspase-8 Genotypes With the Risk for Nasopharyngeal Carcinoma in Taiwan. L.-C. SHIH, C.-W. TSAI, W.-S. CHANG, T.-C. SHEN, Y.-C. WANG, J.-S. YANG, M.-L. LIN, Z.-H. WANG, D.-T. BAU (<i>Taichung, Taiwan, ROC</i>)..... | 5503 |
| Protein Profiling of Extracellular Vesicles Associated With Cisplatin Resistance in Lung Cancer. H. BALBINOTTI, N.A. CADORE, C.S. DUTRA, E.D. DA SILVA, H.B. FERREIRA, A. ZAHIA, K.M. MONTEIRO (<i>Porto Alegre, Brazil</i>) | 5509 |
| Azidothymidine (AZT) Inhibits Proliferation of Human Ovarian Cancer Cells by Regulating Cell Cycle Progression. Y. HSIEH, J.-J. TSENG (<i>Taichung, Taiwan, ROC</i>) | 5517 |
| Curcumol Suppresses Triple-negative Breast Cancer Metastasis by Attenuating Anoikis Resistance via Inhibition of Skp2-mediated Transcriptional Addiction. C.-L. LI, C.-W. HUANG, C.-J. KO, S.-Y. FANG, F. OU-YANG, M.-R. PAN, C.-W. LUO, M.-F. HOU (<i>Kaohsiung, Taiwan, ROC</i>)..... | 5529 |
| Mxi-2 Dependent Regulation of p53 in Prostate Cancer. B. KÖDITZ, J.W.U. FRIES, H. GÖBEL, P. PAFFENHOLZ, K. RICHTER, A. HEIDENREICH, M. VON BRANDENSTEIN (<i>Rheinbach; Cologne, Germany</i>) | 5539 |
| Opposing Oncogenic Functions of p38 Mitogen-activated Protein Kinase Alpha and Beta in Human Pancreatic Cancer Cells. X. TIAN, B. TRAUB, X. XIE, S. ZHOU, D. HENNE-BRUNS, U. KNIPPSCHILD, M. KORNMANN (<i>Ulm, Germany; Beijing, PR China</i>) | 5545 |
| Differential Expression of E-Cadherin and P-Cadherin in Breast Cancer Molecular Subtypes. M.M. MARGAN, A.M. CIMPEAN, A.R. CEAUSU, M. RAICA (<i>Timisoara, Romania</i>) | 5557 |
| Relationship Between Stage-specific Embryonic Antigen-4 and Anti-cancer Effects of Neoadjuvant Hormonal Therapy in Prostate Cancer. T. YUNO, Y. MIYATA, T. MATSUO, Y. MUKAE, A. OTSUBO, K. MISTUNARI, K. OHBA, T. SUDA, S. SAITO, H. SAKAI (<i>Nagasaki; Okinawa, Japan</i>) | 5567 |
| A Novel System to Detect Circulating Tumor Cells Using Two Different Size-selective Microfilters. T. SONODA, N. YANAGITANI, K. SUGA, T. YOSHIZAWA, S. NISHIKAWA, S. KITAZONO, A. HORIIKE, K. SHIBA, T. ISHIZUKA, M. NISHIO, S. MATSUSAKA (<i>Tokyo; Fukui; Ishikawa; Ibaraki, Japan</i>) | 5577 |
| A Psychometric Validation of the Decisional Conflict Scale in Italian Cancer Patients Scheduled for Insertion of Central Venous Access Devices. M.R. ESPOSITO, A. GUILLARI, F. GIANCAMILLI, T. REA, M. PIREDDA, M. GRAZIA DE MARINIS, A. CHIRICO (<i>Naples; Rome, Italy; Philadelphia, PA, USA</i>) | 5583 |
| Prognostic Significance of TYRO3 Receptor Tyrosine Kinase Expression in Gastric Cancer. C. UEMIYA, M. MORIMOTO, M. YAMAMOTO, K. HARA, W. MIYAUCHI, K. SUGEZAWA, Y. TADA, A. TANIO, K. KIHARA, T. MATSUNAGA, N. TOKUYASU, T. SAKAMOTO, S. HONJO, Y. UMEKITA, Y. FUJIWARA (<i>Yonago, Japan</i>) | 5593 |
| <i>LRRC17</i> Is Linked to Prognosis of Ovarian Cancer Through a p53-dependent Anti-apoptotic Function. C.-K. OH, J.J. PARK, M. HA, H.J. HEO, J. KANG, E.J. KWON, J.W. KANG, Y. KIM, J.M. KANG, S.Z. YOON, Y. KO, D.S. KO, Y.H. KIM (<i>Ulsan; Seoul; Yangsan; Incheon; Busan, Republic of Korea; Ann Arbor, MI, USA</i>) | 5601 |
| Role of PrPC in Cancer Stem Cell Characteristics and Drug Resistance in Colon Cancer Cells. G. GO, C.W. YUN, Y.M. YOON, J.H. LIM, J.H. LEE, S.H. LEE (<i>Cheonan; Seoul, Republic of Korea</i>) | 5611 |
| FGF Expression in HPV16-positive and –negative SCC After Treatment With Small-molecule Tyrosine Kinase Inhibitors and Everolimus. L. HUBER, R. BIRK, M. KNUETTEL, N. ROTTER, C. ADERHOLD, C. SCHERL, A. LAMMERT, F. JUNGBAUER, B. KRAMER (<i>Mannheim; Marburg, Germany</i>) | 5621 |

| | |
|---|------|
| Toll-Like Receptor-3 Activation Enhances Malignant Traits in Human Breast Cancer Cells Through Hypoxia-inducible Factor-1 α . F. SCATOZZA, A. D'AMORE, R.A. FONTANELLA, P. DE CESARIS, F. MARAMPON, F. PADULA, E. ZIPARO, A. RICCIOLI, A. FILIPPINI (<i>Rome; L'Aquila, Italy</i>) | 5379 |
| A Gemcitabine Plus 5-Fluorouracil Combination Inhibits Gastric-Cancer Liver Metastasis in a PDOX Model: A Novel Treatment Strategy. N. SUGISAWA, H. NISHINO, T. HIGUCHI, J.H. PARK, J. YAMAMOTO, Y. TASHIRO, K. KAWAGUCHI, M. BOUVET, M. UNNO, R.M. HOFFMAN (<i>San Diego, CA, USA; Sendai, Japan</i>) | 5393 |
| Idarubicin, an Anthracycline, Induces Oxidative DNA Damage in the Presence of Copper (II). H. MIZUTANI, C. SHIGA, M. IMAI, K. IKEMURA, Y. KITAMURA, K. OHTA, D. MIYAZAWA, M. SAKANASHI, T. TAHIRA, T. MAEDA, Y. HIRAKU, S. KAWANISHI (<i>Nagoya; Suita; Eiheiji; Suzuka, Japan</i>) | 5399 |
| Expression of ATP-binding Cassette Transporter 11 (ABCC11) Protein in Colon Cancer. Y. YAMADA, K. YOSHIMATSU, H. YOKOMIZO, S. OKAYAMA, S. SHIOZAWA (<i>Tokyo, Japan</i>) | 5405 |
| Double Negativity for Expression of YAP1 and CDX2 Defines an Aggressive Type of Colitis-associated Cancer. F. YIN, H. XIE, J. LAI, Y. CHEN, J. DONG, X. ZHANG, X. LIU (<i>Columbia, MO; Tampa; Gainesville, FL; Sacramento, CA; Omaha, NE; Cleveland, OH, USA</i>) | 5411 |
| Genomic Database Analysis for Head and Neck Cancer Prevention Targets: MTOR Signal Transduction Pathway. C. KOENIGSBERG, F.G. ONDREY (<i>Minneapolis, MN, USA</i>) | 5417 |
| Association Between Pesticide Use and Incidence of Diffuse Large B-Cell Lymphoma. A. ALTAHAN, L.J. HARRIS, J. PORTA, A.L. JAIN, M.G. MARTIN (<i>Memphis, TN, USA</i>) | 5423 |
| DRAQ7 as an Alternative to MTT Assay for Measuring Viability of Glioma Cells Treated With Polyphenols. H.K. ROOPRAI, P. LAWRENCE, S. KESHAVARZ, P. YASHOD, R.W. GULLAN, R.P. SELWAY, D. DAVIES (<i>London; Sutton, UK</i>) | 5427 |
| Expression and Clinical Significance of Neuropilin-1 in Patients With Multiple Myeloma. A. KARCZMARCZYK, S. BILSKA, M. KORPYSZ, J. PURKOT, N. GRZAŚKO, M. HUS, K. GIANNOPoulos (<i>Lublin, Poland</i>) | 5437 |
| Therapeutic Time-restricted Feeding Reduces Renal Tumor Bioluminescence in Mice But Fails to Improve Anti-CTLA-4 Efficacy. W.J. TURBITT, R.M. ORLANDELLA, J.T. GIBSON, C.M. PETERSON, L.A. NORIAN (<i>Birmingham, AL, USA</i>) | 5445 |
| The Interplay Between Innate Immunity (TLR-4) and sCD40L in the Context of an Animal Model of Colitis-associated Cancer. A. ANGELOU, A.E. PAPALOIS, E. ANTONIOU, J. WANG, N. AMINI, A. PIKOULI, N. ANDREATOS, S. BUETTNER, M. MUNIR, G. THEODOROPOULOS, G.C. ZOGRAFOS, P. SARANTIS, A. PULVIRENTI, C. KAMPHUES, S. THEOCHARIS, E. PIKOULIS, G.A. MARGONIS (<i>Athens, Greece; Nicosia, Cyprus; Baltimore, MD; New York, NY, USA; Milan, Italy; Berlin, Germany</i>) | 5457 |
| Promotion of Chondrosarcoma Cell Survival, Migration and Lymphangiogenesis by Periostin. J.Y. JEONG, W. JEONG, H.-J. KIM (<i>Daegu, Republic of Korea</i>) | 5463 |
| MDA-MB-157 Cell Line Presents High Levels of MAD2L2 and Dysregulated Mitosis. N. PERNICONE, L. PERETZ, S. GRINSHPON, T. LISTOVSKY (<i>Ariel, Israel</i>) | 5471 |
| Sphere-derived Prostate Cancer Stem Cells Are Resistant to $\gamma\delta$ T Cell Cytotoxicity. M. MIYASHITA, M. TOMOGANE, Y. NAKAMURA, T. SHIMIZU, A. FUJIHARA, O. UKIMURA, E. ASHIHARA (<i>Kyoto, Japan</i>) .. | 5481 |
| Presence of the Transmembrane Protein Neuropilin in Cytokine-induced Killer Cells. E.V. DÍEZ GARCÍA DE OLALLA, F. GAROFANO, H. WEIHER, M. MUDERS, S. FÖRSTER, I.G.H. SCHMIDT-WOLF (<i>Bonn; Rheinbach, Germany</i>) | 5489 |