

Instructions for Authors 2020

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the “Shorter Oxford English Dictionary”.

Manuscripts. Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication “review”, “clinical”, “epidemiological”, or “experimental” study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors' contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author’s opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalgleish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. Anticancer Res 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticanres.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: Receptors for Reproductive Hormones. O’ Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region, 2000-2015. Geneva, World Health Organisation, 2016. Available at http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html. Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergery’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human foetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references.

Manuscripts must be submitted only through our online submission system at: <http://www.iiar-submissions.com/login.html>

In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iiar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email (iiar@iiar-anticancer.org) within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.
5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author’s writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.

6. Authors should pay attention to the following points when writing an article for AR:

- The Instructions to Authors must be followed in every detail.
- The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
- The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
- Results given in figures should not be repeated in tables.
- Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
- Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
- Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
- Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
- Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
- The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
- By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.

7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.

8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).

9. Articles submitted to AR may be rejected without review if:

- they do not fall within the journal's policy.
- they do not follow the instructions for authors.
- language is unclear.
- results are not sufficient to support a final conclusion.
- results are not objectively based on valid experiments.
- they repeat results already published by the same or other authors before the submission to AR.
- plagiarism is detected by plagiarism screening services.

(Rejection rate (2016): 66%).

10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.

11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iilar-anticancer.org

12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.

13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service. (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2020 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

Contents**Reviews**

Reasons to Reconsider Risk Associated With Power Morcellation of Uterine Fibroids. C. HOLZMANN, W. KUEPKER, B. ROMMEL, B. HELMKE, J. BULLERDIEK (Rostock; Baden-Baden-Bleib; Bremen; Stade, Germany).....

1

Three-dimensional Versus Two-dimensional Laparoscopic Surgery for Colorectal Cancer: Systematic Review and Meta-analysis. G. PANTALOS, D. PATSOURAS, E. SPARTALIS, D. DIMITROULIS, G. TSOUROUFLIS, N. NIKITAS (Athens, Greece).....

11

Intraoperative Indocyanine Green (ICG) Angiography for the Identification of the Pancreatic Glads: Current Evidence and Future Perspectives. E. SPARTALIS, G. NTOKOS, K. GEORGIOU, G. ZOGRAFOS, G. TSOUROUFLIS, D. DIMITROULIS, N. NIKITAS (Athens, Greece).....

23

Experimental Studies

Fanconi Anemia Mouse Genotype-specific Mitigation of Total Body Irradiation by GS-Nitroxide JP4-039. M.W. EPPERLY, R. FISHER, X. ZHANG, W. HOU, D. SHIELDS, P. WIPF, H. WANG, S. THERMOZIER, J.S. GREENBERGER (Pittsburgh, PA, USA).....

33

Second-generation Probiotics Producing IL-22 Increase Survival of Mice After Total Body Irradiation. X. ZHANG, R. FISHER, W. HOU, D. SHIELDS, M.W. EPPERLY, H. WANG, L. WEI, B.J. LEIBOWITZ, J. YU, L.M. ALEXANDER, J.P. VAN PUUREN, S. WATKINS, P. WIPF, J.S. GREENBERGER (Pittsburgh, PA, USA).....

39

The Association of MMP7 Genotype With Pterygium. P.-S. HU, Y.-C. WANG, C.-H. LIAO, N.-Y. HSIA, M.-F. WU, J.-S. YANG, C.-C. YU, W.-S. CHANG, D.-T. BAU, C.-W. TSAI (Taichung; Changhua; Taipei, Taiwan, ROC).....

51

Contents continued on the back cover

ISSN (online): 1791-7549

General Policy

- **IN VIVO** is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the frames of human physiology, pathology and disease management. A special focus of the journal is the publication of works on: (a) Experimental development and application of new diagnostic procedures; (b) Pharmacological and toxicological evaluation of new drugs and drug combinations; (c) Clinical trials; (d) Development and characterization of models of biomedical research.
- The principal aim of **IN VIVO** is to provide prompt online publication for accepted articles, generally within 1-2 months from final acceptance (3 months from submission).

- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.

U.S. Branch: Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.

- **E-mail:** journals@iilar-anticancer.org; IILAR WEBSITES: www.iilar-anticancer.org and www.iilarjournals.org

- **International Journal of Experimental and Clinical Pathophysiology and Drug Research**
- **Published bimonthly by the International Institute of Anticancer Research**
- **Available online only and open access with Stanford University HighWire Press**

● Selection of Recent Articles

Fanconi Anemia Mouse Genotype-specific Mitigation of Total Body Irradiation by GS-Nitroxide JP4-039. M.W. EPPERLY, R. FISHER, X. ZHANG, W. HOU, D. SHIELDS, P. WIPF, H. WANG, S. THERMOZIER, J.S. GREENBERGER (Pittsburgh, PA, USA)

Oral Recombinant Methioninase Prevents Obesity in Mice on a High Fat Diet. Y. TASHIRO, Q. HAN, Y. TAN, N. SUGISAWA, J. YAMAMOTO, H. NISHINO, S. INUBUSHI, T. HIGUCHI, T. AOKI, M. MURAKAMI, R.M. HOFFMAN (San Diego, CA, USA; Tokyo, Japan)

Radical-scavenging and Pro-/anti-inflammatory Activity of Tetracycline and Related Phenolic Compounds With or Without Visible Light Irradiation. Y. MURAKAMI, A. KAWATA, S. SUZUKI, S. FUJISAWA (Sakado, Japan)

TRPV1 Mediates Glucose-induced Insulin Secretion Through Releasing Neuropeptides. B. ZHONG, S. MA, D.H. WANG (East Lansing, MI, USA)

Health-related Quality of Life of Breast Cancer Survivors Attending an Exercise Intervention Study: A Five-year Follow-up. E. ROINE, H. SINTONEN, P.-L. KELLOKUMPU-LEHTINEN, H. PENTTINEN, M. UTRIAINEN, L. VEHMANEN, R. HUOVINEN, H. KAUTIAINEN, R. NIKAENDER, C. BLOMQVIST, T. SAARTO (Helsinki; Tampere; Turku; Kuopio; Jyväskylä, Finland)

The Anthropometric Assessment With the Bioimpedance Method Is Associated With the Prognosis of Cirrhotic Patients. E.-I. MORIWAKI, H. ENOMOTO, M. SAITO, N. HARA, H. NISHIKAWA, T. NISHIMURA, Y. IWATA, H. IIJIMA, S. NISHIGUCHI (Hyogo; Osaka, Japan)

Surgical Intervention for Uterine Fibroids. Our 4-Year Experience and Literature Review: Is It Time to Centralise Care Provision Via Specialist Fibroid Centres? S.M. STRONG, M. SIDERIS, Z. MAGAMA, S. ROUABHI, F. ODEJINMI (London, UK)

Symptom Burden in Patients With Reduced Performance Status at the Start of Palliative Radiotherapy. C. NIEDER, T.A. KÄMPE (Bodø; Tromsø, Norway)


The Association of MMP7 Genotype With Pterygium. P.-S. HU, Y.-C. WANG, C.-H. LIAO, N.-Y. HSIA, M.-F. WU, J.-S. YANG, C.-C. YU, W.-S. CHANG, D.-T. BAU, C.-W. TSAI (Taichung; Changhua; Taipei, Taiwan, ROC)

Reasons to Reconsider Risk Associated With Power Morcellation of Uterine Fibroids. C. HOLZMANN, W. KUEPKER, B. ROMMEL, B. HELMKE, J. BULLERDIEK (Rostock; Buehl; Bremen; Stade, Germany)

Chemoprevention of Breast Cancer With Vitamins and Micronutrients: A Concise Review. KEFAH MOKBEL, KINAN MOKBEL (London, UK)

Serum Level of microRNA-375-3p Is not a Reliable Biomarker of Teratoma? G. BELGE, F. GROBELNY, C. MATTHIES, A. RADTKE, K.-P. DIECKMANN (Bremen; Hamburg, Germany)

Targeting BCL-2 as a Therapeutic Strategy for Primary p210BCR-ABL1-positive B-ALL Cells. M. MASSIMINO, E. TIRRÒ, S. STELLA, M.S. PENNISI, S.R. VITALE, A. PUMA, C. ROMANO, S. DI GREGORIO, M.A. ROMEO, F. DI RAIMONDO, L. MANZELLA (Catania, Italy)



Online ISSN: 1790-6245

General Policy

- **CANCER GENOMICS & PROTEOMICS (CGP)** welcomes submissions of original high quality articles and reviews on all aspects of the application of genomic and proteomic technologies to experimental and clinical cancer research. The journal's scientific spectrum includes: (a) molecular causes of carcinogenesis, cancer progression and metastasis; (b) structural and functional aspects of genes in the cancer cell; (c) advances in genomic and proteomic technologies applicable to cancer research; (d) anticancer drug design and drug development. A main aim of CGP is to ensure the prompt and confidential review, and rapid publication of original works and reviews, generally within 1-3 months from submission.
- CGP is published bimonthly by the **International Institute of Anticancer Research (IIAR)** and is available online only and open access with **Stanford University HighWire Press**. For more information please visit our website www.cgp.iiarjournals.org.
- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.
- **U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.
- **E-mail:** journals@iiar-anticancer.org; IIAR WEBSITES: www.iiar-anticancer.org and www.iiarjournals.org

● Selection of Recent Articles

Duplex DNA from Sites of Helicase-Polymerase Uncoupling Links Non-B DNA Structure Formation to Replicative Stress. C. AMPARO, J. CLARK, V. BEDELL, J.L. MURATA-COLLINS, M. MARTELLA, F. PICHIORRI, E.F. WARNER, M. ABDELHAMID, Z.A.E. WALLER, S.S. SMITH (*Duarte, CA, USA; Norwich, UK*)

Pazopanib Inhibits Tumor Growth, Lymph-node Metastasis and Lymphangiogenesis of an Orthotopic Mouse of Colorectal Cancer. G. ZHU, M. ZHAO, Q. HAN, Y. TAN, Y. SUN, M. BOUVET, S.R. SINGH, J. YE, R.M. HOFFMAN (*San Diego, CA; Frederick, MD, USA; Fuzhou, PR China*)

KIF15 Expression in Tumor-associated Monocytes Is a Prognostic Biomarker in Hepatocellular Carcinoma. A. KITAGAWA, T. MASUDA, J. TAKAHASHI, T. TOBO, M. NODA, Y. KURODA, Q. HU, Y. KOUYAMA, Y. KOBAYASHI, S. KURAMITSU, K. SATO, A. FUJII, Y. YOSHIKAWA, H. WAKIYAMA, D. SHIMIZU, Y. TSURUDA, H. EGUCHI, Y. DOKI, M. MORI, K. MIMORI (*Oita; Osaka; Fukuoka, Japan*)

Chromosome Translocation t(14;21)(q11;q22) Activates Both OLIG1 and OLIG2 in Pediatric T-cell Lymphoblastic Malignancies and May Signify Adverse Prognosis. I. PANAGOPOULOS, L. GORUNOVA, I.M. RINVOLL JOHANNSDOTTIR, K. ANDERSEN, A. HOLTH, K. BEISKE, S. HEIM (*Oslo, Norway*)

Whole Transcriptomic Analysis of Apigenin-mediated Influence on TNF α Immuno-activated MDA-MB-231 Breast Cancer Cells. D. BAUER, E. MAZZIO, K.F.A. SOLIMAN (*Tallahassee, FL, USA*)

Significant Association Between the MiR146a Genotypes and Susceptibility to Childhood Acute Lymphoblastic Leukemia in Taiwan. J.-S. PEI, W.-S. CHANG, P.-C. HSU, C.-C. CHEN, Y.-T. CHIN, T.-L. HUANG, Y.-N. HSU, C.-C. KUO, Y.-C. WANG, C.-W. TSAI, C.-L. GONG, D.-T. BAU (*Taoyuan; Taichung, Taiwan, ROC*)

Clonal Relationship Between Lichen Sclerosus, Differentiated Vulvar Intraepithelial Neoplasia and Non HPV-related Vulvar Squamous Cell Carcinoma. A.-F.W. POUWER, L.C.G. VAN DEN EINDEN, M. VAN DER LINDEN, J.Y. HEHIR-KWA, J. YU, K.M. HENDRIKS, E.J. KAMPING, A. EIJKELENBOOM, L.F.A.G. MASSUGER, J. BULTEN, A.A.G. VAN TILBORG, J.A. DE HULLU, R.P. KUIPER (*Nijmegen; Utrecht, the Netherlands*)

Identification of Novel Prognosis and Prediction Markers in Advanced Prostate Cancer Tissues Based on Quantitative Proteomics. O.K. KWON, Y.-S. HA, A.Y. NA, S.Y. CHUN, T.G. KWON, J.N. LEE, S. LEE (*Daegu, Republic of Korea*)

BRD4-Regulated Molecular Targets in Mantle Cell Lymphoma: Insights into Targeted Therapeutic Approach. T. TSUKAMOTO, S. NAKAHATA, R. SATO, A. KANAI, M. NAKANO, Y. CHINEN, S. MAEGAWA-MATSUI, Y. MATSUMURA-KIMOTO, T. TAKIMOTO-SHIMOMURA, Y. MIZUNO, S. KUWAHARA-OTA, Y. KAWAJI, M. TANIWAKI, T. INABA, K. TASHIRO, K. MORISHITA, J. KURODA (*Kyoto; Miyazaki; Hiroshima, Japan*)

MicroRNAs Involved in Metastasis of Hepatocellular Carcinoma: Target Candidates, Functionality and Efficacy in Animal Models and Prognostic Relevance. U.H. WEIDLE, D. SCHMID, F. BIRZELE, U. BRINKMANN (*Penzberg, Germany; Basel, Switzerland*)

Increased Expression of Gremlin1 Promotes Proliferation and Epithelial Mesenchymal Transition in Gastric Cancer Cells and Correlates With Poor Prognosis of Patients With Gastric Cancer. Z. SUN, S. CAI, C. LIU, Y. CUI, J. JI, W.G. JIANG, L. YE (*Cardiff, UK; Beijing, PR China*)

A Pre-operative Score to Discriminate Fibroepithelial Lesions of the Breast: Phyllode Tumor or Fibroadenoma? C. MIMOUN, A. ZELLER, J. SEROR, L. MAJOLET, E. MARCHAND, M. MEZZADRI, P. CHEREL, V. PLACE, F. CORNELIS, J.-L. BENIFLA, R. ROUZIER (<i>Saint-Cloud; Paris; Versailles, France</i>)	1095
Assessment of Factors Predicting Disease Progression in Japanese Patients With Non-metastatic Castration-resistant Prostate Cancer. H. MIYAKE, K. WATANABE, Y. MATSUSHITA, H. WATANABE, K. TAMURA, D. MOTOYAMA, T. ITO, T. SUGIYAMA, A. OTSUKA (<i>Hamamatsu, Japan</i>)	1101
Characteristics of Five-year Survivors After Liver Resection for Colorectal Liver Metastases in Modern Chemotherapy. T. NAKAMOTO, D. HOKUTO, T. NOMI, T. YOSHIKAWA, N. KAMITANI, Y. MATSUO, S. OBARA, H. KUGE, F. KOYAMA, M. SHO (<i>Nara, Japan</i>)	1107
Prognosis of EGFR-mutant Lung Adenocarcinoma Patients With Malignant Pleural Effusion Receiving First-line EGFR-TKI Therapy Without Pleurodesis: A Single-institute Retrospective Study. K. KASHIWABARA, S. FUJI, S. TSUMURA, K. SAKAMOTO (<i>Kumamoto, Japan</i>)	1117
Merkel Cell Carcinoma Clinically Mimicking a Traumatic Suture Scar in the Nasal Vestibule: Earlier Diagnosis for Better Prognosis. P. JIANG, J. LAI (<i>Gainesville, FL; Sacramento, CA, USA</i>)	1123
Prognostic Value of Age and Distant Metastasis in Differentiated Thyroid Carcinoma Undergoing Salvage Surgery. H. SUZUKI, D. NISHIKAWA, S. BEPPU, H. TERADA, M. SAWABE, N. HANAI (<i>Nagoya, Japan</i>)	1127
Diagnosis of Malignant Pleural Effusion Using CT Scan and Pleural-fluid Cytology Together. A Preliminary Case-Control Study. S.M.M. BASSO, F. LUMACHI, A. DEL CONTE, S. SULFARO, F. MAFFEIS, P. UBIALI (<i>Pordenone; Padua, Italy</i>)	1135
The Efficacy of Second-line Chemotherapy for Advanced or Metastatic Urothelial Cancer. R. NAITO, K. IZUMI, S. KADOMOTO, T. MAKINO, H. IWAMOTO, H. YAEGASHI, K. SHIGEHARA, Y. KADONO, A. MIZOKAMI (<i>Kanazawa, Japan</i>)	1141
A Giant Gastric Gastrointestinal Stromal Tumor Successfully Resected Following Neoadjuvant Treatment With Imatinib Mesylate. R. TAKAHASHI, T. TOYOKAWA, M. YOSHII, T. TAMURA, H. TANAKA, S. LEE, K. MUGURUMA, M. YASHIRO, M. OHIRA (<i>Osaka, Japan</i>)	1147
Tumor Response in Esophageal Squamous Cell Carcinoma Treated With Neoadjuvant Chemotherapy Followed by Surgery. M. OHSAWA, Y. HAMAI, M. EMI, F. TAKAOKI, Y. IBUKI, K. TOMOAKI, T. YOSHIKAWA, M. OKADA (<i>Hiroshima, Japan</i>)	1153
Prediction of Preoperative Survival in Patients With Glioblastoma by Routine Inflammatory Laboratory Parameters. D. PIERSCIANEK, Y. AHMADIPOUR, A. MICHEL, M. CHIHI, M.D. OPPONG, S. KEBIR, M. GLAS, M. STUSCHKE, U. SURE, R. JABBARLI (<i>Essen, Germany</i>)	1161
Safety of Prophylactic Gastrostomy Tube Placement and Gastrostomy Tube Usage in Patients Treated by Radio(chemo)therapy for Head and Neck Cancer. H.L. SIERON, F. EBERLE, T.M. GRESS, A.H. MAHNKEN, S. WIEGAND (<i>Marburg; Ulm; Leipzig, Germany</i>)	1167
Association Between Sarcopenia and Clinical Outcomes in Patients With Esophageal Cancer Under Neoadjuvant Therapy. C.-H. HUANG, K.-H. LUE, T.-C. HSIEH, S.-H. LIU, T.-F. WANG, T.-C. PENG (<i>Hualien, Taiwan, ROC</i>)	1175
Errata	1183
Book Reviews	1185
Announcements	1187

S-1, Oxaliplatin, Nab-paclitaxel and Itraconazole for Conversion Surgery for Advanced or Recurrent Gastric Cancer. M. SAWASAKI, H. TSUBAMOTO, Y. NAKAMOTO, A. KAKUNO, T. SONODA (<i>Nishinomiya, Japan</i>)	991
Selection Criteria and Clinical Outcomes of Patients With Asymmetrical Cervical Cancer Treated With Various High-dose-rate Brachytherapy Techniques. K.N. MUROFUSHI, Y. YOSHIOKA, H. ISHIKAWA, M. SUMI, T. OKUMURA, M. OGUCHI, H. SAKURAI (<i>Tokyo; Ibaraki, Japan</i>)	999
Overexpression of Antiapoptotic MCL-1 Predicts Worse Overall Survival of Patients With Non-small Cell Lung Cancer. T. NAKANO, T. GO, N. NAKASHIMA, D. LIU, H. YOKOMISE (<i>Kagawa, Japan</i>)	1007
Can Diagnostic Low-dose Whole-body CT Reflect Bone Marrow Findings in Systemic Mastocytosis? H.-J. MEYER, W. PÖNISCH, A. MONECKE, P. GUNDERMANN, A. SUROV (<i>Leipzig, Germany</i>)	1015
Efficacy of Staging Laparoscopy for Pancreatic Cancer. K. YAMAMURA, Y.-I. YAMASHITA, T. YAMAO, D. KURODA, T. ETO, Y. KITANO, K. ARIMA, T. MIYATA, H. OKABE, H. NITTA, D. HASHIMOTO, H. BABA (<i>Kumamoto, Japan</i>)	1023
The Role of Neoadjuvant Chemotherapy in Resectable Primary Synovial Sarcoma. Y. MINAMI, S. MATSUMOTO, K. AE, T. TANIZAWA, K. HAYAKAWA, Y. FUNAUCHI, M. SAITO, Y. TSUDA (<i>Tokyo, Japan</i>)	1029
The Extracompartmental Tumoral Invasion of Extraskeletal Myxoid Chondrosarcoma Induces Distant Metastasis. Y. MINAMI, S. MATSUMOTO, K. AE, T. TANIZAWA, K. HAYAKAWA, Y. FUNAUCHI, M. SAITO (<i>Tokyo, Japan</i>)	1035
Treatment and Other Healthcare Use of Breast Cancer Patients With a Previous Cancer Diagnosis. S. MORAIS, A.R. COSTA, L. LOPES-CONCEICAO, M. BRANDAO, M. BORGES, N. ARAUJO, T. DIAS, F. FONTES, S. PEREIRA, N. LUNET (<i>Porto; Lisbon, Portugal; Brussels, Belgium</i>)	1041
Aortic Reconstruction by Cadaveric Graft After Radical Resection of Recurrent Retroperitoneal Leyomiosarcoma – A Case Report and Literature Review. I. BREZAN, S. PETREA, V. BRASOVEANU, E. CATRINA, S. ALDOESCU, M. VILCU, I. BALESCU, N. BACALBASA (<i>Bucharest, Romania</i>)	1049
National Analysis of Patients With Ulcerated Melanoma in the United States. D. BOCZAR, A. SISTI, D.J. RESTREPO, M.T. HUAYLLANI, O.J. MANRIQUE, X. LU, A.C. SPAULDING, S.P. BAGARIA, A.S. PARKER, A.J. FORTE (<i>Jacksonville, FL; Rochester, CA; New Haven, NY, USA</i>)	1055
Residual Tumor on Wide Excisional Margins After Treatment of Invasive Melanoma. M.T. HUAYLLANI, S.P. BAGARIA, D.J. RESTREPO, D. BOCZAR, A. SISTI, J.J. COCHUYT, A.C. SPAULDING, E.M. GABRIEL, B.D. RINKER, A.J. FORTE (<i>Jacksonville, FL, USA</i>)	1059
Wide Excisional Surgery in Invasive Melanoma Treatment: Factors Driving Non-compliance With National Guidelines. M.T. HUAYLLANI, S.P. BAGARIA, D.J. RESTREPO, D. BOCZAR, A. SISTI, J.J. COCHUYT, A.C. SPAULDING, H. RUIZ-GARCIA, B.D. RINKER, A.J. FORTE (<i>Jacksonville, FL, USA</i>)	1065
Risk Factors of Severe Benign Cicatricial Stricture After Definitive Chemoradiation for Localized T3 Esophageal Carcinoma. N. SATOMI-TSUSHITA, Y. HONMA, K. NAGASHIMA, Y. ITO, H. HIRANO, H. SHOJI, A. TAKASHIMA, S. IWASA, K. KATO, T. HAMAGUCHI, J. ITAMI, N. BOKU (<i>Tokyo, Japan</i>)	1071
Long-term Results After Neoadjuvant Chemotherapy for Breast Cancer: A Single-center Experience. M. GIANI, I. RENDA, A. VALLARIO, K. TAVELLA, A. VILLANUCCI, J. NORI, E. VANZI, S. BIANCHI, T. SUSINI (<i>Florence, Italy</i>)	1079
The Short- and Long-term Outcomes of Esophagectomy for Esophageal Cancer in Patients Older than 75 Years. T. AOYAMA, K. HARA, K. KAZAMA, Y. ATSUMI, H. TAMAGAWA, A. TAMAGAWA, D. MACHIDA, K. KOMORI, Y. MAEZAWA, K. KANO, I. HASHIMOTO, T. OSHIMA, M. MURAKAWA, M. NUMATA, N. YUKAWA, M. MASUDA, Y. RINO (<i>Yokohama, Japan</i>)	1087

Racial Disparities in Outcomes Among Asians With Gastric Cancer in the USA. R. LEMINI, M.S. JORGENSEN, K. ATTWOOD, T. ALMEREY, E.F. ELLI, D.T. COLIBASEANU, S.P. BAGARIA, E. GABRIEL (<i>Jacksonville, FL; Buffalo, NY, USA</i>)	881
Progressive Disease in Sentinel-negative Melanoma Patients: Biological Differences and Importance of Sentinel Lymph Node Biopsy. A. CONRAD, M. REINEHR, D. HOLZMANN, J. MANGANA, M. WANNER, M. HUELLNER, R.L. BARNHILL, C. LUGASSY, N. LINDENBLATT, D. MIHIC-PROBST (<i>Zurich, Switzerland; Paris, France</i>)	891
Messenger-RNA Expression of Five Gemcitabine Sensitivity-related Genes Predicting Outcome in Advanced-stage Non-small Cell Lung Cancer. G. IOANNIDIS, C. PAPADAKI, E. LAGOUDAKI, M. TZARDI, M. TRYPAKI, E. STATHOPOULOS, D. MAVROUDIS, V. GEORGOULIAS, J. SOUGLAKOS (<i>Heraklion, Greece; Nicosia, Cyprus</i>)	901
Impact of Primary Pegfilgrastim Prophylaxis on Relative Dose Intensity in Neoadjuvant/Adjuvant FEC-100 Chemotherapy. T. YOKOKAWA, K. SUZUKI, T. SUGISAKI, K. KOBAYASHI, D. SHOUJI, H. WATANABE, K. KAWAKAMI, T. TAKIGUCHI, T. AOYAMA, K. KOBAYASHI, S. TAKAHASHI, Y. ITO, S. OHNO, T. HAMA (<i>Tokyo, Japan</i>)	915
Efficacy of PD-1 Inhibitors in Older Non-small Cell Lung Cancer Patients. Y. NAKAMURA, K. MIYAZAKI, N. AIKO, Y. MISUMI, Y. AGEMI, Y. TANIGUCHI, M. ISHI, T. SHIMOKAWA, H. OKAMOTO, T. YAMANAKA (<i>Yokohama, Japan</i>)	923
First Line Gemcitabine/Pazopanib in Locally Advanced and/or Metastatic Biliary Tract Carcinoma. A Hellenic Cooperative Oncology Group Phase II Study. J. SGOUROS, G. ARAVANTINOS, G.-A. KOLIOU, G. PENTHEROUDAKIS, F. ZAGOURI, A. PSYRRI, D.I. LAMPROPOULOU, S. DEMIRI, D. PECTASIDES, E. RAZIS, G. FOUNTZILAS, E. SAMANTAS (<i>Athens; Ioannina; Thessaloniki, Greece; Limassol, Cyprus</i>)	929
Reducing the Number of Unnecessary Percutaneous Biopsies: The Role of Second Opinion by Expert Breast Center Radiologists. C.A. PISTOLESE, F. LAMACCHIA, D. TOSTI, L. ANEMONA, F. RICCI, M. CENSI, M. MATERAZZO, G. VANNI, A. COLLURA, F. DI GIULIANO, T. PERRETTA, O.C. BUONOMO (<i>Rome, Italy</i>)	939
Aggressive Local Control With Multisite Stereotactic Body Radiation in Metastatic Ewing Sarcoma: A Literature Review and Case Report. A.M. KARIMI, S.R. CAMPBELL, S. PARSAI, L. ANGELOV, J. SCOTT, P. QI, P. ANDERSON, S.T. CHAO, E.S. MURPHY (<i>Cleveland, OH, USA</i>)	951
Real Clinical Practice in ALK-rearranged NSCLC Patients: A Retrospective Observational Study. S. OKAUCHI, T. NUMATA, T. NAWA, H. ICHIMURA, T. SAITO, K. HAYASHIHARA, H. YAMADA, H. SATOH, T. ENDO, Y. INAGE, T. KABURAGI, M. KIYOSHIMA, Y. YAMADA, T. TAMURA, K. SAITO, M. INAGAKI, N. HIZAWA, Y. SATO, T. SHIOZAWA, I. SEKINE, H. ISHIKAWA, K. KURIHIMA, M. SAKAI, K. KAMIYAMA, M. KIMURA, N. KIKUCHI, H. NAKAMURA, K. FURUKAWA, T. KODAMA, K. MIYAZAKI, T. YAMASHITA, S. HAYASHI, Y. FUNAYAMA, A. NOMURA (<i>Mito; Hitachi; Tokai; Kasama; Tsuchiura; Tsukuba; Ami-machi; Ryugasaki; Toride; Sakai-machi, Japan</i>)	957
Utilization and Efficacy of Palliative Chemotherapy for Locally Advanced or Metastatic Gastroesophageal Carcinoma. R. BAUMGARTNER, H. TAGHIZADEH, G. JOMRICH, S.F. SCHOPPMANN, M. PREUSSER, A. ILHAN-MUTLU (<i>Vienna, Austria</i>)	965
Confirmatory Analysis of QUARTZ Study Results: Survival Prolongation After Whole-brain Radiotherapy. C. NIEDER, A. DALHAUG, A. PAWINSKI (<i>Bodø; Tromsø, Norway</i>)	977
Prognostic Value of p16 Protein in Patients With Surgically Treated Non-small Cell Lung Cancer; Relationship With Ki-67 and PD-L1. A. PEZZUTO, F. CAPPUZZO, M. D'ARCANGELO, M. CICCOZZI, L. NAVARINI, S. GUERRINI, A. RICCI, M. D'ASCANIO, E. CARICO (<i>Rome; Ravenna, Italy</i>)	983

Rosmarinic Acid/Blue Light Combination Treatment Inhibits Head and Neck Squamous Cell Carcinoma <i>In Vitro</i> . C.N. WAER, P. KAUR, Z. TUMUR, D.D. HUI, B. LE, C. GUERRA, B. HENSON, D. SELEEM, J. LEWIS (Pomona, CA, USA).....	751
Establishment and Characterization of a Novel Primitive Yolk Sac Tumour Cell Line, TC587. T. IWASAKI, K. KOHASHI, M. OHNO, T. TAGUCHI, Y. ODA (Fukuoka; Nagoya, Japan).....	759
COUP-TFII Overexpression Inhibits Cell Proliferation and Invasion via Increased Expression of p53 and PTEN and Decreased Akt Phosphorylation in Human Colorectal Cancer SNU-C4 Cells. S.-H. YUN, J.-I. PARK (Busan, Republic of Korea).....	767
25-Hydroxycholesterol Induces Death Receptor-mediated Extrinsic and Mitochondria-dependent Intrinsic Apoptosis in Head and Neck Squamous Cell Carcinoma Cells. J.-S. YOU, H. LIM, T.-H. KIM, J.-S. OH, G.-J. LEE, Y.-S. SEO, D.K. KIM, S.-K. YU, H.-J. KIM, C.S. KIM, J.-S. KIM (Gwang-Ju, Republic of Korea)	779
Tumor Suppression in Asymptomatic Postmenopausal Endometrial Polyps. L. ADOMAITIENE, R. NADISAUSKIENE, M. NICKKKHO-AMIRY, A. CIZAUSKAS, J. PALUBINSKIENE, C. HOLLAND, M.W. SEIF (Kaunas, Lithuania; Manchester, UK)	789
Approbation of the Cancer Treatment Approach Based on the Eradication of TAMRA+ Cancer Stem Cells in a Model of Murine Cyclophosphamide Resistant Lymphosarcoma. P.E. KISARETOVA, S.S. KIRIKOVICH, G.S. RITTER, Y.R. EFREMOV, O.S. TARANOV, T.D. DUBATOLOVA, A.S. PROSKURINA, E.A. POTTER, E.V. DOLGOVA, S.V. SIDOROV, A.A. OSTANIN, E.R. CHERNYCH, S.S. BOGACHEV (Novosibirsk, Russia)	795
Topoisomerase IIa Protein Expression Patterns in Laryngeal Squamous Cell Carcinoma. V. PAPANIKOLAOU, A. CHRYSOVERGIS, N. MASTRONIKOLIS, E. TSIAMBAS, V. RAGOS, D. PESCHOS, C. STAVRAKA, D. ROUKAS, E. KYRODIMOS (Athens; Patras; Ioannina, Greece; London, UK)	807
Olaparib Potentiates Anticancer Drug Cytotoxicity via 53BP1 in Oesophageal Squamous Cell Carcinoma Cells. K. MIYAMOTO, T. MINEGAKI, S. HIRANO, I. HAYASHI, M. TSUJIMOTO, K. NISHIGUCHI (Kyoto, Japan)	813
Effect of Small-molecule Tyrosine Kinase Inhibitors on PDGF-AA/BB and PDGFR α/β Expression in SCC According to HPV16 Status. L. HUBER, R. BIRK, N. ROTTER, C. ADERHOLD, A. LAMMERT, F. JUNGBAUER, B. KRAMER (Mannheim; Marburg, Germany)	825
VDR Agonists Increase Sensitivity of MCF-7 and BT-474 Breast Cancer Cells to 5 FU. D. KLOPOTOWSKA, J. MATUSZYK (Wroclaw, Poland)	837
The Effect of Cold Atmospheric Plasma on the Membrane Permeability of Human Osteosarcoma Cells. L. HARALAMBIEV, A. NITSCH, R. EINENKEL, D.O. MUZZIO, N. GELBRICH, M. BURCHARDT, M. ZYGMENT, A. EKKERNKAMP, M.B. STOPE, D. GÜMBEL (Greifswald; Berlin, Germany)	841
Clinical Studies	
Predictors of Outcome in Patients With Fibrolamellar Carcinoma: Analysis of the National Cancer Database. H.A. ASSI, S. MUKHERJEE, M. MACHIORLATTI, S. VESELY, V. PAREEK, H. HATOUM (Oklahoma City, OK; Buffalo, NY, USA)	847
Adherence to Adjuvant Aromatase Inhibitor Therapy Among Postmenopausal Hispanic/Latino Women With Breast Cancer. A. PHILIPOVSKIY, A. CAMPBELL, R. HEYDARIAN, B. CASTILLO, A.K. DWIVEDI, R. MCALLUM, R. AGUILERA, S. GAUR, N. ZEINA (El Paso, TX; Weston, FL, USA).....	857
Postoperative Exacerbation of Oxaliplatin-induced Neurotoxicity in Gastrointestinal Cancers: A Case Series. A. GONZALEZ, E.J. WALKER, K. VAN LOON, P. CINAR, C.E. ATREYA (San Francisco, CA, USA)	865
Effects of Alkalization Therapy on Chemotherapy Outcomes in Metastatic or Recurrent Pancreatic Cancer. R. HAMAGUCHI, R. NARUI, H. WADA (Kyoto, Japan).....	873

Experimental Studies

APELA/ELA32 Reduces Iodixanol-induced Apoptosis, Inflammatory Response and Mitochondrial and DNA Damage in Renal Tubular Epithelial Cells. Y. LI, J. HUANG, S. HE, Z. LU, J. ZHANG, X. LI, Z. YANG, R.M. HOFFMAN, Q. WU (<i>Nanchang; Nanjing; Yangzhou, PR China; San Diego, CA, USA</i>)	635
<i>HER2</i> Gene Amplification in ER-positive <i>HER2</i> Immunohistochemistry 0 or 1+ Breast Cancer With Early Recurrence. H. YAMASHITA, N. ISHIDA, Y. HATANAKA, K. HAGIO, T. OSHINO, T. TAKESHITA, H. KANNO-OKADA, A. SHIMIZU, K.C. HATANAKA, Y. MATSUNO (<i>Sapporo, Japan</i>)	645
PGC-1 α Regulates Cell Proliferation and Invasion via AKT/GSK-3 β / β -catenin Pathway in Human Colorectal Cancer SW620 and SW480 Cells. S.-H. YUN, J.-I. PARK (<i>Busan, Republic of Korea</i>)	653
Relationship Between Adverse Events and Microbiomes in Advanced Hepatocellular Carcinoma Patients Treated With Sorafenib. K. YAMAMOTO, T. KUZUYA, T. HONDA, T. ITO, Y. ISHIZU, M. NAKAMURA, R. MIYAHARA, H. KAWASHIMA, M. ISHIGAMI, M. FUJISHIRO (<i>Nagoya, Japan</i>)	665
Genetic Variations of <i>VEGFA</i> Gene Are Associated With Infiltration of Adjacent Tissues and the Clinical Outcome of Patients With Nasopharyngeal Carcinoma. E. PSOMA, G.-A. KOLIOU, F.-I. DIMITRAKOPOULOS, K. PAPADOPOLOU, D. RONTOGIANNI, M. BOBOS, A. VISVIKIS, P.A. KOSMIDIS, G. FOUNTZILAS, J. CONSTANTINIDIS, A. KALOGERA-FOUNTZILA (<i>Thessaloniki; Athens; Patras, Greece; Limassol, Cyprus</i>)	677
Delivery of Apoptosis-inducing Piperine to Triple-negative Breast Cancer Cells <i>via</i> Co-polymeric Nanoparticles. J.G. RAD, D.W. HOSKIN (<i>Halifax, NS, Canada</i>)	689
The Association of <i>MMP7</i> Promoter Polymorphisms With Gastric Cancer. C.-K. FU, Y.-C. CHIEN, H.-Y. CHUANG, Y.-C. WANG, J.-J. HWANG, M.-D. YANG, C.-C. YU, J.-C. CHEN, W.-S. CHANG, D.-T. BAU, C.-W. TSAI (<i>Taichung; Kaohsiung; Taipei; Changhua, Taiwan, ROC</i>)	695
The Significant Association of <i>MMP-1</i> Genotypes With Taiwan Pterygium. C.-B. TSAI, N.-Y. HSIA, Y.-C. WANG, Z.-H. WANG, Y.-T. CHIN, T.-L. HUANG, C. YU, W.-S. CHANG, C.-W. TSAI, M.-C. YIN, D.-T. BAU (<i>Chia-Yi; Taichung, Taiwan, ROC</i>)	703
Expression of Kisspeptin (<i>KISS1</i>) and its Receptor GPR54 (<i>KISS1R</i>) in Prostate Cancer. I. XOXAKOS, C. PETRAKI, P. MSAUEL, A. ARMAKOLAS, A. GRIGORAKIS, S. STEFANAKIS, M. KOUTSILIERIS (<i>Athens; Piraeus, Greece</i>)	709
Evaluation of an Ultraviolet B Light Emitting Diode (LED) for Producing Vitamin D3 in Human Skin. A.J. VERONIKIS, M.B. CEVIK, R.H. ALLEN, A. SHIRVANI, A. SUN, K.S. PERSONS, M.F. HOLICK (<i>Boston, MA, USA</i>)	719
Luteolin-regulated MicroRNA-301-3p Targets Caspase-8 and Modulates TRAIL Sensitivity in PANC-1 Cells. S. MOENG, S.W. SON, H.A. SEO, J.S. LEE, C.K. KIM, H.J. KUH, J.K. PARK (<i>Chuncheon; Suwon; Seoul, Republic of Korea</i>)	723
Inhibition of Cell-surface Molecular GPR87 With GPR87-suppressing Adenoviral Vector Disturb Tumor Proliferation in Lung Cancer Cells. Y. KITA, T. GO, N. NAKASHIMA, D. LIU, Y. TOKUNAGA, X. ZHANG, T. NAKANO, K. NII, S.S. CHANG, H. YOKOMISE (<i>Kagawa, Japan</i>)	733
Hepatic Stellate Cells Contribute to the Tumor Malignancy of Hepatocellular Carcinoma Through the IL-6 Pathway. S. IWAHASI, F. RUI, Y. MORINE, S. YAMADA, Y. SAITO, T. IKEMOTO, S. IMURA, M. SHIMADA (<i>Tokushima, Japan</i>)	743