

Editorial Board

B. B. Aggarwal	Cytokine Research Laboratory, Department of Experimental Therapeutics, U.T. M.D. Anderson Cancer Center, Houston, TX, USA
J. P. Armand	Institut Gustav-Roussy, Villejuif, France
D. Assimakopoulos	Department of Otorhinolaryngology, Medical School, University of Ioannina, Greece
V. I. Avramis	Division of Hematology/Oncology, Childrens Hospital, Los Angeles, CA, USA
R. C. Bast	Department of Translational Research, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
G. Bauer	Abteilung Virologie, Institut für Medizinische Mikrobiologie und Hygiene, Universität Freiburg, Germany
E. E. Baulieu	INSERM U488 and College de France, Le Kremlin-Bicetre, France
Y. Becker	Department of Molecular Virology, Hebrew University of Jerusalem, Israel
E. J. Benz, Jr.	Dana-Farber Cancer Institute, Boston, MA, USA
J. Bergh	Department of Clinical and Molecular Medicine, Radiumhemmet, Karolinska Institute, Stockholm, Sweden
J. L. Biedler	Department of Biological Sciences, Fordham University, Bronx, NY, USA
D. D. Bigner	Department of Pathology, Duke University Medical Center, Durham, NC, USA
A. Böcking	Institute for Cytopathology, University of Düsseldorf, Germany
G. Bonadonna	Istituto Nazionale per lo Studio e la Cura dei Tumori, Milano, Italy
F. T. Bosman	Institute of Pathology, University of Lausanne, Switzerland
G. Bounous	Immunotec Research Ltd, Vaudreuil-Dorion, QC, Canada
G. Broich	ASL Lodi, Lodi, Italy
J. M. Brown	Department of Radiation Oncology, Stanford Medical Center, Stanford, CA, USA
Ø. S. Bruland	Department of Medical Oncology-Radiotherapy, Norwegian Radium Hospital, Oslo, Norway
M. M. Burger	Novartis, Basel, Switzerland
M. Carbone	Cancer Research Center of Hawaii, Honolulu, HI, USA
J. Carlsson	Department of Biomedical Radiation Sciences, Uppsala University, Sweden
A. F. Chambers	Department of Oncology, London Regional Cancer Center, London, Ontario, Canada
P. Chandra	Abt. für Molekularbiologie, Klinikum Wolfgang Goethe-Universität, Frankfurt am Main, Germany
L. Cheng	Department of Pathology, Indiana University School of Medicine, Indianapolis, IN, USA
J.-G. Chung	Department of Biological Science and Technology, China Medical University, Taichung, Taiwan
C. A. Cudenneq	Laboratoire Chiesi S.A., Courbevoie, France
E. De Clercq	Rega Institute for Medical Research, Katholieke Universiteit Leuven, Belgium
W. De Loecker	Department of Biochemistry, Katholieke Universiteit Leuven, Belgium
P. H. M. De Mulder	Department of Medical Oncology, University Medical Center, Nijmegen, The Netherlands
W. Den Otter	Division of Cell Biology and Histology, Department of Biochemistry, Utrecht University, The Netherlands
E. P. Diamandis	Department of Pathology and Laboratory Medicine, Mount Sinai Hospital, Toronto, Ontario, Canada
G. Th. Diamandopoulos	Department of Pathology, Harvard Medical School, Boston, MA, USA
W. Ebert	Thoraxclinic HD-Rohrbach, Heidelberg, Germany
U. Eppenberger	Laboratory of Biochemistry/Endocrinology, University Clinic, Basel, Switzerland
J. A. Fernandez-Pol	Metalloproteomics, LLC, Chesterfield, MO, USA
I. J. Fidler	Department of Cancer Biology, University of Texas, M.D. Anderson Cancer Center, Houston, TX, USA
W. Fiers	Department of Molecular Biomedical Research, Ghent University and VIB, Belgium
N. E. Fusenig	Division of Differentiation, DKFZ, Heidelberg, Germany
G. Gabbiani	Department of Pathology, University of Geneva, Switzerland
A. F. Gazdar	Hamon Center for Therapeutic Oncology Research, University of Texas Southeastern Medical Center, Dallas, TX, USA
A. Giordano	Sbarro Institute for Cancer Research, Temple University, Philadelphia, PA, USA
G. Gitsch	Department of Gynecology and Obstetrics, University of Freiburg, Germany
R. H. Goldfarb	Sopherion Therapeutics, Inc., Princeton, NJ, USA

- J. W. Gorrod** Toxicology Unit, John Tabor Laboratories, University of Essex, Colchester, Essex, UK
- S. Hammarström** Department of Immunology, University of Umeå, Sweden
- I. Hart** Cancer Research UK Clinical Centre, Barts & the London Queen Mary's School of Medicine & Dentistry, Centre for Tumour Biology, London, UK
- I. Hellström** Harborview Medical Center, Seattle, WA, USA
- L. Helson** Department of Experimental Therapeutics, New York Medical College, Valhalla, NY, USA
- R. B. Herberman** Pittsburgh Cancer Institute, Pittsburgh, PA, USA
- R. M. Hoffman** Department of Surgery, University of California, San Diego, CA, USA
- C. G. Ioannides** Department of Gynecology, M. D. Anderson Cancer Center, Houston, TX, USA
- M. Ishizuka** Institute of Cancer Research, Shizuoka, Japan
- S. C. Jhanwar** Laboratory of Solid Tumor Genetics, Department of Medicine, Memorial Sloan-Kettering Cancer Center, New York, NY, USA
- J. V. Johannessen** Department of Pathology, The Norwegian Radium Hospital, Oslo, Norway
- B. Kaina** Institute of Toxicology, University of Mainz, Germany
- H. E. Kaiser** Department of Pathology, University of Maryland School of Medicine, Baltimore, MD, USA
- B. K. Keppler** School of Medicine, University of Vienna, Austria
- D. G. Kieback** Department of Obstetrics and Gynecology, HELIOS Medical Center, Carl Gustav Carus University Dresden, Germany
- J. Kieler** Danish Cancer Society, Copenhagen, Denmark
- R. Klapdor** Medical Clinic, University of Hamburg, Germany
- U. R. Kleeberg** Hämatologisch - Onkologisch - Praxis Altona, Hamburg, Germany
- P. Kleihues** Department of Pathology, University Hospital Zürich, Switzerland
- E. Klein** Department of Tumor Biology, Karolinska Institute, Stockholm, Sweden
- S. von Kleist** Institut für Immunologie der Universität der Freiburg, Germany
- S. Kobayashi** Aichi Sannomaru Hospital, Nagoya, Japan
- A. Koestner** Department of Veterinary Pathobiology, College of Veterinary Medicine, Ohio State University, Columbus, OH, USA
- S. D. Kottaridis** Department of Virology, Hellenic Anticancer Institute, Athens, Greece
- G. R. F. Krueger** Center of Anatomy II, University of Cologne Medical School, Cologne, Germany
- D. W. Kufe** Division of Medicine, Dana-Farber Cancer Institute, Boston, MA, USA
- Pat Kumar** Department of Biological Sciences, Manchester Metropolitan University, Manchester, UK
- Shant Kumar** Department Pathology, University of Manchester Medical School, Manchester, UK
- M. Kuroki** Department of Biochemistry, Fukuoka University School of Medicine, Fukuoka, Japan
- O. D. Laerum** Department of Pathology, The Gade Institute, University of Bergen, Norway
- F. J. Lejeune** Fondation du Centre Pluridisciplinaire d' Oncologie, CHUV, Lausanne, Switzerland
- C. J. Link** Iowa Cancer Research Foundation, Clive, IA, USA
- L. A. Liotta** Department of Pathology and Laboratory Medicine, Division of Clinical Sciences, National Cancer Institute, NIH, Bethesda, MD, USA
- G. Litwack** Jefferson Cancer Institute, Philadelphia, PA, USA
- L. F. Liu** Department of Pharmacology, UMD of New Jersey, Piscataway, NJ, USA
- D. M. Lopez** Department of Microbiology and Immunology, University of Miami School of Medicine, Miami, FL, USA
- E. Lundgren** Unit of Applied Cell and Molecular Biology, University of Umeå, Sweden
- H. T. Lynch** Department of Preventive Medicine and Public Health, Creighton University, Omaha, NE, USA
- J. Marescaux** IRCAD, University of Strasbourg, France
- J. Mark** Department of Pathology, Kärnshuset, Skövde, Sweden
- J. F. Marshall** Cancer Research UK Clinical Centre, Barts & the London Queen Mary's School of Medicine & Dentistry, Centre for Tumour Biology, London, UK
- D. Medina** Department of Cell Biology, Baylor College of Medicine, Houston, TX, USA
- S. Mitra** Sealy Center for Molecular Science, University of Texas Medical Branch, Galveston, TX, USA

- F. M. Muggia** New York University Cancer Institute, School of Medicine, NY, USA
M. J. Murphy, Jr Hipple Cancer Research Center, Dayton, OH, USA
R. Narayanan Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA
K. Nilsson Rudbeck Laboratory, Department of Genetics and Pathology, Uppsala University Hospital, Sweden
J. F. Novak Department of Biology, Bucknell University, Lewisburg, PA, USA
S. Pathak Department of Cell Biology, University of Texas, Houston, TX, USA
S. Pestka Department of Molecular Genetics and Microbiology, University of Medicine and Dentistry of New Jersey, Piscataway, NJ, USA
- A. Pihl** Department of Biochemistry, Norsk Hydro's Institute for Cancer Research, Oslo, Norway
G. J. Pilkington Department of Cellular and Molecules Neurooncology, School of Pharmacy and Biomedical Sciences, University of Portsmouth, UK
- C. D. Platsoucas** Department of Microbiology and Immunology, Temple University School of Medicine, Philadelphia, PA, USA
F. Podo Laboratory of Cell Biology, Istituto Superiore di Sanità, Rome, Italy
A. Polliack Department of Haematology, Hadassah University Hospital and Medical School, Jerusalem, Israel
N. Prajda National Institute of Oncology, Budapest, Hungary
M. F. Rajewsky Institute of Cell Biology, University of Essen Medical School, Essen, Germany
G. Rebel IRCAD, Hopitaux Universitaires, Strasbourg, France
M. Rigaud Laboratory Biochimie et Génétique Molécules, Faculté de Médecine de Limoges, France
U. Ringborg Department of General Oncology, Karolinska Hospital, Stockholm, Sweden
M. Roselli Department of Medical Oncology, University of Rome "Tor Vergata", Italy
F. P. Rossini Department of Oncology, San Giovanni Hospital, Torino, Italy
A. Schauer Zentrum Pathologie, Georg-August Universität, Göttingen, Germany
M. Schneider Department of Organic Chemistry, Bergische University, Wuppertal, Germany
A. Seth Laboratory of Molecular Pathology, Sunnybrook and Women's College, Health Science Center, Toronto, Ontario, Canada
- G. V. Sherbet** Cancer Research Unit, University of Newcastle-upon-Tyne, UK
G.-I. Soma Institute for Health Sciences, Tokushima Bunri University, Tokushima, Japan
G. S. Stein Department of Cell Biology, University of Massachusetts Medical Center, Worcester, MA, USA
K. Takagi Kennan Takagi Clinic, Kumamoto, Japan
D. Tarin University of California at San Diego, Cancer Center, La Jolla, CA, USA
G. B. de Thé Institut Pasteur, Paris, France
T. M. Theophanides Department of Chemistry, Technical University of Athens, Greece
B. Toth The Eppley Institute for Research in Cancer and Allied Diseases, Omaha, NE, USA
E. Trell Department of General Practice and Primary Care, Faculty of Health Sciences, University of Linköping, Sweden
G. P. Tryfiates Department of Biochemistry, West Virginia University, Morgantown, WV, USA
P. M. Ueland Clinical Pharmacology Unit, Department of Pharmacology, University of Bergen, Norway
P. T. Vihko Department of Clinical Chemistry, University of Oulu, Finland
M. Volm German Cancer Research Center, Heidelberg, Germany
G. Weber Laboratory of Experimental Oncology, Indiana University, Indianapolis, IN, USA
I. B. Weinstein Herbert Irving Comprehensive Cancer Center, Columbia University College of Physicians and Surgeons, New York, NY, USA
- B. Westermark** Rudbecklaboratoriet, Department of Genetics and Pathology, University of Uppsala, Sweden
B. Zumoff Division of Endocrinology and Metabolism, Beth Israel Medical Center, New York, NY, USA