

## Editorial Board

<b>B. B. Aggarwal</b>	Cytokine Research Laboratory, Department of Experimental Therapeutics, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>J. P. Armand</b>	Institut Claudius Regaud, Toulouse, France
<b>V. I. Avramis</b>	Division of Hematology/Oncology, Childrens Hospital, Los Angeles, CA, USA
<b>R. C. Bast</b>	Department of Translational Research, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>G. Bauer</b>	Abteilung Virologie, Institut für Medizinische Mikrobiologie und Hygiene, Universität Freiburg, Germany
<b>E. E. Baulieu</b>	INSERM U488 and College de France, Le Kremlin-Bicetre, France
<b>Y. Becker</b>	Department of Biochemistry, Faculty of Medicine, Hebrew University of Jerusalem, Ein Kerem, Jerusalem, Israel
<b>E. J. Benz, Jr.</b>	Dana-Farber Cancer Institute, Boston, MA, USA
<b>J. Bergh</b>	Department of Clinical and Molecular Medicine, Radiumhemmet, Karolinska Institute, Stockholm, Sweden
<b>D. D. Bigner</b>	Department of Pathology, Duke University Medical Center, Durham, NC, USA
<b>A. Böcking</b>	Institute for Cytopathology, University of Düsseldorf, Germany
<b>G. Bonadonna</b>	Istituto Nazionale per lo Studio e la Cura dei Tumori, Milano, Italy
<b>F. T. Bosman</b>	Institute of Pathology, University of Lausanne, Switzerland
<b>G. Broich</b>	Gruppo Policlinico di Monza, Monza, Italy
<b>J. M. Brown</b>	Department of Radiation Oncology, Stanford Medical Center, Stanford, CA, USA
<b>Ø. S. Bruland</b>	Department of Medical Oncology-Radiotherapy, Norwegian Radium Hospital, Oslo, Norway
<b>M. M. Burger</b>	Novartis, Basel, Switzerland
<b>M. Carbone</b>	Cancer Research Center of Hawaii, Honolulu, HI, USA
<b>J. Carlsson</b>	Department of Biomedical Radiation Sciences, Uppsala University, Sweden
<b>A. F. Chambers</b>	Department of Oncology, London Regional Cancer Center, London, Ontario, Canada
<b>P. Chandra</b>	Abt. für Molekularbiologie, Klinikum Wolfgang Goethe-Universität, Frankfurt am Main, Germany
<b>L. Cheng</b>	Department of Pathology, Indiana University School of Medicine, Indianapolis, IN, USA
<b>J.-G. Chung</b>	Department of Biological Science and Technology, China Medical University, Taichung, Taiwan, ROC
<b>E. De Clercq</b>	Rega Institute for Medical Research, Katholieke Universiteit Leuven, Belgium
<b>W. De Loecker</b>	Department of Biochemistry, Katholieke Universiteit Leuven, Belgium
<b>W. Den Otter</b>	VUMC, Department of Urology, Amsterdam, The Netherlands
<b>E. P. Diamandis</b>	Department of Pathology and Laboratory Medicine, Mount Sinai Hospital, Toronto, Ontario, Canada
<b>G. Th. Diamandopoulos</b>	Department of Pathology, Harvard Medical School, Boston, MA, USA
<b>W. Ebert</b>	Thoraxclinic HD-Rohrbach, Heidelberg, Germany
<b>J. A. Fernandez-Pol</b>	Metalloproteomics, LLC, Chesterfield, MO, USA
<b>I. J. Fidler</b>	Department of Cancer Biology, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>G. Gabbiani</b>	Department of Pathology, University of Geneva, Switzerland
<b>R. Ganapathi</b>	Department of Clinical Pharmacology, Taussing Cancer Center, Cleveland Clinic Foundation, Cleveland, OH, USA
<b>A. F. Gazdar</b>	Hamon Center for Therapeutic Oncology Research, University of Texas Southeastern Medical Center, Dallas, TX, USA
<b>A. Giordano</b>	Sbarro Institute for Cancer Research, Temple University, Philadelphia, PA, USA
<b>G. Gitsch</b>	Department of Gynecology and Obstetrics, University of Freiburg, Germany
<b>R. H. Goldfarb</b>	Sopherion Therapeutics, Inc., Princeton, NJ, USA
<b>J. W. Gorrod</b>	Toxicology Unit, John Tabor Laboratories, University of Essex, Colchester, Essex, UK
<b>S. Hammarström</b>	Department of Immunology, University of Umeå, Sweden
<b>I. Hart</b>	Centre for Tumour Biology, Institute of Cancer and CR-UK Clinical Centre, Bart's and The London, Queen Mary's School of Medicine and Dentistry, London, UK
<b>I. Hellström</b>	Harborview Medical Center, Seattle, WA, USA
<b>L. Helson</b>	Sign Path Pharma, Inc., Quakertown, PA, USA
<b>R. B. Herberman</b>	Intrexon Corporation, Germantown, MD, USA
<b>R. M. Hoffman</b>	Department of Surgery, University of California, San Diego, CA, USA

- C. G. Ioannides** Department of Gynecology, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
- S. C. Jhanwar** Laboratory of Solid Tumor Genetics, Department of Medicine, Memorial Sloan-Kettering Cancer Center, New York, NY, USA
- J. V. Johannessen** Department of Pathology, The Norwegian Radium Hospital, Oslo, Norway
- B. Kaina** Institute of Toxicology, University of Mainz, Germany
- B. K. Keppler** School of Medicine, University of Vienna, Austria
- D. G. Kieback** Department of Obstetrics and Gynecology, Elblandklinikum Riesa, Riesa (Dresden), Germany
- R. Klapdor** Medical Clinic, University of Hamburg, Germany
- U. R. Kleeberg** Hämatologisch - Onkologisch - Praxis Altona, Hamburg, Germany
- P. Kleihues** Department of Pathology, University Hospital Zürich, Switzerland
- E. Klein** Department of Tumor Biology, Karolinska Institute, Stockholm, Sweden
- S. von Kleist** Institut für Immunologie der Universität der Freiburg, Germany
- S. D. Kottaridis** Department of Virology, Hellenic Anticancer Institute, Athens, Greece
- G. R. F. Krueger** Center of Anatomy II, University of Cologne Medical School, Cologne, Germany
- D. W. Kufe** Division of Medicine, Dana-Farber Cancer Institute, Boston, MA, USA
- Pat M. Kumar** Department of Biological Sciences, Manchester Metropolitan University, Manchester, UK
- Shant Kumar** Department Pathology, University of Manchester Medical School, Manchester, UK
- M. Kuroki** Department of Biochemistry, Fukuoka University School of Medicine, Fukuoka, Japan
- O. D. Laerum** Department of Pathology, The Gade Institute, University of Bergen, Norway
- F. J. Lejeune** Fondation du Centre Pluridisciplinaire d' Oncologie, CHUV, Lausanne, Switzerland
- L. F. Liu** Department of Pharmacology, UMD of New Jersey, Piscataway, NJ, USA
- D. M. Lopez** Department of Microbiology and Immunology, University of Miami School of Medicine, Miami, FL, USA
- E. Lundgren** Unit of Applied Cell and Molecular Biology, University of Umeå, Sweden
- H. T. Lynch** Department of Preventive Medicine and Public Health, Creighton University, Omaha, NE, USA
- J. Marescaux** IRCAD, University of Strasbourg, France
- J. Mark** Department of Pathology, Kärnshuset, Skövde, Sweden
- J. F. Marshall** Centre for Tumour Biology, Institute of Cancer and CR-UK Clinical Centre, Bart's and The London, Queen Mary's School of Medicine and Dentistry, London, UK
- D. Medina** Department of Cell Biology, Baylor College of Medicine, Houston, TX, USA
- S. Mitra** Sealy Center for Molecular Science, University of Texas Medical Branch, Galveston, TX, USA
- M. Mueller** Research Group of Tumor and Microenvironment (A101), German Cancer Research Center (DKFZ), Heidelberg, Germany
- F. M. Muggia** New York University Cancer Institute, School of Medicine, NY, USA
- M. J. Murphy, Jr.** Hipple Cancer Research Center, Dayton, OH, USA
- R. Narayanan** Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA
- K. Nilsson** Rudbeck Laboratory, Department of Genetics and Pathology, Uppsala University Hospital, Sweden
- J. F. Novak** Department of Biology, Bucknell University, Lewisburg, PA, USA
- S. Pathak** Department of Cell Biology, University of Texas, Houston, TX, USA
- S. Pestka** Department of Molecular Genetics and Microbiology, University of Medicine and Dentistry of New Jersey, Piscataway, NJ, USA
- G. J. Pilkington** Department of Cellular and Molecules Neurooncology, School of Pharmacy and Biomedical Sciences, University of Portsmouth, UK
- C. D. Platsoucas** College of Sciences, Old Dominion University, Norfolk, VA, USA
- F. Podo** Laboratory of Cell Biology, Istituto Superiore di Sanità, Rome, Italy
- A. Polliack** Department of Haematology, Hadassah University Hospital and Medical School, Jerusalem, Israel
- M. F. Rajewsky** Institute of Cell Biology, University of Essen Medical School, Essen, Germany
- G. Rebel** IRCAD, Hopitaux Universitaires, Strasbourg, France
- M. Rigaud** Laboratory Biochimie et Génétique Molécules, Faculté de Médecine de Limoges, France
- U. Ringborg** Department of General Oncology, Karolinska Hospital, Stockholm, Sweden

<b>M. Roselli</b>	Department of Medical Oncology, University of Rome "Tor Vergata", Italy
<b>A. Schauer</b>	Zentrum Pathologie, Georg-August Universität, Göttingen, Germany
<b>M. Schneider</b>	Department of Organic Chemistry, Bergische University, Wuppertal, Germany
<b>A. Seth</b>	Laboratory of Molecular Pathology, Sunnybrook Research Institute and University of Toronto, Ontario, Canada
<b>G. V. Sherbet</b>	Cancer Research Unit, University of Newcastle-upon-Tyne, UK
<b>G.-I. Soma</b>	Institute for Health Sciences, Tokushima Bunri University, Tokushima, Japan
<b>G. S. Stein</b>	Department of Cell Biology, University of Massachusetts Medical Center, Worcester, MA, USA
<b>T. Stigbrand</b>	Department of Immunology, Umeå University, Umeå, Sweden
<b>D. Tarin</b>	University of California at San Diego, Cancer Center, La Jolla, CA, USA
<b>T. M. Theophanides</b>	Department of Chemistry, Technical University of Athens, Greece
<b>B. Toth</b>	The Eppley Institute for Research in Cancer and Allied Diseases, Omaha, NE, USA
<b>P. M. Ueland</b>	Clinical Pharmacology Unit, Department of Pharmacology, University of Bergen, Norway
<b>P. T. Vihko</b>	Department of Clinical Chemistry, University of Oulu, Finland
<b>M. Volm</b>	German Cancer Research Center, Heidelberg, Germany
<b>G. Weber</b>	Laboratory of Experimental Oncology, Indiana University, Indianapolis, IN, USA
<b>B. Westermark</b>	Rudbecklaboratoriet, Department of Genetics and Pathology, University of Uppsala, Sweden
<b>B. Zumoff</b>	Division of Endocrinology and Metabolism, Beth Israel Medical Center, New York, NY, USA