

## Editorial Board

<b>P.A. Abrahamsson</b>	Department of Urology, Skåne University Hospital, Lund University, Malmö, Sweden
<b>B. B. Aggarwal</b>	Cytokine Research Laboratory, Department of Experimental Therapeutics, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>T. Akimoto</b>	Division of Partical Therapy and Department of Radiation Oncology, National Cancer Center East, Kashiwa, Chiba, Japan
<b>A. Argiris</b>	Division of Hematology/Oncology, UT Health Science Center at San Antonio, San Antonio, TX, USA
<b>J. P. Armand</b>	Institut Claudius Regaud, Toulouse, France
<b>V. I. Avramis</b>	Division of Hematology/Oncology, Childrens Hospital, Los Angeles, CA, USA
<b>R. C. Bast</b>	Department of Translational Research, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>G. Bauer</b>	Abteilung Virologie, Institut für Medizinische Mikrobiologie und Hygiene, Universität Freiburg, Germany
<b>E. E. Baulieu</b>	INSERM U488 and College de France, Le Kremlin-Bicetre, France
<b>Y. Becker</b>	Department of Biochemistry, Faculty of Medicine, Hebrew University of Jerusalem, Ein Kerem, Jerusalem, Israel
<b>E. J. Benz, Jr.</b>	Dana-Farber Cancer Institute, Boston, MA, USA
<b>J. Bergh</b>	Department of Clinical and Molecular Medicine, Radiumhemmet, Karolinska Institute, Stockholm, Sweden
<b>D. D. Bigner</b>	Department of Pathology, Duke University Medical Center, Durham, NC, USA
<b>A. Böcking</b>	Institute for Cytopathology, University of Düsseldorf, Germany
<b>G. Bonadonna</b>	Istituto Nazionale per lo Studio e la Cura dei Tumori, Milano, Italy
<b>F. T. Bosman</b>	Institute of Pathology, University of Lausanne, Switzerland
<b>G. Broich</b>	Gruppo Policlinico di Monza, Monza, Italy
<b>J. M. Brown</b>	Department of Radiation Oncology, Stanford Medical Center, Stanford, CA, USA
<b>Ø. S. Bruland</b>	Department of Medical Oncology-Radiotherapy, Norwegian Radium Hospital, Oslo, Norway
<b>M. M. Burger</b>	Novartis, Basel, Switzerland
<b>M. Carbone</b>	Cancer Research Center of Hawaii, Honolulu, HI, USA
<b>C. Carlberg</b>	Institute of Biomedicine, University of Eastern Finland, Kuopio, Finland
<b>J. Carlsson</b>	Department of Biomedical Radiation Sciences, Uppsala University, Sweden
<b>A. F. Chambers</b>	Department of Oncology, London Regional Cancer Center, London, Ontario, Canada
<b>P. Chandra</b>	Abt. für Molekularbiologie, Klinikum Wolfgang Goethe-Universität, Frankfurt am Main, Germany
<b>L. Cheng</b>	Department of Pathology, Indiana University School of Medicine, Indianapolis, IN, USA
<b>J.-G. Chung</b>	Department of Biological Science and Technology, China Medical University, Taichung, Taiwan, ROC
<b>E. De Clercq</b>	Rega Institute for Medical Research, Katholieke Universiteit Leuven, Belgium
<b>W. De Loecker</b>	Department of Biochemistry, Katholieke Universiteit Leuven, Belgium
<b>W. Den Otter</b>	VUMC, Department of Urology, Amsterdam, The Netherlands
<b>E. P. Diamandis</b>	Department of Pathology and Laboratory Medicine, Mount Sinai Hospital, Toronto, Ontario, Canada
<b>G. Th. Diamandopoulos</b>	Department of Pathology, Harvard Medical School, Boston, MA, USA
<b>D.W. Felsher</b>	Division of Oncology, Stanford University School of Medicine, Stanford, CA, USA
<b>J. A. Fernandez-Pol</b>	Metalloproteomics, LLC, Chesterfield, MO, USA
<b>I. J. Fidler</b>	Department of Cancer Biology, University of Texas M.D. Anderson Cancer Center, Houston, TX, USA
<b>A.P. Fields</b>	Department of Cancer Biology, College of Medicine, Mayo Clinic, Jacksonville, FL, USA
<b>B. Fuchs</b>	Balgrist University Hospital, Zurich, Switzerland
<b>G. Gabbiani</b>	Department of Pathology, University of Geneva, Switzerland
<b>R. Ganapathi</b>	Levine Cancer Institute, Carolinas HealthCare System, Charlotte, NC, USA
<b>A. F. Gazdar</b>	Hamon Center for Therapeutic Oncology Research, University of Texas Southeastern Medical Center, Dallas, TX, USA
<b>J.H. Geschwind</b>	Interventional Radiology Center, Johns Hopkins University School of Medicine, Baltimore, MD, USA
<b>A. Giordano</b>	Sbarro Institute for Cancer Research, Temple University, Philadelphia, PA, USA
<b>G. Gitsch</b>	Department of Gynecology and Obstetrics, University of Freiburg, Germany
<b>R. H. Goldfarb</b>	Trudeau Institute, Saranac Lake, NY, USA

<b>S. Hammarström</b>	Department of Immunology, University of Umeå, Sweden
<b>I. Hellström</b>	Harborview Medical Center, Seattle, WA, USA
<b>L. Helson</b>	Sign Path Pharma, Inc., Quakertown, PA, USA
<b>R. M. Hoffman</b>	Department of Surgery, University of California, San Diego, CA, USA
<b>K.-S. Jeong</b>	Department of Pathology, College of Veterinary Medicine, Kyungpook National University, Daegu, South Korea
<b>S. C. Jhanwar</b>	Laboratory of Solid Tumor Genetics, Department of Medicine, Memorial Sloan-Kettering Cancer Center, New York, NY, USA
<b>J. V. Johannessen</b>	Department of Pathology, The Norwegian Radium Hospital, Oslo, Norway
<b>B. Kaina</b>	Institute of Toxicology, University of Mainz, Germany
<b>P. -L. Kellokumpu-Lehtinen</b>	Department of Oncology and Radiotherapy, Tampere University Hospital, Tampere, Finland
<b>B. K. Keppler</b>	School of Medicine, University of Vienna, Austria
<b>D. G. Kieback</b>	Department of Obstetrics and Gynecology, Elblandklinikum Riesa, Riesa (Dresden), Germany
<b>R. Klapdor</b>	Medical Clinic, University of Hamburg, Germany
<b>U. R. Kleeberg</b>	Hämatologisch - Onkologisch - Praxis Altona, Hamburg, Germany
<b>P. Kleihues</b>	Department of Pathology, University Hospital Zürich, Switzerland
<b>E. Klein</b>	Department of Tumor Biology, Karolinska Institute, Stockholm, Sweden
<b>S. D. Kottaridis</b>	Department of Virology, Hellenic Anticancer Institute, Athens, Greece
<b>G. R. F. Krueger</b>	Center of Anatomy II, University of Cologne Medical School, Cologne, Germany
<b>D. W. Kufe</b>	Division of Medicine, Dana-Farber Cancer Institute, Boston, MA, USA
<b>Pat M. Kumar</b>	Department of Biological Sciences, Manchester Metropolitan University, Manchester, UK
<b>Shant Kumar</b>	Department Pathology, University of Manchester Medical School, Manchester, UK
<b>M. Kuroki</b>	Department of Biochemistry, Fukuoka University School of Medicine, Fukuoka, Japan
<b>O. D. Laerum</b>	Department of Pathology, The Gade Institute, University of Bergen, Norway
<b>F. J. Lejeune</b>	Fondation du Centre Pluridisciplinaire d' Oncologie, CHUV, Lausanne, Switzerland
<b>L. F. Liu</b>	Department of Pharmacology, UMD of New Jersey, Piscataway, NJ, USA
<b>D. M. Lopez</b>	Department of Microbiology and Immunology, University of Miami School of Medicine, Miami, FL, USA
<b>E. Lundgren</b>	Unit of Applied Cell and Molecular Biology, University of Umeå, Sweden
<b>H. T. Lynch</b>	Department of Preventive Medicine and Public Health, Creighton University, Omaha, NE, USA
<b>Y. Maehara</b>	Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University, Fukuoka, Japan
<b>J. Maher</b>	Department of Research Oncology, Division of Cancer Studies, King's College London School of Medicine, Guy's Hospital Campus, London, UK
<b>J. Marescaux</b>	IRCAD, University of Strasbourg, France
<b>J. Mark</b>	Department of Pathology, Kärnshjukhuset, Skövde, Sweden
<b>S. Mitra</b>	Houston Methodist Research Institute, Houston, TX, USA
<b>M. Mueller</b>	Research Group of Tumor and Microenvironment (A101), German Cancer Research Center (DKFZ), Heidelberg, Germany
<b>F. M. Muggia</b>	New York University Cancer Institute, School of Medicine, NY, USA
<b>M. J. Murphy, Jr.</b>	Hipple Cancer Research Center, Dayton, OH, USA
<b>M. Namiki</b>	Department of Integrative Cancer Therapy and Urology, Kanazawa University Graduate School of Medical Science, Kanazawa City, Ishikawa, Japan
<b>R. Narayanan</b>	Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA
<b>K. Nilsson</b>	Rudbeck Laboratory, Department of Genetics and Pathology, Uppsala University Hospital, Sweden
<b>S. Pathak</b>	Department of Cell Biology, University of Texas, Houston, TX, USA
<b>J.L. Persson</b>	Section for Experimental Cancer Research, Clinical Research Center, Lund University, Malmö, Sweden
<b>S. Pestka</b>	Department of Molecular Genetics and Microbiology, University of Medicine and Dentistry of New Jersey, Piscataway, NJ, USA
<b>G. J. Pilkington</b>	Department of Cellular and Molecules Neurooncology, School of Pharmacy and Biomedical Sciences, University of Portsmouth, UK
<b>C. D. Platsoucas</b>	College of Sciences, Old Dominion University, Norfolk, VA, USA

<b>F. Podo</b>	Laboratory of Cell Biology, Istituto Superiore di Sanità, Rome, Italy
<b>A. Polliack</b>	Department of Haematology, Hadassah University Hospital and Medical School, Jerusalem, Israel
<b>G. Rebel</b>	IRCAD, Hopitaux Universitaires, Strasbourg, France
<b>M. Rigaud</b>	Laboratory Biochimie et Génétique Molecules, Faculté de Médecine de Limoges, France
<b>U. Ringborg</b>	Department of General Oncology, Karolinska Hospital, Stockholm, Sweden
<b>M. Roselli</b>	Department of Medical Oncology, University of Rome "Tor Vergata", Italy
<b>A. Schauer</b>	Zentrum Pathologie, Georg-August Universität, Göttingen, Germany
<b>M. Schneider</b>	Department of Organic Chemistry, Bergische University, Wuppertal, Germany
<b>A. Seth</b>	Laboratory of Molecular Pathology, Sunnybrook Research Institute and University of Toronto, Ontario, Canada
<b>G. V. Sherbet</b>	Cancer Research Unit, University of Newcastle-upon-Tyne, UK
<b>G.-I. Soma</b>	Institute for Health Sciences, Tokushima Bunri University, Tokushima, Japan
<b>G. S. Stein</b>	Department of Biochemistry, College of Medicine, University of Vermont, Burlington, VT, USA
<b>T. Stigbrand</b>	Department of Immunology, Umeå University, Umeå, Sweden
<b>T. M. Theophanides</b>	Department of Chemistry, Technical University of Athens, Greece
<b>B. Toth</b>	The Eppley Institute for Research in Cancer and Allied Diseases, Omaha, NE, USA
<b>P. M. Ueland</b>	Clinical Pharmacology Unit, Department of Pharmacology, University of Bergen, Norway
<b>H. Van Vlierberghe</b>	Department of Gastroenterology and Hepatology, Ghent University Hospital, Ghent, Belgium
<b>R.G. Vile</b>	Department of Immunology, Mayo Clinic, Rochester, MN, USA
<b>M. Weller</b>	Department of Neurology, University Hospital Zurich, Zurich, Switzerland
<b>B. Westermark</b>	Rudbecklaboratoriet, Department of Genetics and Pathology, University of Uppsala, Sweden
<b>Y. Yen</b>	Department of Molecular Pharmacology, City of Hope, Duarte, CA, USA
<b>M.R.I. Young</b>	Ralph H. Johnson VA Medical Center, Medical University of South Carolina, Charleston, SC, USA
<b>B. Zumoff</b>	Division of Endocrinology and Metabolism, Beth Israel Medical Center, New York, NY, USA