

Instructions for Authors 2016

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the "Shorter Oxford English Dictionary".

Manuscripts. Submitted manuscripts should not exceed fourteen (14) pages (approximately 250 words per double – spaced typed page), including abstract, text, tables, figures, and references (corresponding to 4 printed pages). Papers exceeding 4 printed pages will be subject to excess page charges. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication "review", "clinical", "epidemiological", or "experimental" study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Acknowledgements*; (h) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author's opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the standard form of "Index Medicus" and must be numbered consecutively. In the text, references should be cited by number. Examples: 1 Sumner AT: The nature of chromosome bands and their significance for cancer research. *Anticancer Res* 1: 205-216, 1981. 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones* (O' Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973.

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human fetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references.

Manuscripts must be submitted only through our online submission system at: <http://www.iiar-submissions.com/login.html>

In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iiar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online annual subscription to Anticancer Research for the current year. Requests should be addressed to the Editorial Office. Galley proofs should be returned corrected to the Editorial Office by email within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.

5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.
6. Authors should pay attention to the following points when writing an article for AR:
 - The Instructions to Authors must be followed in every detail.
 - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
 - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
 - Results given in figures should not be repeated in tables.
 - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
 - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
 - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
 - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
 - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
 - The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
 - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
9. Articles submitted to AR may be rejected without review if:
 - they do not fall within the journal's policy.
 - they do not follow the instructions to authors.
 - language is unclear.
 - results are not sufficient to support a final conclusion.
 - results are not objectively based on valid experiments.
 - they repeat results already published by the same or other authors before the submission to AR.
 - plagiarism is detected by plagiarism screening services.(Rejection rate (2016): 66%).
10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iiar-anticancer.org
12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service. (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Impact of Induction Chemotherapy in Locally Advanced HPV-negative Oropharyngeal Cancer. A Propensity Score-matched analysis. F. DE FELICE, G. ABATE, A. GALDIERI, N. BULZONETTI, D. MUSIO, V. TOMBOLINI (Rome, Italy)	6667
A Case Report of <i>Pneumocystis Jiroveci</i> Pneumonia in a Patient with Metastatic Breast Cancer. A. RAY, B. KHONG, H.T. KHONG (Salt Lake City, UT; Vallejo, CA, USA)	6673
Decreased Skeletal Muscle Mass After Neoadjuvant Therapy Correlates with Poor Prognosis in Patients with Esophageal Cancer. J. LIU, S. MOTOYAMA, Y. SATO, A. WAKITA, Y. KAWAKITA, H. SAITO, Y. MINAMIYA (Akita, Japan)	6677
Clinical Significance of the Glasgow Prognostic Score in Patients with Gastrointestinal Stromal Tumors. T. ARIGAMI, Y. UENOSONO, S. ISHIGAMI, S. YANAGITA, K. OKUBO, Y. UCHIKADO, Y. KITA, S. MORI, H. KURAHARA, K. MAEMURA, S. NATSUGOE (Kagoshima, Japan)	6687
Down-regulation of MicroRNA-126 in Glioblastoma and its Correlation with Patient Prognosis: A Pilot Study. I.B. HAN, M. KIM, S.H. LEE, J.K. KIM, S.H. KIM, J.H. CHANG, Y. D. TENG (Gyeonggido; Seoul, Republic of Korea; Boston; West Roxbury, MA, USA).....	6691
Efficacy of Nab-Paclitaxel as Second-line Chemotherapy for Unresectable or Recurrent Gastric Cancer. M. FUKUCHI, E. MOCHIKI, T. ISHIGURO, T. OGURA, J. SOBAJIMA, Y. KUMAGAI, K. ISHIBASHI, H. ISHIDA (Kawagoe, Japan).....	6699
Abstracts of the 4th International Conference on Advances in Hematology and Oncology (ICAHO2016), 13-14 August 2016 (Coeur d'Alene, ID, USA)	6705
Winning Abstracts from the Christie International Student Cancer Conference 2016, 24-25 September 2016 (Manchester, UK)	6717
Index.....	6719

Videoscopic Inguinal-iliac-obturator Lymph-node Dissection: New Videoscopic Technique for Regional Lymphadenectomy in Patients with Melanoma. N. SOLARI, M. GIPPONI, D.S.C. FRANCO, F. RÈ, O. SONIA, S. BERTOGLIO, F. CAFIERO (<i>Genoa, Italy</i>).....	6579
The Complete Loss of Tyrosine Kinase Receptors MET and RON Is a Poor Prognostic Factor in Patients with Extrahepatic Cholangiocarcinoma. Y. HAYASHI, J. YAMAGUCHI, T. KOKURYO, T. EBATA, Y. YOKOYAMA, T. IGAMI, G. SUGAWARA, M. NAGINO (<i>Nagoya, Japan</i>)	6585
Up-regulation of Cytoplasmic CD24 Expression Is Associated with Malignant Transformation but Favorable Prognosis of Colorectal Adenocarcinoma. M.-K. YEO, Y.-M. LEE, I.-O. SEONG, S.-Y. CHOI, K.-S. SUH, K.S. SONG, C.-S. LEE, J.M. KIM, K.-H. KIM (<i>Daejeon, Republic of Korea</i>).....	6593
Teratogenic Effect of Radotinib: Case Report. J. CHEON, J.W. AHN, K.M. PARK, G. LEE, Y.S. JO (<i>Seoul, Republic of Korea</i>)	6599
Validation and Enhancement of the Clinicopathological Melanoma Nomogram <i>via</i> Incorporation of a Molecular Marker in the Primary Tumor. S.A. NAFFOUJE, R. NAFFOUJE, J. CHEN, G.I. SALTI (<i>Chicago, IL, USA</i>)	6603
Homotypic Interaction of Stabilin-2 Plays a Critical Role in Lymph Node Metastasis of Tongue Cancer. M.W. HAN, J.C. LEE, S.-Y. PARK, Y.M. KIM, K.-J. CHO, S.W. KIM, M. LEE, S.Y. NAM, I.-S. KIM, S.Y. KIM (<i>Ulsan; Seoul, Republic of Korea</i>)	6611
Safety of Non-stented Pancreaticojejunostomy in Pancreaticoduodenectomy for Patients with Soft Pancreas. T. USUBA, T. MISAWA, R. ITO, K. YOSHIDA, N. HANYU, K. YANAGA (<i>Tokyo, Japan</i>)	6619
Laryngo-esophageal Dysfunction-free Survival in a Preservation Protocol for T3 Laryngeal Squamous-cell Carcinoma. P. GORPHE, M. MATIAS, C. EVEN, C. FERTE, F. BIDAULT, G. GARCIA, S. TEMAM, F. NGUYEN, P. BLANCHARD, Y. TAO, F. JANOT (<i>Villejuif, France</i>)	6625
Clinical Outcome of Reconstruction Using Frozen Autograft for a Humeral Bone Tumor. H. KIMURA, N. YAMAMOTO, T. SHIRAI, H. NISHIDA, K. HAYASHI, Y. TANZAWA, A. TAKEUCHI, S. MIWA, H. TSUCHIYA (<i>Kanazawa, Japan</i>).....	6631
Prognostic Factors After Whole-brain Radiotherapy Alone for Brain Metastases from Malignant Melanoma. D. RADES, L. SEHMISCH, S. JANSSEN, S.E. SCHILD (<i>Lübeck; Hannover, Germany; Scottsdale, AZ, USA</i>).....	6637
Prognostic Influence of Internal Mammary Node Drainage in Patients with Early-stage Breast Cancer. L. LUKESOVA, D. VRANA, I. SVACH, N. ZLAMALOVA, J. GATEK, Z. VLACHOVÁ, M. MATZENAUER, P. KORANDA, K. HRUZOVA, T. TICHY, B. MELICHAR (<i>Olomouc; Prague; Zlín, Czech Republic</i>)	6641
Lung Cancer in Women with a Family History of Cancer: The Spanish Female-specific Database WORLD07. D. ISLA, E. FELIP, N. VIÑOLAS, M. PROVENCIO, M. MAJEM, A. ARTAL, I. BOVER, P. LIANES, R. DE LAS PEÑAS, S. CATOT, J. DE CASTRO, A. BLASCO, J. TERRASA, J.L. GONZALEZ-LARRIBA, O. JUAN, M. DÓMINE, R. BERNABE, P. GARRIDO (<i>Zaragoza; Barcelona; Madrid; Palma de Mallorca; Castellón De La Plana; Manresa; Valencia; Sevilla, Spain</i>)	6647
High Risk of Tumor Lysis Syndrome in Symptomatic Patients with Multiple Myeloma with Renal Dysfunction Treated with Bortezomib. K. OIWA, M. MORITA, S. KISHI, M. OKURA, T. TASAKI, Y. MATSUDA, K. TAI, N. HOSONO, T. UEDA, T. YAMAUCHI (<i>Fukui, Japan</i>)	6655
Predicting Survival After Irradiation of Metastases from Transitional Carcinoma of the Bladder. L. MANIG, L. KÄSMANN, S. JANSSEN, D. RADES (<i>Lübeck; Hannover, Germany</i>)	6663

Bone-targeted Novel Cytotoxic Polybisphosphonate Conjugate in Castration-resistant Prostate Cancer: A Multicenter Phase 1 Study. C. THELLENBERG-KARLSSON, C. NYMAN, S. NILSSON, R. BLOM, M. MÁRQUEZ, E. CASTELLANOS, A.R. HOLMBERG (<i>Stockholm; Umeå; Lund, Sweden</i>)	6499
A Phase II Study of Adjuvant Chemotherapy of Tegafur–Uracil for Patients with Breast Cancer with HER2-negative Pathologic Residual Invasive Disease After Neoadjuvant Chemotherapy. S. TANAKA, M. IWAMOTO, K. KIMURA, Y. TAKAHASHI, H. FUJIOKA, N. SATO, R. TERASAWA, K. KAWAGUCHI, A. IKARI, T. TOMINAGA, S. MAEZAWA, N. UMEZAKI, J. MATSUDA, K. UCHIYAMA (<i>Kawachinagano; Takatsuki; Hirakata; Suita, Japan</i>).....	6505
Long-term High-quality Survival with Single-agent Mifepristone Treatment Despite Advanced Cancer. J.H. CHECK, D. CHECK, C. WILSON, P. LOFBERG (<i>Camden; Mt. Laurel, NJ, USA</i>)	6511
Phase I Study of Triweekly Nab-Paclitaxel Combined with S-1 in Patients with HER2-negative Metastatic Breast Cancer. K. SAKAGUCHI, K. NAKATSUKASA, T. TAGUCHI (<i>Kyoto, Japan</i>).....	6515
MicroRNA-7 Is Associated with Malignant Potential and Poor Prognosis in Human Colorectal Cancer. Y. NAGANO, Y. TOIYAMA, Y. OKUGAWA, H. IMAOKA, H. FUJIKAWA, H. YASUDA, S. YOSHIYAMA, J. HIRO, M. KOBAYASHI, M. OHI, T. ARAKI, Y. INOUE, Y. MOHRI, M. KUSUNOKI (<i>Mie, Japan</i>).....	6521
Control of Nausea and Vomiting in Patients with Colorectal Cancer Receiving Chemotherapy with Moderate Emetic Risk. A. SUZUKI, R. KOBAYASHI, H. FUJII, H. IIHARA, T. TAKAHASHI, K. YOSHIDA, Y. ITOH (<i>Gifu, Japan</i>).....	6527
Second-line Erlotinib or Intermittent Erlotinib plus Docetaxel in Male Ex-smokers with Squamous NSCLC: The TALISMAN Randomized Trial. C. GRIDELLI, A. CHELLA, G. VALMADRE, G. ALLEGRINI, M. BRIGHENTI, P. BIDOLI, A. ROSSI, P. MAIONE, M.R. MIGLIORINO, S. RICCIARDI, F. DE MARINIS (<i>Avellino; Pisa; Sondrio; Roma; Milan, Italy</i>)	6535
Intraperitoneal Chemotherapy in Patients Pretreated for Ovarian Cancer Matched with Patients Treated with Parenteral Chemotherapy. M.O. NICOLETTO, A. CASARIN, A. BALDONI, E. RULLI, G. TASCA, Z. BARETTA, G. ARTIOLI, G. LOMBARDI, A. CAPPETTA, I. FLORIANI, G. RANDON, S. VALPIONE, P. LITTA, P. CONTE, S. MOCELLIN, C. ALIBERTI (<i>Padua; Milan; Venice, Italy</i>).....	6541
Prognostic Factors in Patients Irradiated for Recurrent Head-and-Neck Cancer. D. SEIDL, S.E. SCHILD, B. WOLLENBERG, S.G. HAKIM, D. RADES (<i>Lübeck, Germany; Scottsdale, AZ, USA</i>)	6547
Clinical Significance of the Apparent Diffusion Coefficient Ratio in Prostate Cancer Treatment with Intensity-modulated Radiotherapy. H. YAMAGUCHI, M. HORI, O. SUZUKI, Y. SEO, F. ISOHASHI, Y. YOSHIOKA, I. SUMIDA, M. UEMURA, K. FUJITA, A. NAGAHARA, T. UJIKE, A. KAWASHIMA, N. NONOMURA, N. TOMIYAMA, K. OGAWA (<i>Suita, Japan</i>)	6551
Prognostic Significance of Inflammatory and Nutritional Parameters in Patients with Esophageal Cancer. T. MIYAZAKI, M. SAKAI, M. SOHDA, N. TANAKA, T. YOKOBORI, Y. MOTEGI, M. NAKAJIMA, M. FUKUCHI, H. KATO, H. KUWANO (<i>Gunma; Saitama, Japan</i>)	6557
Clinical Significances of Preoperative Classification of Intrahepatic Cholangiocarcinoma: Different Characteristics of Perihilar vs. Peripheral ICC. Y.-I. YAMASHITA, H. WANG, T. KURIHARA, E. TSUJITA, A. NISHIE, K. IMAI, D. HASHIMOTO, A. CHIKAMOTO, S. AISHIMA, H. BABA (<i>Kumamoto; Fukuoka; Saga, Japan</i>)	6563
Clinical Outcomes of Definitive and Postoperative Radiotherapy for Stage I-IVB Hypopharyngeal Cancer. K. SHIRAI, J.-I. SAITOH, A. MUSHA, T. ABE, D. KOBAYASHI, Y. TAKAKUSAGI, Y. TAKAYSU, M. SHINO, M. TOYODA, K. TAKAHASHI, K. CHIKAMATSU, T. OHNO, T. NAKANO (<i>Maebashi, Japan</i>)	6571

Dynamamin 2 Inhibitors as Novel Therapeutic Agents Against Cervical Cancer Cells. Y.-Y. LEE, H.-K. JEON, J. LEE, J.E. HONG, I.-G. DO, C.H. CHOI, T.-J. KIM, B.-G. KIM, D-S. BAE, Y.-C. KIM, J.-W. LEE (Toronto, ON, Canada; Seoul; Gwangju, Republic of Korea).....	6381
DANCR Acts as a Diagnostic Biomarker and Promotes Tumor Growth and Metastasis in Hepatocellular Carcinoma. X. MA, X. WANG, C. YANG, Z. WANG, B. HAN, L. WU, L. ZHUANG (Qingdao, PR China).....	6389
Effects of Spiro-bisheterocycles on Proliferation and Apoptosis in Human Breast Cancer Cell Lines. L.H. RAMDANI, O. TALHI, N. TAIBI, L. DELORT, C. DECOMBAT, A. SILVA, K. BACHARI, M.-P. VASSON, F. CALDEFIE-CHEZET (Tipaza, Algeria; Clermont-Ferrand, France; Aveiro, Portugal)	6399
Ascorbyl Stearate Promotes Apoptosis Through Intrinsic Mitochondrial Pathway in HeLa Cancer Cells. S.D. MANE, M. THOH, D. SHARMA, S.K. SANDUR, K.A. NAIDU (Mysore; Mumbai, India)	6409
Expression Levels of PIWI-interacting RNA, piR-823, Are Deregulated in Tumor Tissue, Blood Serum and Urine of Patients with Renal Cell Carcinoma. R. ILIEV, M. FEDORKO, T. MACHACKOVA, H. MLCOCHOVA, M. SVOBODA, D. PACIK, J. DOLEZEL, M. STANIK, O. SLABY (Brno, Czech Republic)	6419
Implementing the Risk of Ovarian Malignancy Algorithm Adding Obesity as a Predictive Factor. E. ANASTASI, D. CAPOCCIA, T. GRANATO, G. SILECCHIA, M. RIZZELLO, M.G. PORPORA, L. FRATI, A. ANGELONI, F. LEONETTI (Rome; Latina, Italy).....	6425
<i>Clinical Studies</i>	
Bevacizumab Combined with Docetaxel or Paclitaxel as First-line Treatment of HER2-negative Metastatic Breast Cancer. L. TIAINEN, M. TANNER, O. LAHDENPERÄ, P. VIHINEN, A. JUKKOLA, P. KARIHTALA, N. PAUNU, T. HUTTUNEN, P.-L. KELLOKUMPU-LEHTINEN (Tampere; Turku; Oulu, Finland)	6431
Multimodal Primary Treatment of Metastatic Prostate Cancer with Androgen Deprivation and Radiation. T. JOENSUU, G. JOENSUU, K. KAIREMO, T. KILJUNEN, M. RIENER, A. AALTONEN, M. ALA-OPAS, A. KANGASMÄKI, T. ALANKO, L. TAIPALE, P. HERVONEN, A. BÜTZOW, I. VIRGOLINI, A. HEMMINKI (Helsinki; Tampere; Espoo, Finland; Houston, TX, U.S.A.; Innsbruck, Austria)	6439
Epithelial–Mesenchymal Expression Phenotype of Primary Melanoma and Matched Metastases and Relationship with Overall Survival. S. YAN, B.M. HOLDERNESS, Z. LI, G.D. SEIDEL, J. GUI, J.L. FISHER, M.S. ERNSTOFF (Lebanon, NH; Buffalo, NY, USA)	6449
Overexpression of PBK/TOPK Contributes to Tumor Development and Poor Outcome of Esophageal Squamous Cell Carcinoma. T. OHASHI, S. KOMATSU, D. ICHIKAWA, M. MIYAMAE, W. OKAJIMA, T. IMAMURA, J. KIUCHI, K. NISHIBEPPU, T. KOSUGA, H. KONISHI, A. SHIOZAKI, H. FUJIWARA, K. OKAMOTO, H. TSUDA, E. OTSUJI (Kyoto; Tokyo; Tokorozawa, Japan)	6457
Cyclins A, B, E and p27 in Endometrial Endometrioid Adenocarcinoma. S. SANTALA, A. TALVENSAARI-MATTILA, Y. SOINI, P. KUVAJA, M. SANTALA (Oulu; Kuopio, Finland).....	6467
¹¹ C-Acetate-PET/CT Compared to ^{99m} Tc-HDP Bone Scintigraphy in Primary Staging of High-risk Prostate Cancer. S. STRANDBERG, C.T. KARLSSON, M. OGREN, J. AXELSSON, K. RIKLUND (Umea, Sweden)	6475
Usefulness of ¹⁸ F-α-Methyltyrosine PET for Therapeutic Monitoring of Patients with Advanced Lung Cancer. K. KAIRA, T. HIGUCHI, N. SUNAGA, Y. ARISAKA, T. HISADA, H. TOMINAGA, N. ORIUCHI, T. ASAO, Y. TSUSHIMA, M. YAMADA (Gunma; Fukushima, Japan)	6481
Clinical Burden of C-Reactive Protein/Albumin Ratio Before Curative Surgery for Patients with Gastric Cancer. Y. TOIYAMA, T. SHIMURA, H. YASUDA, H. FUJIKAWA, Y. OKITA, M. KOBAYASHI, M. OHI, S. YOSHIYAMA, J. HIRO, T. ARAKI, Y. INOUE, Y. MOHRI, M. KUSUNOKI (Mie, Japan)	6491

The Leloir Pathway of Galactose Metabolism – A Novel Therapeutic Target for Hepatocellular Carcinoma. M. TANG, E. ETOKIDEM, K. LAI (<i>Salt Lake City, UT, USA</i>)	6265
<i>In Vivo</i> Selection of Intermediately- and Highly- Malignant Variants of Triple-negative Breast Cancer in Orthotopic Nude Mouse Models. S. YANO, K. TAKEHARA, H. KISHIMOTO, H. TAZAWA, Y. URATA, S. KAGAWA, M. BOUVET, T. FUJIWARA, R.M. HOFFMAN (<i>San Diego, CA, USA; Okayama; Tokyo, Japan</i>)	6273
High-fat Diet Enhances Mammary Tumorigenesis and Pulmonary Metastasis and Alters Inflammatory and Angiogenic Profiles in MMTV-PyMT Mice. S. SUNDARAM, L. YAN (<i>Grand Forks, ND, USA</i>).....	6279
Long Noncoding RNA snaR Regulates Proliferation, Migration and Invasion of Triple-negative Breast Cancer Cells. J. LEE, J.H. JUNG, Y.S. CHAE, H.Y. PARK, W.W. KIM, S.J. LEE, J.-H. JEONG, S.H. KANG (<i>Daegu, Republic of Korea</i>)	6289
1 α -Dihydroxyvitamin D ₃ and Retinoic Acid Increase Nuclear Vitamin D Receptor Expression in Monocytic THP-1 Cells. H. UCHIDA, Y. HASEGAWA, H. TAKAHASHI, M. MAKISHIMA (<i>Tokyo; Atami, Japan</i>)	6297
Development of a Novel Experimental <i>In Vitro</i> Model of Isothiocyanate-induced Apoptosis in Human Malignant Melanoma Cells. T. MANTSO, A.P. SFAKIANOS, A. ATKINSON, I. ANESTOPOULOS, M. MITSIOGIANNI, S. BOTAITIS, S. PERENTE, C. SIMOPOULOS, S. VASILEIADIS, R. FRANCO, A. PAPPA, M.I. PANAYIOTIDIS (<i>Edinburgh; Newcastle Upon Tyne, UK; Alexandroupolis, Greece; Lincoln, NE, USA</i>)	6303
Rho-Associated Protein Kinase (ROCK) Inhibitors Inhibit Survivin Expression and Sensitize Pancreatic Cancer Stem Cells to Gemcitabine. H. TAKEDA, M. OKADA, S. SUZUKI, K. KURAMOTO, H. SAKAKI, H. WATARAI, T. SANOMACHI, S. SEINO, T. YOSHIOKA, C. KITANAKA (<i>Yamagata, Japan</i>).....	6311
Molecular Factors Associated with Pemetrexed Sensitivity According to Histological Type in Non-small Cell Lung Cancer. T. YOSHIDA, T. OKAMOTO, T. YANO, K. TAKADA, M. KOHNO, K. SUDA, M. TAKENOYAMA, Y. ODA, Y. MAEHARA (<i>Fukuoka; Beppu, Japan</i>).....	6319
Bishydroquinone Renieramycin M Induces Apoptosis of Human Lung Cancer Cells Through a Mitochondria-dependent Pathway. T. PINKHIEN, A. MAIUTHED, S. CHAMNI, K. SUWANBORIRUX, N. SAITO, P. CHANVORACHOTE (<i>Bangkok, Thailand; Tokyo, Japan</i>).....	6327
Tachykinin Receptor 3 Distribution in Human Oral Squamous Cell Carcinoma. K. OBATA, T. SHIMO, T. OKUI, K. MATSUMOTO, H. TAKADA, K. TAKABATAKE, Y. KUNISADA, S. IBARAGI, H. NAGATSUKA, A. SASAKI (<i>Okayama, Japan</i>)	6335
Direct Quantitative Bisulfite Sequencing Using Tag-modified Primers and Internal Normalization. D. DIETRICH (<i>Bonn, Germany</i>)	6343
Expression Patterns of Growth and Survival Genes with Prognostic Implications in Advanced Pancreatic Cancer. D. PECTASIDES, V. KOTOULA, G. PAPAXOINIS, Z. ALEXOPOULOU, C. DERVENIS, E. SAMANTAS, K. PAPAPARASKEVA, E. CHARALAMBOUS, C. GKAKOU, C. AGALIANOS, K.T. KALOGERAS, G. PENTHEROUDAKIS, G. FOUNTZILAS (<i>Athens; Thessaloniki; Ioannina, Greece</i>).....	6347
Simultaneous Administration of Statins and Pioglitazone Limits Tumor Growth in a Rat Model of Malignant Glioma. J.H. TAPIA-PÉREZ, R. PREININGER, E. KIRCHES, A. REINHOLD, J. BUTZMANN, S. PRILLOFF, C. MAWRIN, T. SCHNEIDER (<i>Wuerzburg; Magdeburg, Germany</i>)	6357
Dietary Flavonoids Luteolin and Quercetin Suppressed Cancer Stem Cell Properties and Metastatic Potential of Isolated Prostate Cancer Cells. P.-H. TSAI, C.-H. CHENG, C.-Y. LIN, Y.-T. HUANG, L.-T. LEE, C.C. KANDASWAMI, Y.-C. LIN, K.P.-H. LEE, C.-C. HUNG, J.-J. HWANG, F.-C. KE, G.-D. CHANG, M.-T. LEE (<i>Taipei; Kaohsiung; Keelung, Taiwan, ROC; Saskatoon, SK, Canada</i>)	6367