

Instructions for Authors 2017

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the "Shorter Oxford English Dictionary".

Manuscripts. Submitted manuscripts should not exceed fourteen (14) pages (approximately 250 words per double – spaced typed page), including abstract, text, tables, figures, and references (corresponding to 4 printed pages). Papers exceeding 4 printed pages will be subject to excess page charges. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication "review", "clinical", "epidemiological", or "experimental" study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Acknowledgements*; (h) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author's opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the standard form of "Index Medicus" and must be numbered consecutively. In the text, references should be cited by number. Examples: 1 Sumner AT: The nature of chromosome bands and their significance for cancer research. *Anticancer Res* 1: 205-216, 1981. 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones* (O' Malley BW, Chamnes GC (eds.)). New York, Plenum Publ Corp., pp 113-136, 1973.

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human fetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references. Manuscripts must be submitted only through our online submission system at: <http://www.iar-submissions.com/login.html>. In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004. Requests should be addressed to the Editorial Office. Galley proofs should be returned corrected to the Editorial Office by email within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.

5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.
6. Authors should pay attention to the following points when writing an article for AR:
 - The Instructions to Authors must be followed in every detail.
 - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
 - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
 - Results given in figures should not be repeated in tables.
 - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
 - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
 - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
 - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
 - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
 - The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
 - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
9. Articles submitted to AR may be rejected without review if:
 - they do not fall within the journal's policy.
 - they do not follow the instructions for authors.
 - language is unclear.
 - results are not sufficient to support a final conclusion.
 - results are not objectively based on valid experiments.
 - they repeat results already published by the same or other authors before the submission to AR.
 - plagiarism is detected by plagiarism screening services.

(Rejection rate (2016): 66%).
10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iia-anticancer.org
12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service. (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2017 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

Correlation of Tumor and Peritumoral Edema Volumes with Survival in Patients with Cerebral Metastases. J. KERSCHBAUMER, M. BAUER, M. POPOVSCAIA, A.E. GRAMS, C. THOMÉ, C.F. FREYSCHLAG (Innsbruck, Austria).....	871
Radiological Features of the Surgically Resected Small-sized Small-cell Lung Cancer on Computed Tomography. G. TOYOKAWA, Y. KOZUMA, T. MATSUBARA, N. HARATAKE, S. TAKAMORI, T. AKAMINE, K. TAKADA, M. KATSURA, F. SHOJI, T. OKAMOTO, Y. MAEHARA (Fukuoka, Japan)	877
Dose Sparing Potential of Deep Inspiration Breath-hold Technique for Left Breast Cancer Radiotherapy Organs-at-risk. G. LAWLER, M. LEECH (Dublin, Ireland).....	883
Surgical Resection for Lymph Node Metastasis After Liver Transplantation for Hepatocellular Carcinoma. T. IKEGAMI, T. YOSHIZUMI, J. KAWASAKI, A. NAGATSU, H. UCHIYAMA, N. HARADA, N. HARIMOTO, S. ITOH, T. MOTOMURA, Y. SOEJIMA, Y. MAEHARA (Fukuoka, Japan).....	891
Does Rectus Sheath Block Analgesia Alter Levels of the Oxidative Stress Biomarker Glutathione Peroxidase: A Randomised Trial of Patients with Cancer and Benign Disease. M. PURDY, J. KÄRKKÄINEN, M. KOKKI, M. ANTTILA, S. ASPINEN, P. JUVONEN, H. KOKKI, K. PULKKI, T. RANTANEN, M. ESKELINEN (Kuopio, Finland)	897
Could Patients Older than 75 Years Benefit from a Systematic Breast Cancer Screening Program? A. ILENKO, F. SERGENT, A. MERCUZOT, M. ZITOUN, B. CHAUFFERT, A. FOULON, J. GONDRIY, J. CHEVREAU (Amiens, France).....	903
A Multicenter Phase II Study of Gemcitabine plus S-1 Chemotherapy for Advanced Biliary Tract Cancer. S. ARIMA, K. SHIMIZU, T. OKAMOTO, M. TOKI, Y. SUZUKI, N. OKANO, D. NARUGE, K. KAWAI, T. KOBAYASHI, A. KASUGA, H. KITAMURA, A. TAKASU, F. NAGASHIMA, M. SUGIYAMA, J. FURUSE (Tokyo, Japan)	909
Factors Associated with the Lack of Adjuvant Chemotherapy Following Curative Surgery for Stage II and III Colon Cancer: A Korean National Cohort Study. G.S. HA, Y.W. KIM, E.H. CHOI, I.Y. KIM (Wonju, Republic of Korea)	915
Carboplatin plus Weekly Paclitaxel Combined with Bevacizumab as First-line Treatment for Non-small Cell Lung Cancer. M. YAMASAKI, I. MURAKAMI, K. NAKANO, M. DOI, S. KITAGUCHI, T. KONDO, J. SAKURAI, N. HATTORI, K.-I. ARITA (Hiroshima; Higashi-Hiroshima; Kure; Mihara, Japan).....	923
Accuracy of FDG-PET/CT in Colorectal Peritoneal Carcinomatosis: Potential Tool for Evaluation of Chemotherapeutic Response. G. LIBERALE, C. LECOCQ, C. GARCIA, K. MUYLLE, A. COVAS, A. DELEPORTE, A. HENDLISZ, F. BOUAZZA, I. EL NAKADI, P. FLAMEN (Brussels, Belgium)	929
CYFRA 21-1 as a Predictive Marker for Non-small Cell Lung Cancer Treated with Pemetrexed-based Chemotherapy. K. SONE, T. OGURI, M. NAKAO, Y. KAGAWA, R. KUROWAKA, H. FURUTA, S. FUKUDA, T. UEMURA, O. TAKAKUWA, Y. KANEMITSU, H. OHKUBO, M. TAKEMURA, K. MAENO, Y. ITO, H. SATO, H. MURAMATSU, A. NIIMI (Nagoya; Yatomi, Japan)	935
Clinical Outcomes of Hypopharyngeal Cancer Receiving Definitive Radiotherapy with Concurrent Chemotherapy. M. SAKAGUCHI, T. MAEBAYASHI, T. AIZAWA, N. ISHIBASHI, T. SAITO (Tokyo, Japan).....	941
Karnofsky Performance Score Is Predictive of Survival After Palliative Irradiation of Metastatic Bile Duct Cancer. D. RADES, L. BOLM, L. KAESMANN, T. BARTSCHT (Lübeck, Germany).....	949
Retraction.....	953

Down-regulation of RASA1 Is Associated with Poor Prognosis in Human Hepatocellular Carcinoma. Y.-L. CHEN, W.-C. HUANG, H.-L. YAO, P.-M. CHEN, P.-YI LIN, F.-Y. FENG, P.-Y. CHU (<i>Kaohsiung; Changhua; Zhunan; New Taipei City; Tainan, Taiwan, ROC; Changsha, PR China; Richmond, VA, USA</i>)	781
Preoperative Platelet-to-Albumin Ratio Predicts Prognosis of Patients with Pancreatic Ductal Adenocarcinoma After Pancreatic Resection. Y. SHIRAI, H. SHIBA, K. HARUKI, T. HORIUCHI, N. SAITO, Y. FUJIWARA, T. SAKAMOTO, T. UWAGAWA, K. YANAGA (<i>Tokyo, Japan</i>)	787
Polypharmacy in Older Patients ≥ 70 Years Receiving Palliative Radiotherapy. C. NIEDER, B. MANNSÄKER, A. PAWINSKI, E. HAUKLAND (<i>Bodø; Tromsø, Norway</i>)	795
Liver Metastasis of Urothelial Carcinoma with Hepatoid Features: An Unusual Morphological Finding. P. FRIEDMAN, J.-P. LAI (<i>Saint Louis, MO, USA</i>)	801
Potential Pitfalls of SDH Immunohistochemical Detection in Paragangliomas and Pheochromocytomas Harboring Germline <i>SDHx</i> Gene Mutation. R. SANTI, E. RAPIZZI, L. CANU, T. ERCOLINO, G. BARONI, R. FUCCI, G. COSTA, M. MANNELLI, G. NESI (<i>Florence, Italy</i>)	805
Addition of Rituximab to Chemotherapy Reduced the Rate of Surgery for Gastric-DLBCL Without Increasing Early Mortality. P. PROUET, S. GIRI, E. WIEDOWER, A. FINTEL, G. YAGHMOUR, E.P. LAMB, J. DENEVE, M. FLEMING, P. DICKSON, J.C. CHANDLER, M.G. MARTIN (<i>Germantown; Memphis, TN; New Haven; Salem, VA; Los Angeles, CA; Philadelphia, PA, USA</i>)	813
Beck Depression Inventory as a Predictor of Long-term Outcome Among Patients Admitted to the Breast Cancer Diagnosis Unit: A 25-year Cohort Study in Finland. M. ESKELINEN, R. KORHONEN, T. SELANDER, P. OLLONEN (<i>Kuopio, Finland</i>)	819
Mono- and Bi-weekly Hypofractionated Radiation Therapy for the Treatment of Epithelial Skin Cancer in Very Elderly Patients. M. VALERIANI, L. NICOSIA, L. AGOLLI, C. REVERBERI, E. GALVAGNO, V. DE SANCTIS, G. MINNITI, M. CARLESIMO, M.F. OSTI (<i>Rome, Italy</i>)	825
Cancer Death Risk Related to Radiation Exposure from Computed Tomography Scanning Among Testicular Cancer Patients. E. SALMINEN, H. NIINIVIITA, H. JÄRVINEN, S. HEINÄVAARA (<i>Helsinki; Turku, Finland</i>)	831
Racial Disparities in Oropharyngeal Cancer Stage at Diagnosis. U.C. MEGWALU, Y. MA (<i>Stanford, CA, USA</i>)	835
Different Gene Expression and Activity Pattern of Antioxidant Enzymes in Bladder Cancer. E. WIECZOREK, Z. JABLONOWSKI, B. TOMASIK, J. GROMADZINSKA, E. JABLONSKA, T. KONECKI, W. FENDLER, M. SOSNOWSKI, W. WASOWICZ, E. RESZKA (<i>Lodz, Poland</i>)	841
Cytogenetic Biomonitoring in Buccal Mucosal Cells from Municipal Solid Waste Collectors. M.C. ANDRADE, J.N. DOS SANTOS, P.R. CURY, A.C.C. FLYGARE, S.R. CLAUDIO, C.T. FUJIYAMA, D.A. RIBEIRO (<i>Salvador; Santos; São Paulo, Brazil</i>)	849
Phase I Study of Nab-Paclitaxel plus Gemcitabine as Neoadjuvant Therapy for Borderline Resectable Pancreatic Cancer. K.-I. OKADA, S. HIRONO, M. KAWAI, M. MIYAZAWA, A. SHIMIZU, Y. KITAHATA, M. UENO, S. HAYAMI, H. YAMAUE (<i>Wakayama, Japan</i>)	853
Role of ^{18}F -FDG-PET/CT in Esophageal Squamous Cell Carcinoma After Neoadjuvant Chemoradiotherapy. K. SASAKI, Y. UCHIKADO, H. OKUMURA, I. OMOTO, Y. KITA, T. ARIGAMI, Y. UENOSONO, T. OWAKI, K. MAEMURA, S. NATSUGOE (<i>Kagoshima, Japan</i>)	859
Carbohydrate Antigen 19-9 Predicts Synchronous Peritoneal Carcinomatosis in Patients with Colorectal Cancer. M. KANEKO, S. ISHIHARA, K. MURONO, K. SASAKI, K. OTANI, K. YASUDA, T. NISHIKAWA, T. TANAKA, T. KIYOMATSU, K. HATA, K. KAWAI, H. NOZAWA, H. NAKAYAMA, T. WATANABE, S. SASAKI, T. WATANABE (<i>Tokyo, Japan</i>)	865

Hypofractionated Palliative Radiotherapy with Concurrent Radiosensitizing Chemotherapy for Advanced Head and Neck Cancer Using the “QUAD-SHOT Regimen”. M.E. GAMEZ, M. AGARWAL, K.S. HU, J.N. LUKENS, L.B. HARRISON (<i>Phoenix, AZ; Baltimore, MD; New York, NY; Philadelphia, PA; Tampa, FL, USA</i>)	685
Rearrangement of the Chromatin Organizer Special AT-rich Binding Protein 1 Gene, <i>SATB1</i> , Resulting from a t(3;5)(p24;q14) Chromosomal Translocation in Acute Myeloid Leukemia. S. TORKILDSEN, M. BRUNETTI, L. GORUNOVA, S. SPETALEN, K. BEISKE, S. HEIM, I. PANAGOPOULOS (<i>Oslo, Norway</i>)	693
Adipose Triglyceride Lipase (ATGL) Expression Is Associated with Adiposity and Tumor Stromal Proliferation in Patients with Pancreatic Ductal Adenocarcinoma. S.A. GRACE, M.W. MEEKS, Y. CHEN, M. CORNWELL, X. DING, P. HOU, J.K. RUTGERS, S.E. CRAWFORD, J.-P. LAI (<i>Saint Louis, MO; Maywood, IL; Los Angeles, CA, USA</i>)	699
Detection of Somatic Mutations in Gastroenteropancreatic Neuroendocrine Tumors Using Targeted Deep Sequencing. S. BACKMAN, O. NORLÉN, B. ERIKSSON, B. SKOGSEID, P. STÅLBERG, J. CRONA (<i>Uppsala, Sweden</i>)	705
Efficacy and Toxicity of Induction Therapy with Cladribine, Idarubicin, and Cytarabine (IAC) for Acute Myeloid Leukemia. S.K. WOELICH, J.T. BRAUN, M.W. SCHOEN, R. RAMLAL, C.E. FRETER, P.J. PETRUSKA, J.M. LIONBERGER (<i>Saint Louis, MO, USA</i>)	713
Plasma Metabolites and Risk of Radiation-induced Esophagitis: A Secondary Analysis from a Prospective Study. D.J. TANDBERG, T. HOLT, C.R. KELSEY (<i>Durham, NC, USA</i>)	719
Impact of Different Treatment Concepts on Regional Failure in Advanced Oropharyngeal Cancer. S. HOCH, K. THELEN, H. VORWERK, C. NETZER, T. WILHELM, T. GÜNZEL, A. TEYMOORTASH (<i>Marburg; Borna; Leer, Germany</i>)	727
DNA Cytometry for Differentiation Between Low- and Mediumgrade Dysplasia in Intraductal Papillary Mucinous Neoplasms. F. KLEIN, T. DENECKE, W. FABER, C. JÜRGENSEN, A. SCHIRMEIER, H. AL-ABADI, T.C. WALTER, N. AL-ABADI, T. MALINKA, J. PRATSCHKE, M. BAHRA (<i>Berlin, Germany</i>).....	735
The Preoperative Controlling Nutritional Status Score Predicts Survival After Curative Surgery in Patients with Pathological Stage I Non-small Cell Lung Cancer. F. SHOJI, N. HARATAKE, T. AKAMINE, S. TAKAMORI, M. KATSURA, K. TAKADA, G. TOYOKAWA, T. OKAMOTO, Y. MAEHARA (<i>Fukuoka, Japan</i>).....	741
Pathogenesis of Osteosclerotic Change Following Treatment with an Antibody Against RANKL for Giant Cell Tumour of the Bone. M. ROSARIO, A. TAKEUCHI, N. YAMAMOTO, K. HAYASHI, S. MIWA, T. HIGUCHI, K. ABE, Y. TANIGUCHI, H. AIBA, Y. TANZAWA, H. MURAKAMI, H. TSUCHIYA (<i>Kanazawa; Tokyo, Japan; Quezon City, Philippines</i>).....	749
Postoperative Radiotherapy for Pancreatic Cancer with Microscopically-positive Resection Margin. S. PARK, S.C. KIM, S.-M. HONG, Y.-J. LEE, K.-M. PARK, D.W. HWANG, J.H. LEE, K.-B. SONG, B.-Y. RYOO, H.-M. JANG, K.-P. KIM, C. YU, E.K. CHOI, S.D. AHN, S.-W. LEE, S.M. YOON, J.-H. PARK, J.H. KIM (<i>Seoul, Republic of Korea</i>)	755
Frequency of Epidermal Growth Factor Receptor Mutation in Smokers with Lung Cancer Without Pulmonary Emphysema. K. TAKEDA, A. YAMASAKI, T. IGISHI, Y. KAWASAKI, S. ITO-NISHII, H. IZUMI, T. SAKAMOTO, H. TOUGE, M. KODANI, H. MAKINO, M. YANAI, N. TANAKA, S. MATSUMOTO, K. ARAKI, H. NAKAMURA, E. SHIMIZU (<i>Yonago; Tsuyama; Kashiwa, Japan</i>).....	765
<i>De Novo</i> Renal Cell Carcinoma of Native Kidneys in Renal Transplant Recipients: A Single-center Experience. D. MORIS, K. KAKAVIA, C. ARGYROU, N. GARBIS, J. BOKOS, S. VERNADAKIS, K. DILES, G. SOTIRCHOS, J. BOLETIS, G. ZAVOS (<i>Athens, Greece</i>)	773

siRNA-based Analysis of the Abrogation of the Protective Function of Membrane-associated Catalase of Tumor Cells. G. BAUER (<i>Freiburg, Germany</i>)	567
IMP3 Expression in Borderline Tumors of the Ovary. A. EL-BALAT, N. SÄNGER, T. KARN, S. BECKER, U. HOLTRICH, Z. MUALLEM, R. ARSENIC (<i>Frankfurt; Berlin, Germany</i>).....	583
The Anticancer Effects of Novel α -Bisabolol Derivatives Against Pancreatic Cancer. Y. MURATA, T. KOKURYO, Y. YOKOYAMA, J. YAMAGUCHI, T. MIWA, M. SHIBUYA, Y. YAMAMOTO, M. NAGINO (<i>Nagoya, Japan</i>)	589
HIF1 α in Tumorigenesis of Adenoid Cystic Carcinoma. Y.-S. LIM, W. CHA, M.-W. PARK, W.-J. JEONG, S.-H. AHN (<i>Goyang; Busan; Seoul; Seongnam, Republic of Korea</i>)	599
Selumetinib Inhibits Melanoma Metastasis to Mouse Liver via Suppression of EMT-targeted Genes. S.-H. RYU, S.-H. HEO, E.Y. PARK, K.-C. CHOI, J.-W. RYU, S.H. LEE, S.-W. LEE (<i>Seoul; Incheon, Republic of Korea</i>)	607
Renieramycin M Attenuates Cancer Stem Cell-like Phenotypes in H460 Lung Cancer Cells. N. SIRIMANGKALAKITTI, S. CHAMNI, K. SUWANBORIRUX, P. CHANVORACHOTE (<i>Bangkok, Thailand</i>).....	615
Importance of Bevacizumab Maintenance Following Combination Chemotherapy in Human Non-small Cell Lung Cancer Xenograft Models. N. ISHIKURA, M. YANAGISAWA, M. NOGUCHI-SASAKI, T. IWAI, K. YOROZU, M. KURASAWA, M. SUGIMOTO, K. YAMAMOTO (<i>Kamakura, Japan</i>)	623
Prognostic Significance of the Expression of CD98 (4F2hc) in Gastric Cancer. T. SATOH, K. KAIRA, K. TAKAHASHI, N. TAKAHASHI, Y. KANAI, T. ASAO, J. HORIGUCHI, T. OYAMA (<i>Gunma; Osaka, Japan</i>).....	631
Telomere Length and Risk of Hepatocellular Carcinoma: A Nested Case-Control Study in Taiwan Cancer Screening Program Cohort. H. ZENG, H.-C. WU, Q. WANG, H.-I. YANG, C.-J. CHEN, R.M. SANTELLA, J. SHEN (<i>New York City, NY, USA; Chongqing, PR China; Taichung; Taipei, Taiwan, ROC</i>)	637
MDS/AML del(11)(q14) Share Common Morphological Features Despite Different Chromosomal Breakpoints. I. DAMBRUOSO, R. INVERNIZZI, M. BONI, R. ZAPPATORE, I. GIARDINI, M.P. CAVIGLIANO, B. ROCCA, C. CALVELLO, R. BASTIA, M. CARESANA, F. PASI, R. NANO, P. BERNASCONI (<i>Pavia, Italy</i>).....	645
Comparative Study of Mutations in Single Nucleotide Polymorphism Loci of <i>KRAS</i> and <i>BRAF</i> Genes in Patients Who Underwent Screening Colonoscopy, With and Without Premalignant Intestinal Polyps. M. GALANOPOULOS, I.S. PAPANIKOLAOU, E. ZOGRAFOS, N. VIAZIS, G. PAPTAEODORIDIS, D. KARAMANOLIS, E. MARINOS, G.J. MANTZARIS, M. GAZOULI (<i>Athens, Greece</i>)	651
<i>Clinical Studies</i>	
DNA Methylation in Breast Tumor from High-risk Women in the Breast Cancer Family Registry. H.-C. WU, M.C. SOUTHEY, H. HIBSHOOSH, R.M. SANTELLA, M.B. TERRY (<i>New York, NY, USA; Melbourne, Victoria, Australia</i>)	659
Validation of Human Papillomavirus as a Favourable Prognostic Marker and Analysis of CD8 ⁺ Tumour-infiltrating Lymphocytes and Other Biomarkers in Cancer of Unknown Primary in the Head and Neck Region. L. SIVARS, D. LANDIN, N. GRÜN, A. VLASTOS, L. MARKLUND, S. NORDEMAR, T. RAMQVIST, E. MUNCK-WIKLAND, A. NÄSMAN, T. DALIANIS (<i>Stockholm, Sweden</i>).....	665
Correlation of Blood T-Cells to Intratumoural Density and Location of CD3 ⁺ and CD8 ⁺ T-Cells in Colorectal Cancer. H.R. HAGLAND, D. LEA, M.M. WATSON, K. SØREIDE (<i>Stavanger; Bergen, Norway</i>)	675

Salinomycin Abolished STAT3 and STAT1 Interactions and Reduced Telomerase Activity in Colorectal Cancer Cells. S.S. CHUNG, D. ADEKOYA, I. ENENMOH, O. CLARKE, P. WANG, M. SARKYSSIAN, Y. WU, J.V. VADGAMA (<i>Los Angeles, CA, USA</i>)	445
Fumonisin B1 Inhibits Endoplasmic Reticulum Stress Associated-apoptosis After FoscanPDT Combined with C6-Pyridinium Ceramide or Fenretinide. N.B. BOPANA, J.M. KRAVEKA, M. RAHMANYAN, L. LI, A. BIELAWSKA, J. BIELAWSKI, J.S. PIERCE, J.S. DELOR, K. ZHANG, M. KORBELIK, D. SEPAROVIC (<i>Detroit, MI; Charleston, SC, USA; Vancouver, BC, Canada</i>)	455
Synergistic Inhibitory Effect of Traditional Chinese Medicine Astragaloside IV and Curcumin on Tumor Growth and Angiogenesis in an Orthotopic Nude-Mouse Model of Human Hepatocellular Carcinoma. S. ZHANG, D. TANG, W. ZANG, G. YIN, J. DAI, Y. SUN, Z. YANG, R.M. HOFFMAN, X. GUO (<i>Nanjing, Jiangsu; Nanyang, Henan, PR China; San Diego, CA, USA</i>)	465
Effect of Androgen on Normal Biodistribution of [¹⁸ F]-2'-Fluoro-5-methyl-1-beta-D-arabinofuranosyluracil (¹⁸ F-FMAU) in Athymic Non-tumor-bearing Male Mice. H. JADVAR, R. PARK, L.-P. YAP, K. CHEN, L. HUGHES, P. CONTI (<i>Los Angeles, CA, USA</i>).....	475
Prostate Transglutaminase (TGase-4) Induces Epithelial-to-Mesenchymal Transition in Prostate Cancer Cells. R.J. ABLIN, S. OWEN, W.G. JIANG (<i>Tucson, AZ, USA; Cardiff, UK</i>)	481
Clinical Significance of Methylation and Reduced Expression of the Quaking Gene in Colorectal Cancer. N. IWATA, T. ISHIKAWA, S. OKAZAKI, K. MOGUSHI, H. BABA, M. ISHIGURO, H. KOBAYASHI, H. TANAKA, T. KAWANO, K. SUGIHARA, H. UETAKE (<i>Tokyo, Japan</i>)	489
Central Signaling Elements of Intercellular Reactive Oxygen/Nitrogen Species-dependent Induction of Apoptosis in Malignant Cells. G. BAUER (<i>Freiburg, Germany</i>)	499
Itraconazole Inhibits AKT/mTOR Signaling and Proliferation in Endometrial Cancer Cells. H. TSUBAMOTO, K. INOUE, K. SAKATA, T. UEDA, R. TAKEYAMA, H. SHIBAHARA, T. SONODA (<i>Nishinomiya, Japan</i>)	515
Cilengitide and Cetuximab Reduce Cytokine Production and Colony Formation of Head and Neck Squamous Cell Carcinoma Cells <i>Ex Vivo</i> . G. WICHMANN, S. CEDRA, D. SCHLEGEL, M. KOLB, S. WIEGAND, A. BOEHM, M. HOFER, A. DIETZ (<i>Leipzig; Nuremberg, Germany</i>).....	521
Purinergic Receptor Expression and Cellular Responses to Purinergic Agonists in Human Prostate Cancer Cells. K. LERTSUWAN, W. PETERS, L. JOHNSON, J. LERTSUWAN, I. MARWA, R.A. SIKES (<i>Bangkok, Thailand; Newark, DE, USA</i>)	529
Complex of Platinum(II) with Tris(2-carboxyethyl)phosphine Induces Apoptosis in Canine Lymphoma/Leukemia Cell Lines. M. HENKLEWSKA, A. PAWLAK, H. PRUCHNIK, B. OBMINSKA-RUKOWICZ (<i>Wroclaw, Poland</i>)	539
The Antiproliferative and Colony-suppressive Activities of STAT3 Inhibitors in Human Cancer Cells Is Compromised Under Hypoxic Conditions. J. TIAN, H. XIAO, R. WU, Y. CAO, C. LI, R. XU, C.R. PIERSON, J.L. FINLAY, F. YANG, N. GU, J. LIN (<i>Nanjing; Suzhou, Jiangsu; Wuhan, Hubei; Hefei, Anhui, PR China; Baltimore, MD; Columbus, OH, USA</i>)	547
Targeting Prostate Cancer with a Combination of WNT Inhibitors and a Bi-functional Peptide. C.S. MESSINA, H. WEIHER, I.G.H. SCHMIDT-WOLF (<i>Bonn; Rheinbach, Germany</i>)	555
CD24 Modulates Chemosensitivity of MCF-7 Breast Cancer Cells. H. ONISHI, K. SUYAMA, A. YAMASAKI, Y. OYAMA, A. FUJIMURA, M. KAWAMOTO, A. IMAIZUMI (<i>Fukuoka; Tokyo, Japan</i>)	561