Instructions for Authors 2019

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the "Shorter Oxford English Dictionary".

Manuscripts. Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) First page including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication "review", "clinical", "epidemiological", or "experimental" study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) Abstract not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) Introduction; (d) Materials and Methods/Patients and Methods; (e) Results; (f) Discussion; (g) Conflicts of Interest; (h) Authors' contributions; (i) Acknowledgements; (j) References. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author's opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalgleish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. Anticancer Res 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticanres.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: Receptors for Reproductive Hormones. O' Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region, 2000-2015. Geneva, World Health Organisation, 2016. Available at http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html. Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

ANTICANCER RESEARCH 39: (2019)

Nomenclature and Abbreviations. Nomenclature should follow that given in "Chemical Abstracts", "Index Medicus", "Merck Index", "IUPAC -IUB", "Bergey's Manual of Determinative Bacteriology", The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (http://www.gene.ucl.ac.uk/). Approved mouse nomenclature may be obtained from http://www.informatics.jax.org/. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by "ISRCTN"). Please note that there is no space between the prefix "ISRCTN" and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by 'NCT'). Please note that there is no space between the prefix 'NCT' and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the "Uniform Requirements for Manuscripts Submitted to Biomedical Journals" established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the "Minimum Information About Microarray Experiments (MIAME) standard". Specific guidelines are provided at the "Microarray Gene Expression Data Society" (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human foetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references. Manuscripts must be submitted only through our online submission system at: http://www.iiar-submissions.com/login.html
In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iiar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email (iiar@iiar-anticancer.org) within two days.

Specific information and additional instructions for Authors

- 1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
- Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
- 3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
- 4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal's secretary, the reviewers and the printers.
- 5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.

ANTICANCER RESEARCH 39: (2019)

- 6. Authors should pay attention to the following points when writing an article for AR:
 - The Instructions to Authors must be followed in every detail.
 - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
 - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
 - Results given in figures should not be repeated in tables.
 - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
 - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
 - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
 - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors
 are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations
 should be avoided.
 - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with
 a note in parenthesis (submitted for publication by... authors, year).
 - The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
 - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
- 7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
- 8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
- 9. Articles submitted to AR may be rejected without review if:
 - they do not fall within the journal's policy.
 - they do not follow the instructions for authors.
 - · language is unclear.
 - results are not sufficient to support a final conclusion.
 - results are not objectively based on valid experiments.
 - they repeat results already published by the same or other authors before the submission to AR.
 - plagiarism is detected by plagiarism screening services. (Rejection rate (2016): 66%).
- 10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
- 11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iiar-anticancer.org
- 12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
- 13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service.

(This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2019 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.



ISSN (online): 1791-7549

General Policy

- IN VIVO is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the frames of human physiology, pathology and disease management. A special focus of the journal is the publication of works on: (a) Experimental development and application of new diagnostic procedures; (b) Pharmacological and toxicological evaluation of new drugs and drug combinations; (c) Clinical trials; (d) Development and characterization of models of biomedical research.
- The principal aim of **IN VIVO** is to provide prompt online publication for accepted articles, generally within 1-2 months from final acceptance (3 months from submission).
- Editorial Office: International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.
 - U.S. Branch: Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.
- E-mail: journals@iiar-anticancer.org; IIAR WEBSITES: www.iiar-anticancer.org and www.iiarjournals.org

- International Journal of Experimental and Clinical Pathophysiology and Drug Research
- Published bimonthly by the International Institute of Anticancer Research
- Available online only and open access with Stanford University HighWire Press

Selection of Recent Articles

Amelioration of Amyotrophic Lateral Sclerosis (ALS) in $SOD1^{G93A}$ Mice by Transplanted Marrow Origin M_2 Microglia. M.W. EPPERLY, R. FISHER, L. RIGATTI, S. WATKINS, X. ZHANG, W. HOU, D. SHIELDS, D. FRANICOLA, H. BAYIR, H. WANG, S. THERMOZIER, A. HENDERSON, C. DONNELLY, P. WIPF, J.S. GREENBERGER (*Pittsburgh*, *PA*, *USA*)

A Simple and Easily Reproducible Model of Reversible Obstructive Jaundice in Rats. S. HIRATANI, R. MORI, Y. OTA, R. MATSUYAMA, T. KUMAMOTO, Y. NAGASHIMA, D. MORIOKA, I. ENDO (*Yokohama, Japan*)

Perioperative Management in Patients With Undergoing Direct Oral Anticoagulant Therapy in Oral Surgery – A Multicentric Questionnaire Survey. C. PRECHT, Y. DEMIREL, A.T. ASSAF, H.O. PINNSCHMIDT, C. KNIPFER, H. HANKEN, R.E. FRIEDRICH, J. WIKNER (*Hamburg*, *Germany*)

Cytotoxicity and Pro-inflammatory Properties of Aliphatic Alpha, Betaunsaturated Acid and Ester Monomers in RAW264.7 Cells and Their Chemical Reactivity. Y. MURAKAMI, A. KAWATA, S. SUZUKI, S. FUJISAWA (Sakado, Japan)

Intra- and Postoperative Blood Flow Monitoring in a Sheep Model of Uterus Transplantation. A. KENGELBACH-WEIGAND, L. LOTZ, R. SCHMID, W. LANG, M.W. BECKMANN, I. HOFFMANN, R.E. HORCH, S.P. RENNER, R. DITTRICH, A.M. BOOS, T. HILDEBRANDT (*Erlangen, Germany*)

Three-dimensional Assessment of the Breast: Validation of a Novel, Simple and Inexpensive Scanning Process. C.M. ORANGES, S. MADDURI, P. BRANTNER, B. MSALLEM, S. GIORDANO, B. BENITEZ, D.F. KALBERMATTEN, D.J. SCHAEFER, F.M. THIERINGER (Basel; Allschwil, Switzerland; Turku, Finland)

Oxidative Stress and Oral Mucosal Diseases: An Overview. N. SARDARO, F. DELLA VELLA, M.A. INCALZA, D. DI STASIO, A. LUCCHESE, M. CONTALDO, C. LAUDADIO, M. PETRUZZI (*Bari; Naples, Italy*)


Reconstruction of Spinal Soft Tissue Defects With Perforator Flaps From the Paraspinal Region. P.G. DI SUMMA, R.D. LARGO, T. ISMAIL, M. TREMP, A. LUNGER, R. WETTSTEIN, S.M. KRÄHENBÜHL, S. GIORDANO, D.J. SCHAEFER, S. SCHAEREN, D.F. KALBERMATTEN (Lausanne; Basel, Switzerland; Turku, Finland)

Mid- to Long-term Outcomes After Split-thickness Skin Graft vs. Skin Extension by Multiple Incisions. J.N. KERN, F. WEIDEMANN, P.F. O'LOUGHLIN, C. KRETTEK, R. GAULKE (Hanover, Germany; Cork, Ireland)

Clinicopathological Characteristics of Well-differentiated Papillary Mesothelioma of the Peritoneum: A Single-institutional Experience of 12 Cases. M. KIM, H.-S. KIM (Seoul, Republic of Korea)

Fistein Suppresses Human Osteosarcoma U-2 OS Cell Migration and Invasion via Affecting FAK, uPA and NF-κB Signaling Pathway In Vitro. J.-K. CHEN, S.-F. PENG, K.C. LAI, H.-C. LIU, Y.-P. HUANG, C.-C. LIN, A.-C. HUANG, F.-S. CHUEH, J.-G. CHUNG (Changhua; Taichung; Tainan; Yunlin; Yilan, Taiwan, ROC)

Definitive Radiotherapy for Older Patients Aged ≥75 Years With Localized Esophageal Cancer. G. SUZUKI, H. YAMAZAKI, N. AIBE, K. MASUI, T. KIMOTO, D. SHIMIZU, T. NISHIMURA, A. NAKASHIMA, K. MACHIDA, K. KAWABATA, Y. OTA, H. FUJIWARA, T. ISHIKAWA, K. YAMADA (*Kyoto, Japan*)



Online ISSN: 1790-6245

General Policy

- CANCER GENOMICS & PROTEOMICS (CGP) welcomes submissions of original high quality articles and reviews on all aspects of the application of genomic and proteomic technologies to experimental and clinical cancer research. The journal's scientific spectrum includes: (a) molecular causes of carcinogenesis, cancer progression and metastasis; (b) structural and functional aspects of genes in the cancer cell; (c) advances in genomic and proteomic technologies applicable to cancer research; (d) anticancer drug design and drug development. A main aim of CGP is to ensure the prompt and confidential review, and rapid publication of original works and reviews, generally within 1-3 months from submission.
- CGP is published bimonthly by the
 International Institute of Anticancer
 Research (IIAR) and is available online only and open access with Stanford University
 HighWire Press. For more information please visit our website www.cgp.iiarjournals.org.
- Editorial Office: International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.
 - **U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.
- E-mail: journals@iiar-anticancer.org; IIAR WEBSITES: www.iiar-anticancer.org and www.iiarjournals.org

Selection of Recent Articles

Multiregion Genomic Analysis of Serially Transplanted Patient-derived Xenograft Tumors. K. SATO, A. NIIDA, T. MASUDA, D. SHIMIZU, T. TOBO, Y. KURODA, H. EGUCHI, T. NAKAGAWA, Y. SUZUKI, K. MIMORI (Oita; Fukuoka; Tokyo; Chiba, Japan)

MicroRNAs as Potential Targets for Therapeutic Intervention With Metastasis of Non-small Cell Lung Cancer. U.H. WEIDLE, F. BIRZELE, A. NOPORA (Penzberg, Germany; Basel, Switzerland)

Three Poliovirus Sequences in the Human Genome Associated With Colorectal Cancer. S. LEHRER, P.H. RHEINSTEIN (New York, NY, USA)

mRNA Expression of CDK2AP1 in Human Breast Cancer: Correlation with Clinical and Pathological Parameters. R. GERA, L. MOKBEL, W.G. JIANG, K. MOKBEL (London; Cardiff, UK)

Molecular Genetic Characterization of Acute Myeloid Leukemia With Trisomy 4 as the Sole Chromosome Abnormality. S. TORKILDSEN, L. GORUNOVA, S. HEIM, G.E. TJØNNFJORD, S. SPETALEN, B. RISBERG, H.T.T. TRAN, I. PANAGOPOULOS (Oslo; Lørenskog, Norway)

Isoforms of Ionotropic Glutamate Receptor GRIK2 Induce Senescence of Carcinoma Cells. V.K. ZHAWAR, R.P. KANDPAL, R.S. ATHWAL (*Philadelphia*, *PA*; *Pomona*, *CA*, *USA*)

Human Periprostatic Adipose Tissue: Secretome from Patients With Prostate Cancer or Benign Prostate Hyperplasia. P.A. SACCA, O.N. MAZZA, C. SCORTICATI, G. VITAGLIANO, G. CASAS, J.C. CALVO (Buenos Aires, Argentina)

MiR-1 Suppresses Proliferation of Osteosarcoma Cells by Up-regulating p21 via PAX3. R. FUJII, E. OSAKA, K. SATO, Y. TOKUHASHI (*Tokyo, Japan*)

NOTUM Is Involved in the Progression of Colorectal Cancer. J.H. YOON, D. KIM, J. KIM, H. LEE, J. GHIM, B.J. KANG, P. SONG, S.H. RYU, T.G. LEE (Daegu; Pohang, Republic of Korea)

The Functional Role of Prostate Cancer Metastasis-related Micro-RNAs. U.H. WEIDLE, A. EPP, F. BIRZELE, U. BRINKMANN (*Penzberg, Germany; Basel, Switzerland*)

The Diagnostic Accuracy and Postoperative Outcomes of Cervical Cancer Patients for MR-invisible or MR-visible Diagnosis of Combined T2- and Diffusion-weighted 3T MRI Using the External Phased-array Receiver. H.J. ROH, E.B. GO, K.B. KIM, J.H. LEE, S.H. LEE (<i>Ulsan, Republic of Korea</i>)	6945
Tolerability of Oxaliplatin-based Neoadjuvant Chemoradiotherapy in Elderly Locally Advanced Rectal Cancer Patients: A Case-control Study of a Real-life Experience. F. DE FELICE, B. SINISCALCHI, N. BULZONETTI, R. CAIAZZO, D. MUSIO, V. TOMBOLINI (Rome, Italy)	6957
Detection and Clinical Implications of a Novel <i>BCR-ABL1</i> E12A2 Insertion/Deletion in a CML Patient Expressing the E13A2 Isoform. S. STELLA, M. MASSIMINO, E. TIRRÒ, S.R. VITALE, V. ACCURSO, A. PUMA, M.S. PENNISI, S. DI GREGORIO, C. ROMANO, F. DI RAIMONDO, S. SIRAGUSA, L. MANZELLA (<i>Catania</i> ; <i>Palermo</i> , <i>Italy</i>)	6965
Clinical Implications of Claudin18.2 Expression in Patients With Gastric Cancer. J.H. BAEK, D.J. PARK, G.Y. KIM, J. CHEON, B.W. KANG, H.J. CHA, J.G. KIM (<i>Daegu; Ulsan, Republic of Korea</i>)	6973
Feasibility Technique of Low-passage <i>In Vitro</i> Drug Sensitivity Testing of Malignant Pleural Effusion from Advanced-stage Non-small Cell Lung Cancer for Prediction of Clinical Outcome. C. VINAYANUWATTIKUN, O. PRAKHONGCHEEP, S. TUNGSUKRUTHAI, K. PETSRI, P. THIRASASTR, N. LEELAYUWATANAKUL, P. CHANVORACHOTE (<i>Bangkok, Thailand</i>)	6981
Index 2019	6989

Association of High Neutrophil-to-Lymphocyte Ratio With Poor Outcomes of Pembrolizumab Therapy in High-PD-L1-expressing Non-small Cell Lung Cancer. T. HASEGAWA, N. YANAGITANI, H. UTSUMI, H. WAKUI, H. SAKAMOTO, T. TOZUKA, H. YOSHIDA, Y. AMINO, S. UEMATSU, T. YOSHIZAWA, K. UCHIBORI, S. KITAZONO, A. HORIIKE, T. HORAI, K. KUWANO, M. NISHIO (<i>Tokyo, Japan</i>)
Etiological Observations in 36 Patients With Hodgkin's Lymphoma. W. WEBER, S.S. WEBER (Basel, Switzerland)
Clinical Features, Prognosis, Diagnostic Approaches and Treatment of Multiple Primary Malignancies in the Digestive System. A. IKUBO, S. MATSUFUJI, Y. MORIFUJI, H. KOGA, T. KOBARAI, N. KOUYA, M. SAKAI, R. SAMEJIMA, K. KOJIMA, M. TABUCHI, S. YUNOTANI (<i>Saga, Japan</i>)
Is Serum Lactate Dehydrogenase Useful for Predicting Oncological Outcome in Patients With Soft Tissue Sarcoma? T. NAKAMURA, K. ASANUMA, T. HAGI, A. SUDO (<i>Tsu</i> , <i>Japan</i>)
Disparity on Unplanned Readmission in Melanoma Patients: A National Cancer Database Analysis. D. BOCZAR, D.J. RESTREPO, A. SISTI, M.T. HUAYLLANI, A.C. SPAULDING, E. GABRIEL, S. BAGARIA, A.S. PARKER, A.L. LEPPIN, A.J. FORTE (<i>Jacksonville, FL; Rochester, MN, USA</i>)
Influence of Facility Characteristics on Access to Breast Reconstruction: A 12-Year National Cancer Database Analysis. D. BOCZAR, D.J. RESTREPO, A. SISTI, M.T. HUAYLLANI, A.C. SPAULDING, E. GABRIEL, S. BAGARIA, S. MCLAUGHLIN, A.S. PARKER, A.J. FORTE (<i>Jacksonville, FL, USA</i>)
Peripheral PD1-positive CD4 T-Lymphocyte Count Can Predict Progression-free Survival in Patients With Non-small Cell Lung Cancer Receiving Immune Checkpoint Inhibitor. M. INOMATA, T. KADO, S. OKAZAWA, S. IMANISHI, C. TAKA, K. KAMBARA, T. HIRAI, H. TANAKA, K. TOKUI, K. HAYASHI, T. MIWA, R. HAYASHI, S. MATSUI, K. TOBE (<i>Toyama</i> , <i>Japan</i>)
Partial Splenic Embolization for Lenvatinib Therapy-associated Thrombocytopenia Among Patients With Hepatocellular Carcinoma. N. SATO, T. BEPPU, K. KINOSHITA, H. YUKI, K. SUYAMA, H. YURUKI, T. MOTOHARA, S. CHIYONAGA, S. AKAHOSHI (<i>Kumamoto, Japan</i>)
Phase I Study of Combination Therapy With Weekly Nanoparticle Albumin-bound Paclitaxel and Cyclophosphamide in Metastatic Breast Cancer Patients. D. OTA, S. AKATSUKA, T. NISHI, T. KATO, M. TAKEUCHI, M. TSUJI, A. FUKUUCHI (<i>Tokyo, Japan</i>)
Prevalence and Characteristics of Symptomatic Pneumonitis After Radiotherapy of Patients With Locally Advanced Lung Cancer. D. RADES, E. GLATZEL, E.M. WERNER, S. BOHNET (<i>Lübeck, Germany</i>)
HOXB2 is a Putative Tumour Promotor in Human Bladder Cancer. J. LIU, S. LI, X. CHENG, P. DU, Y. YANG, W.G. JIANG (Cardiff, UK; Beijing, PR China)
Stratification of Prognosis in Patients With Ampullary Carcinoma After Surgery by Preoperative Platelet-to-lymphocyte Ratio and Conventional Tumor Markers. H. KAWAIDA, H. KONO, H. AMEMIYA, N. HOSOMURA, M. WATANABE, R. SAITO, S. MARUYAMA, H. SHIMIZU, S. FURUYA, H. AKAIKE, Y. KAWAGUCHI, M. SUDO, M. MATUSDA, J. ITAKURA, H. SHINDO, E. TAKAHASHI, S. TAKANO, M. FUKASAWA, T. SATOU, T. NAKAZAWA, N. ENOMOTO, H. FUJII, D. ICHIKAWA (<i>Yamanashi, Japan</i>) 6923
A New Phantom for Individual Verification of the Dose Distribution in Precision Radiotherapy for Head- and-Neck Cancer. M. GREHN, M. STILLE, C. ZIEMANN, F. CREMERS, D. RADES, T.M. BUZUG (Lübeck, Germany)
M2 Macrophage Marker Chitinase 3-Like 2 (CHI3L2) Associates With Progression of Conventional Renal Cell Carcinoma. C. PUSZTAI, M.V. YUSENKO, D. BANYAI, A. SZANTO, G. KOVACS (<i>Pecs, Hungary; Muenster; Heidelberg, Germany</i>)

Anticancer Non-narcotic Opium Alkaloid Papaverine Suppresses Human Glioblastoma Cell Growth. M. INADA, A. SATO, M. SHINDO, Y. YAMAMOTO, Y. AKASAKI, K. ICHIMURA, SI. TANUMA (Noda; Tokyo, Japan)
Clinical Studies
Brief Pain Inventory (BPI) Health Survey After Midline Laparotomy With the Rectus Sheath Block (RSB) Analgesia: A Randomised Trial of Patients With Cancer and Benign Disease. V. KUOSMANEN, M. RUOTTINEN, D. RAHKOLA, I. SAIMANEN, V. KAARONEN, T. SELANDER, M. PURDY, H. KOKKI, M. KOKKI, M. ESKELINEN (<i>Kuopio</i> , <i>Finland</i>)
Free Versus Pedicled Anterolateral Thigh Flap for Abdominal Wall Reconstruction. P.G. DI SUMMA, W. WATFA, C. CAMPISI, S. GIORDANO, C.M. ORANGES, L. ELAHI-RAUSIS, O. BAUQUIS, D. HAHNLOSER, N. DEMARTINES, W. RAFFOUL (Lausanne; Basel, Switzerland; Genoa, Italy; Turku, Finland)
Symptomatic Mandibular Fibrous Dysplasia With Concurrent Triple X- and Premutation Stage Fragile-X-Syndrome: Case Report With Short Literature Survey. R.E. FRIEDRICH, F.K. KOHLRUSCH, A.M. LUEBKE (Hamburg, Germany)
Resection or Stenting in the Treatment of Symptomatic Advanced Metastatic Rectal Cancer: A Dilemma. E. FIORI, D. CROCETTI, A. LAMAZZA, F. DE FELICE, M. TARALLO, A.V. STERPETTI, A. MINGOLI, P. SAPIENZA, G. DE TOMA (<i>Rome</i> , <i>Italy</i>)
Development of Normal Tissue Complication Probability Model for Trismus in Head and Neck Cancer Patients Treated With Radiotherapy: The Role of Dosimetric and Clinical Factors. M. MORIMOTO, H.P. BIJL, A. VAN DER SCHAAF, CJ. XU, R.J.H.M. STEENBAKKERS, O. CHOUVALOVA, Y. YOSHIOKA, T. TESHIMA, J.A. LANGENDIJK (Groningen, the Netherlands; Suita; Osaka; Tokyo, Japan)
Clip on Staple Method Reduces Clinically Relevant Pancreatic Fistula After Distal Pancreatectomy. M. NINOMIYA, T. TOMINO, R. MATONO, T. MOTOMURA, H. UCHIYAMA, T. NISHIZAKI (Ehime; Fukuoka, Japan)
What Factors Define Limb Salvage or Amputation Surgery in Osteosarcoma of the Upper Extremities? M.T. HUAYLLANI, D.J. RESTREPO, D. BOCZAR, A. SISTI, A.C. SPAULDING, A.S. PARKER, O.J. MANRIQUE, X. LU, B.K. WILKE, A.J. FORTE (<i>Jacksonville, FL; Rochester, MN; New Haven, CT, USA</i>)
Volume-Time Index Is Not an Indicator of Outcome for Patients Undergoing CRS/HIPEC for Treatment of High-Grade Appendiceal Carcinomatosis. D.M. DOTTA, J.D. LANSOM, O.M. FISHER, N.A. ALZAHRANI FRACS, W. LIAUW, D.L. MORRIS (Sydney, Australia; Riyadh, Kingdom of Saudi Arabia)
Real-world Treatment Outcomes of the EXTREME Regimen as First-line Therapy for Recurrent/Metastatic Squamous Cell Carcinoma of the Head and Neck: A Multi-center Retrospective Cohort Study in Japan. D. SANO, T. FUJISAWA, M. TOKUHISA, M. SHIMIZU, T. SAKAGAMI, T. HATANO, G. NISHIMURA, Y. ICHIKAWA, H. IWAI, N. ORIDATE (Yokohama; Osaka, Japan)
Effectiveness of Intraoperative Pulmonary Wedge Resection of Tumor Site Before Lobectomy for Early Lung Adenocarcinoma. M. YASUKAWA, N. SAWABATA, T. KAWAGUCHI, S. TANIGUCHI (<i>Nara</i> , <i>Japan</i>)
Role of Adjuvant Chemotherapy in Pulmonary Carcinoids: An NCDB Analysis. R. GOSAIN, A. GROMAN, S.S. YENDAMURI, R. IYER, S. MUKHERJEE (<i>Buffalo, NY, USA</i>)
Value of Prognostic Nutritional Index as a Predictor of Lymph Node Metastasis in Gastric Cancer. T. KOSUGA, T. KONISHI, T. KUBOTA, K. SHODA, H. KONISHI, A. SHIOZAKI, K. OKAMOTO, H. FUJIWARA, M. KUDOU, T. ARITA, R. MORIMURA, Y. MURAYAMA, Y. KURIU, H. IKOMA, M. NAKANISHI, E. OTSUJI (<i>Kyoto, Japan</i>)

Combinatory Analysis of Cell-free and Circulating Tumor Cell DNAs Provides More Variants for Cancer Treatment. SY. LEE, DK. CHAE, J. AN, S. YOO, S. JUNG, C.H. CHAE, J. BHAK, B.C. KIM, DH. CHO (Jeonju; Suwon; Ulsan, Republic of Korea; Budapest, Hungary)
Allogeneic Venous Grafts of Different Origin Used for Portal Vein Reconstruction After Pancreaticoduodenectomy – Experimental Study. R. PALEK, A. JONASOVA, J. ROSENDORF, P. MIK, K. BAJCUROVA, P. HOSEK, V. MOULISOVA, L. EBERLOVA, L. HAIDINGEROVA, O. BRZON, L. BEDNAR, T. KRIZ, M. DOLANSKY, V. TRESKA, Z. TONAR, J. VIMMR, V. LISKA (<i>Pilsen, Czech Republic</i>)
Duloxetine Enhances TRAIL-mediated Apoptosis via AMPK-mediated Inhibition of Autophagy Flux in Lung Cancer Cells. K.M.A. ZINNAH, SY. PARK (<i>Iksan, Republic of Korea; Sylhet, Bangladesh</i>)
Evaluation of Combination Treatment Effect With TRAIL-secreting Mesenchymal Stem Cells and Compound C Against Glioblastoma. H.R. HAN, S.A. PARK, S. AHN, SS. JEUN, C.H. RYU (Seoul; Daejeon, Republic of Korea)
The Clinicopathological Significance of the CXCR2 Ligands, CXCL1, CXCL2, CXCL3, CXCL5, CXCL6, CXCL7, and CXCL8 in Gastric Cancer. Y. YAMAMOTO, K. KURODA, T. SERA, A. SUGIMOTO, S. KUSHIYAMA, S. NISHIMURA, S. TOGANO, T. OKUNO, M. YOSHII, T. TAMURA, T. TOYOKAWA, H. TANAKA, K. MUGURUMA, M. OHIRA, M. YASHIRO (Osaka, Japan)
Effects of Medium-chain Triglycerides Administration in Chemically-induced Carcinogenesis in Mice. H. WAKANA, H. KONO, H. FUKUSHIMA, Y. NAKATA, Y. AKAZAWA, S. MARUYAMA, K. HAGIO, H. FUJII, D. ICHIKAWA (<i>Yamanashi</i> , <i>Japan</i>)
Analysis of DNA Damage Responses After Boric Acid-mediated Boron Neutron Capture Therapy in Hepatocellular Carcinoma. KH. CHEN, ZY. LAI, DY. LI, YC. LIN, FI. CHOU, YJ. CHUANG (Hsinchu, Taiwan, ROC)
In Vitro Assessment of Antitumor Potential and Combination Effect of Classical and Molecular-targeted Anticancer Drugs. Y. IIJIMA, K. BANDOW, M. SANO, S. HINO, T. KANEKO, N. HORIE, H. SAKAGAMI (Kawagoe; Sakado, Japan)
2-Methoxy-4-vinylphenol Attenuates Migration of Human Pancreatic Cancer Cells via Blockade of FAK and AKT Signaling. DH. KIM, SI. HAN, B. GO, U.H. OH, CS. KIM, YH. JUNG, J. LEE, JH. KIM (<i>Jeju</i> , <i>Republic of Korea</i>)
Anticancer Potential of Palladium(II) Complexes With Schiff Bases Derived from 4-Aminoacetophenone Against Melanoma <i>In Vitro</i> . L.E. SARTO, E.P. DE GOIS, G.G. DE ANDRADE, M.S. DE ALMEIDA, J.T.J. FREITAS, A. DE SOUZA REIS JÚNIOR, L. PEREIRA FRANCO, C. TORRES, E.T. DE ALMEIDA, C.M.C. PAIVA GOUVÊA (<i>Machado; Alfenas, Brazil</i>)
Effects of Lyophilization of Arginine-rich Cell-penetrating Peptide-modified Extracellular Vesicles on Intracellular Delivery. K. NOGUCHI, M. HIRANO, T. HASHIMOTO, E. YUBA, T. TAKATANI-NAKASE, I. NAKASE (Osaka; Hyogo, Japan)
Prognostic Significance of LC3B and p62/SQSTM1 Expression in Gastric Adenocarcinoma. J.S. KIM, G.E. BAE, KH. KIM, SI. LEE, C. CHUNG, D. LEE, T.H. LEE, I.S. KWON, MK. YEO (<i>Daejeon, Republic of Korea</i>)
Knock-down of PSAT1 Enhances Sensitivity of NSCLC Cells to Glutamine-limiting Conditions. HO. JIN, S.E. HONG, JY. KIM, SK. JANG, YS. KIM, JH. SIM, AC. OH, H. KIM, Y.J. HONG, JK. LEE, IC. PARK (Seoul, Republic of Korea)
Temozolomide-resistant Glioblastoma Depends on HDAC6 Activity Through Regulation of DNA Mismatch Repair. G.W. KIM, D.H. LEE, SK. YEON, Y.H. JEON, J. YOO, S.W. LEE, S.H. KWON (<i>Incheon; Seoul, Republic of Korea</i>)

Differential miRNA Expression in Basaloid Squamous Cell Carcinoma of the Oesophagus: miR-3687 Targets PGRMC2. J. NAKAMURA, S. FURUYA, K. HAGIO, S. MARUYAMA, K. SHIRAISHI, H. SHIMIZU, H. AKAIKE, N. HOSOMURA, Y. KAWAGUCHI, H. AMEMIYA, H. KAWAIDA, M. SUDO, H. KONO, D. ICHIKAWA (Yamanashi; Nagano, Japan)
Quantitative Structure–Cytotoxicity Relationship of 2-Arylazolylchromones and 2-Triazolylchromones. J. NAGAI, H. SHI, N. SEZAKI, N. YOSHIDA, K. BANDOW, Y. UESAWA, H. SAKAGAMI, M. TOMOMURA, A. TOMOMURA, K. TAKAO, Y. SUGITA (<i>Tokyo; Sakado; Urayasu, Japan; Shanghai, PR China</i>)
Quantitative Structure–Cytotoxicity Relationship of 2-Styrylchromones. Y. UESAWA, J. NAGAI, H. SHI, H. SAKAGAMI, K. BANDOW, A. TOMOMURA, M. TOMOMURA, S. ENDO, K. TAKAO, Y. SUGITA (Tokyo; Saitama; Chiba, Japan; Shanghai, PR China)
New Chalcone Derivative Inhibits ABCB1 in Multidrug Resistant T-cell Lymphoma and Colon Adenocarcinoma Cells. M. ČIŽMÁRIKOVÁ, P. TAKÁČ, G. SPENGLER, A. KINCSES, M. NOVÉ, M. VILKOVÁ, J. MOJŽIŠ (Kosice, Slovak Republic; Szeged, Hungary)
6-Hydroxythiobinupharidine Inhibits Migration of LM8 Osteosarcoma Cells by Decreasing Expression of LIM Domain Kinase 1. M. YOSHIZAWA, S. NAKAMURA, Y. SUGIYAMA, S. TAMAI, Y. ISHIDA, M. SUEYOSHI, Y. TODA, S. HOSOGI, Y. YANO, E. ASHIHARA (<i>Kyoto, Japan</i>)
The Joint Effect of Interleukin-12B rs3212227 Genotype and Behavioral Factors on Oral Cancer Risk in Taiwanese. CH. LI, KT. SUN, X. LI, LC. SHIH, LY. CHEN, CC. YU, YC. WANG, WS. CHANG, CW. TSAI, CY. LI, DT. BAU (<i>Taichung, Taiwan, ROC</i>)
Association of Matrix Metalloproteinase-9 rs3918242 Promoter Genotypes With Colorectal Cancer Risk. MH. WU, HE. TZENG, CN. WU, TC. YUEH, YC. PENG, CH. TSAI, YC. WANG, TW. KE, JS. PEI, WS. CHANG, CW. TSAI, DT. BAU (<i>Taichung; Taipei; Taoyuan, Taiwan, ROC</i>)
Rebamipide-containing Film Using Chitosan and HPMC for Oral Mucositis Induced by Cancer Chemotherapy. I. TAKEUCHI, C. TOGO, K. MAKINO (Chiba, Japan)
All-trans Retinoic Acid Overcomes Acquired Resistance to PLX4032 via Inhibition of PIN1 in Melanoma Cells. G. KIM, P.Y. BHATTARAI, CH. OH, H.S. CHOI (Gwangju; Seoul, Republic of Korea)
Loss of MDC1 in Endometrial Carcinoma Is Associated With Loss of MRN Complex and MMR Deficiency. D. MERENTITIS, B.D. NGUYEN, E.P. SAMARTZIS, A. NOSKE, S. BRANDT, K.J. DEDES (Zurich, Switzerland)
Honokiol Is a Potential Therapeutic Agent and Has a Synergistic Effect With 5-FU in Human Urothelial Cell Carcinoma Cells. MY. LEE, CS. SHI, YC. HSU, KJ. HUANG, SH. CHEN, PW. ZHAO, HC. CHUNG, YC. HUANG, YR. LEE (Chiayi; Tainan; Taoyuan; New Taipei City, Taiwan, ROC)
Clinical Significance of KIAA1199 as a Novel Target for Gastric Cancer Drug Therapy. M. ONEYAMA, N. SAKAMOTO, N. OUE, Y. KIMURA, Y. HIROSHIMA, I. HASHIMOTO, K. HARA, Y. MAEZAWA, K. KANO, T. AOYAMA, H. FUJIKAWA, T. YAMADA, H. TAMAGAWA, N. YAMAMOTO, T. OGATA, H. CHO, H. ITO, N. YUKAWA, M. SHIOZAWA, T. YOSHIKAWA, S. MORINAGA, Y. RINO, M. MASUDA, Y. MIYAGI, W. YASUI, T. OSHIMA (<i>Yokohama; Hiroshima; Tokyo, Japan</i>)
Nuclear Accumulation of β-Catenin in Cancer Stem Cell Radioresistance and Stemness in Human Colon Cancer. H. TANAKA, M. KAWAGUCHI, S. SHODA, T. MIYOSHI, R. IWASAKI, F. HYODO, T. MORI, A. HARA, H. TOMITA, M. MATSUO (Gifu; Ube, Japan)
Tetrandrine Increases the Sensitivity of Human Lung Adenocarcinoma PC14 Cells to Gefitinib by Lysosomal Inhibition. E. SATO, S. OHTA, K. KAWAKAMI, M. IKEDA, T. TAKAHASHI, S. KOBAYASHI, M. NOMURA (<i>Kanazawa, Japan</i>)