

Instructions for Authors 2020

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. Each article should include a concrete conclusion constituting of a “new piece of knowledge” backed up by scientific evidence. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal’s secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the “Shorter Oxford English Dictionary”.

Manuscripts. Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication “review”, “clinical”, “epidemiological”, or “experimental” study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors’ contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author’s opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalglish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. *Anticancer Res* 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticancer.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones*. O’Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region,

2000-2015. Geneva, World Health Organisation, 2016. Available at http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html. Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human fetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references. Manuscripts must be submitted only through our online submission system at: <http://www.iiar-submissions.com/login.html> In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iiar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email (iiar@iiar-anticancer.org) within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for peer-review in confidence to two-three suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.

5. All accepted manuscripts are carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.
 6. Authors should pay attention to the following points when writing an article for AR:
 - The Instructions to Authors must be followed in every detail.
 - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
 - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
 - Results given in figures should not be repeated in tables.
 - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
 - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
 - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
 - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
 - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
 - References. Each article should address, list and discuss the entire spectrum of current publications relevant to its field.
 - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
 7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
 8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
 9. Articles submitted to AR may be rejected without review if:
 - they do not fall within the journal's policy.
 - they do not follow the instructions for authors.
 - language is unclear.
 - results are not sufficient to support a final conclusion.
 - results are not objectively based on valid experiments.
 - they repeat results already published by the same or other authors before the submission to AR.
 - plagiarism is detected by plagiarism screening services.(Rejection rate (2016): 66%).
 10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
 11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iiar-anticancer.org
 12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
 13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service.
- (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2020 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

Effects of Type of Antibody to EGFR and Hypomagnesemia on Overall Survival in First-line Treatment of Patients With Unresectable Advanced/Recurrent Colorectal Cancer. M. KIMURA, E. USAMI, T. YOSHIMURA (<i>Gifu, Japan</i>)	7135
Factors Influencing Social Isolation and Loneliness Among Lung Cancer Patients: A Cross-sectional Study. N. ASHI, Y. KATAOKA, T. TAKEMURA, C. SHIRAKAWA, K. OKAZAKI, A. SAKURAI, T. IMAKITA, S. IKEGAKI, H. MATSUMOTO, E. SAITO, H. TAKATA, S. KAKU, N. WADA, M. SHINOMIYA, T. OTOSHI, M. SHIMADA, J. NIKAIDO, R. IKI, K. HIRANO, T. HIRAI, K. ENDO, M. HIRABAYASHI, T. NAGANUMA (<i>Hyogo; Kyoto; Tokyo; Fukushima, Japan</i>)	7141
Cholangiolocarcinoma With Multiple Recurrences Successfully Treated With Repeated Liver Resection and Radiofrequency Ablation. N. SATO, K. YAMAMURA, E. ODA, S. AKAHOSHI, H. YUKI, T. MOTOHARA, H. MIYAMOTO, D. YOSHII, Y. KOMOHARA, T. BEPPU (<i>Kumamoto, Japan</i>)	7147
Errata	7155
Index 2020	7157

Innominate Grooves of the Colon: Histological Reappraisal. C.A. RUBIO (<i>Stockholm, Sweden</i>)	7031
Interleukin-13 Promoter Genotypes and Taiwanese Breast Cancer Susceptibility. C.-L. TSAI, C.-W. TSAI, W.-S. CHANG, C.-H. SU, L.-C. LIU, H.-C. WANG, H.-T. LEE, C.-M. YEN, J.-C. CHEN, Y.-C. WANG, C.-H. CHEN, D.-T. BAU (<i>Taichung; Changhua, Taiwan, ROC</i>)	7037
Outcomes and Prognostic Factors Following Surgical Treatment of Pulmonary Metastases from Colorectal Carcinoma. J. VODIČKA, J. FICHTL, J. ŠEBEK, K. PROCHÁZKOVÁ, M. SKÁLA, V. TŘEŠKA, S. KORMUNDA, B. VAŇKOVÁ, M. SVATOŇ, O. TOPOLČAN, R. KUČERA (<i>Pilsen, Czech Republic</i>).....	7045
Small Cell Lung Carcinoma and Synchronous Rectal Adenocarcinoma and Jejunal Gastrointestinal Stromal Tumor Present in a Patient With History of Laryngeal Squamous Cell Carcinoma. B. LIU, S. SHIRAGA, M.M. MORTENSON, J. LAI (<i>Sacramento, CA; Grenada, West Indies, USA</i>)	7053
Genetic Alterations Detected by Targeted Next-generation Sequencing and Their Clinical Implications in Neuroblastoma. K.-N. KOH, J.-Y. LEE, J. LIM, J. SHIN, S.H. KANG, J.K. SUH, H. KIM, H.J. IM, J.-M. NAMGOONG, D.Y. KIM, S.J. JANG, S.-M. CHUN (<i>Seoul, Republic of Korea</i>).....	7057
Cancer Cachexia Reduces the Efficacy of Nivolumab Treatment in Patients With Advanced Gastric Cancer. H. FUJII, A. MAKIYAMA, H. IIHARA, N. OKUMURA, S. YAMAMOTO, T. IMAI, S. ARAKAWA, R. KOBAYASHI, Y. TANAKA, K. YOSHIDA, A. SUZUKI (<i>Gifu, Japan</i>)	7067
Re-Irradiation for Recurrent Glioblastoma Multiforme. D. RADES, J. WITTELER, J. LEPPERT, S.E. SCHILD (<i>Lübeck, Germany; Scottsdale, AZ, USA</i>)	7077
Impact of BMI on Preoperative Axillary Ultrasound Assessment in Patients With Early Breast Cancer. I. MACAIONE, A. GALVANO, G. GRACEFFA, S. LUPO, M. LATTERI, A. RUSSO, S. VIENI, C. CIPOLLA (<i>Palermo, Italy</i>)	7083
Clustered Circulating Tumor Cells in Lung Adenocarcinoma: Implications of Test Results of Continuous Variables. T. WATANABE, N. SAWABATA, T. KAWAGUCHI, D. YOSHIKAWA, K. KUSHIBE, S. NAKANE, S. TANIGUCHI (<i>Nara; Kashihara; Osaka, Japan</i>)	7089
Nivolumab for the Treatment of Advanced Pediatric Malignancies. A. MARJAŃSKA, M. DROGOSIEWICZ, B. DEMBOWSKA-BAGIŃSKA, K. PAWIŃSKA-WĄSIKOWSKA, W. BALWIERZ, K. BOBEFF, W. MŁYŃNARSKI, A. MIZIA-MALARZ, A. RACIBORSKA, M. WYSOCKI, J. STYCZYŃSKI (<i>Bydgoszcz; Warsaw; Cracow; Lodz; Katowice, Poland</i>)	7095
Efficacy and Safety of Enzalutamide in a Real-World Cohort of Japanese Patients With Castration-resistant Prostate Cancer. A. HORI, H. SAHASHI, S. SANO, E. MATSUMIYA, M. ARIGA, A. ASANO, M. SODA, C. GOTO, T. MIZUI, H. KOMEDA, K. KITAICHI (<i>Gifu, Japan</i>).....	7101
Differences Between Laparoscopic and Open Gastrectomy on the Impact of Postoperative Infectious Complications on Prognosis. H. NAGATA, H. TSUJIMOTO, K. KOUZU, Y. ITAZAKI, Y. ISHIBASHI, S. TSUCHIYA, T. SUGIHARA, N. ITO, M. HARADA, S. NOMURA, Y. KISHI, H. UENO (<i>Tokorozawa, Japan</i>)	7109
Delay in Breast Cancer Treatments During the First COVID-19 Lockdown. A Multicentric Analysis of 432 Patients. G. VANNI, G. TAZZIOLI, M. PELLICCIARO, M. MATERAZZO, O. PAOLO, F. CATTADORI, F. COMBI, S. PAPI, C.A. PISTOLESE, M. COTESTA, F. SANTORI, J. CASPI, A. CHIARAVALLI, S. MUSCOLI, V. LOMBARDO, A. GRASSO, L. CAGGIATI, R. RASELLI, D. PALLI, V. ALTOMARE, R.M. MARIA D'ANGELILLO, L. PALOMBI, O.C. BUONOMO (<i>Rome; Modena; Piacenza; Pozzilli; Messina, Italy</i>)	7119
Stage III and Metastatic Lymph Node Ratio Are the only Independent Prognostic Factors in Colorectal Signet-ring Cell Carcinoma Patients. A. ANNICCHIARICO, A. MORINI, A. ROMBOLI, M. RICCÒ, F. LEONARDI, P. CRAFA, E. VIRGILIO, P. DELL'ABATE, R. COSTI (<i>Parma; Reggio Emilia; Fidenza, Italy</i>)	7127

LEHTINEN, T. MARTTILA, A. JEKUNEN, P. HERVONEN, K. KLINTRUP, V. KATAJA, T. UTRAIINEN, M. LUUKKAA, M. LESKINEN, K. PULKKANEN, A.-L. KAUTIO, T. HUTTUNEN (<i>Tampere; Seinäjoki; Vaasa; Oulu; Kuopio; Helsinki; Turku, Finland</i>)	6915
Microvessels in Epithelial Ovarian Tumors: High Microvessel Density Is a Significant Feature of Malignant Ovarian Tumors. M. SOPO, M. ANTTILA, O.-T. MUUKKONEN, S. YLÄ-HERTTUALA, V.-M. KOSMA, L. KESKI-NISULA, H. SALLINEN (<i>Kuopio, Finland</i>)	6923
Differential Analyses of Peripheral Blood Parameters in CCR5 Inhibition-treated Colorectal Cancer Patients Reveal Dynamic Changes Linked to Clinical Outcomes. A. AHMED, N. HALAMA (<i>Heidelberg; Mainz, Germany</i>)	6933
Outcome of Soft-tissue Reconstruction in the Setting of Combined Preoperative and Intraoperative Radiotherapy for Extremity Soft-tissue Sarcomas. R.L. HONIG, M.E. TIBBO, K.E. MALLETT, K. BAKRI, S.K. AHMED, I.A. PETERSEN, P.S. ROSE, S.L. MORAN, M.T. HOUDEK (<i>Rochester, MN, USA</i>)	6941
Performance of a Diagnostic Score in Confirming Acute Cholecystitis Among Patients With Acute Abdominal Pain. M. ESKELINEN, J. MEKLIN, K. SYRJÄNEN, M. ESKELINEN (<i>Kuopio; Kaarina, Finland; Barretos, Brazil</i>).....	6947
Elective Nodal Irradiation for Non-small Cell Lung Cancer Complicated With Chronic Obstructive Pulmonary Disease Affects Immunotherapy After Definitive Chemoradiotherapy. M. MORIMOTO, K. NISHINO, K. WADA, F. IMAMURA, K. KONISHI, H. KUHARA, M. TAMIYA, T. INOUE, K. KUNIMASA, M. KIMURA, T. HIRATA, N. KANAYAMA, M. TORATANI, H. KAWACHI, K. OHIRA, E. NAKANISHI, S. OHIRA, T. SAGAWA, M. MIYAZAKI, T. MATSUNAGA, T. KUMAGAI, T. TESHIMA (<i>Osaka, Japan</i>)	6957
Significance of Pre-treatment Interferon-gamma Release in Patients With Non-small-cell Lung Cancer Receiving Immune Checkpoint Inhibitors. T. HIRASHIMA, T. KANAI, H. SUZUKI, H. YOSHIDA, A. MATSUSITA, H. KAWASUMI, S. NASU, A. TANAKA, N. MORISHITA, K. KAWAHARA, Y. TAMURA, N. OKAMOTO (<i>Osaka, Japan</i>).....	6971
Survival and Surgical Complications in Anaplastic Thyroid Cancer Patients After Completed Multimodal Treatment. B. LORNTZSEN, A.-B. JACOBSEN, K.K. GRØHOLT, E. SIGSTAD, T. OSNES (<i>Oslo, Norway</i>)	6979
Rediscovering the Role of Traditional Risk Factors in Young Adults With Oral Squamous Cell Carcinoma. N. NECKEL, M. MICHAEL, D. TROELTZSCH, J. WÜSTER, S. KOERDT, C. DOLL, K. JÖHRENS, K. NEUMANN, M. HEILAND, J.-D. RAGUSE (<i>Berlin; Dresden; Münster, Germany</i>).....	6987
Treatment With Mifepristone Allows a Patient With End-stage Pancreatic Cancer in Hospice on a Morphine Drip to Restore a Decent Quality of Life. J.H. CHECK, D. CHECK, M.D. SRIVASTAVA, T. PORETTA, J.K. AIKINS (<i>Camden; Mt. Laurel; Sewell, NJ; Buffalo, NY, USA</i>).....	6997
Efficacy of Gemcitabine-based Chemotherapy in Clear Cell Sarcoma of Soft Tissue. E. COJOCARU, K. THWAY, C. FISHER, C. MESSIOU, S. ZAIDI, A.B. MIAH, C. BENSON, S. GENNATAS, P. HUANG, R.L. JONES (<i>London; Birmingham, UK</i>)	7003
Delayed Initiation of Treatment Is Associated With Metastasis of Soft-tissue Sarcoma. Y. ARAKI, N. YAMAMOTO, K. HAYASHI, A. TAKEUCHI, S. MIWA, K. IGARASHI, H. TAKASHI, A. KENSAKU, Y. TANIGUCHI, H. YONEZAWA, S. MORINAGA, Y. ASANO, H. TSUCHIYA (<i>Kanazawa, Japan</i>)	7009
Prognostic Significance of Plasma Fibrinogen/Serum Albumin Ratio in the Postoperative Outcome of Pancreatic Ductal Adenocarcinoma. K. TOMITA, S. OCHIAI, T. GUNJI, K. HIKITA, T. KOBAYASHI, T. SANO, N. CHIBA, S. KAWACHI (<i>Tokyo, Japan</i>)	7017
Prognostic Factors of Local Control and Survival in Patients Irradiated for Glioblastoma Multiforme (GBM). J. WITTELER, S.E. SCHILD, D. RADES (<i>Lübeck, Germany; Scottsdale, AZ, USA</i>)	7025

Hypoxia-inducible Factor-1 α Suppression in Ovarian Clear-cell Carcinoma Cells by Silibinin Administration. M. MIYAZAWA, M. YASUDA, M. MIYAZAWA, N. OGANE, T. KATOH, M. YANO, T. HIRASAWA, M. MIKAMI, H. ISHIMOTO (<i>Kanagawa; Saitama; Oita, Japan</i>)	6791
Anti-cancer Effects of Fucoxanthin on Human Glioblastoma Cell Line. F. GARCIA LOPES, K. ANDRINEIA OLIVEIRA, R. GARCIA LOPES, G. GODOY POLUCENO, C. SIMIONI, G. DA SILVA PESCADOR, C.M. BAUER, M. MARASCHIN, R.B. DERNER, R. CASTILHO GARCEZ, C. INES TASCA, C.B. NEDEL (<i>Florianópolis, SC, Brazil</i>)	6799
Influence of Mesenchymal Stem Cell Administration on The Outcome of Partial Liver Resection in a Porcine Model of Sinusoidal Obstruction Syndrome. R. PALEK, J. ROSENDORF, A. MALECKOVA, L. VISTEJNOVA, K. BAJCUROVA, H. MIRKA, V. TEGL, O. BRZON, A. KUMAR, L. BEDNAR, Z. TONAR, P. HOSEK, V. MOULISOVA, L. EBERLOVA, V. TRESKA, V. LISKA (<i>Pilsen, Czech Republic</i>).....	6817
ADGRF4 Regulates Non-small Cell Lung Cancer Cell Invasiveness. J.-H. YOON, S.-G. CHO (<i>Chungbuk, Republic of Korea</i>)	6835
Hypoxia and CD11b+ Cell Influx Are Strongly Associated With Lymph Node Metastasis of Oral Cancer. K. SUGIURA, S. NAKAJIMA, I. KATO, M. OKUBO-SATO, Y. NAKAZAWA, K. MITSUDO, M. KIOI (<i>Yokohama; Tokyo; Tsukuba, Japan</i>).....	6845
Oxidative and Nitrosative Pattern in Circulating Leukocytes of Very Early/Early Hepatocellular Carcinoma Patients. P. LLUCH, G. SEGARRA, J. TOSCA, L. NAVARRO, J. NAVARRETE-NAVARRO, G. HERRERA, A. SANAHUJA, S. HERNANDEZ, S. LLUCH, P. MEDINA (<i>Valencia, Spain</i>)	6853
The Role of Genetic Analysis in Correct Diagnosis of Eosinophilic Variant of Chromophobe Renal Cell Carcinoma. A. MOLNAR, M.V. YUSENKO, G. KOVACS, D. BANYAI (<i>Pecs, Hungary; Muenster; Heidelberg, Germany</i>).....	6863
Maslinic Acid Induces DNA Damage and Impairs DNA Repair in Human Cervical Cancer HeLa Cells. K.-W. LU, M.-D. YANG, S.-F. PENG, J.-C. CHEN, P.-Y. CHEN, H.-Y. CHEN, T.-J. LU, F.-S. CHUEH, J.-C. LIEN, K.-C. LAI, K.-C. LIU, Y.-Y. TAI (<i>Taichung; Changhua; Yunlin; Tainan, Taiwan, ROC</i>)	6869
Chloride Intracellular Channel Protein 1 (CLIC1) Is Over-expressed in Muscle Invasive Urinary Bladder Cancer. T.G. ADELMANN, T.C. CAMEROTA, A.R. CEAUSU, A.M. CIMPEAN, M. MAZZANTI, M. RAICA (<i>Timisoara, Romania; Pavia; Milan, Italy</i>).....	6879
Distribution and Expression of the Adhesion Molecule CD44 on Human Corneal Grafts Is Not Altered by Chemotherapy. G.S. DIMTSAS, X. GRAMMATOGLU, T. CHOREFTAKI, M. DETTORAKI, A. KARATHANOU, N. GOULIOPOULOS, C. DAMASKOS, M.M. MOSCHOS (<i>Athens; Larissa, Greece</i>).....	6885
Mitochondrial Glutamine Metabolism Determines Senescence Induction After Chemotherapy. B. KIM, J. GWAK, E.K. LEE, S.M. JEONG (<i>Seoul, Republic of Korea</i>).....	6891
Expression of FOXO4 Inhibits Cholangiocarcinoma Cell Proliferation <i>In Vitro</i> via Induction of G ₀ /G ₁ Arrest. K. INTUYOD, S. CHOMWONG, P. THONGPON, K. VAETEEWOOTTACHARN, C. PAIROJKUL, P. PINLAOR, S. PINLAOR (<i>Khon Kaen, Thailand</i>)	6899
Flavopereirine Inhibits Hepatocellular Carcinoma Cell Growth by Inducing Cell-cycle Arrest, Apoptosis, and Autophagy-related Protein Expression. S.-Y. CHEN, C.-N. CHAO, H.-Y. HUANG, C.-Y. FANG (<i>Chiayi; Tainan City; Taichung, Taiwan, ROC</i>)	6907

Clinical Studies

Biweekly Cabazitaxel Is a Safe Treatment Option for Metastatic Castration-resistant Prostate Cancer (mCRPC) Patients After Docetaxel – A Final Analysis of the Prosty II Trial. P.-L. KELLOKUMPU-	
---	--

Apoptosis Induced by (+)-Betulin Through NF- κ B Inhibition in MDA-MB-231 Breast Cancer Cells. G.D. ANAYA-EUGENIO, N.A. EGGERS, Y. REN, J. RIVERA-CHÁVEZ, A.D. KINGHORN, E.J. CARCACHE DE BLANCO (<i>Columbus, OH, USA; Ciudad Universitaria, Mexico</i>)	6637
Mir-139 Regulates Autophagy in Prostate Cancer Cells Through Beclin-1 and mTOR Signaling Proteins. R.K. NAM, T. BENATAR, Y. AMEMIYA, C. SHERMAN, A. SETH (<i>Toronto, ON, Canada</i>).....	6649
Novel Prognostic Implications of Methylated RNA and Demethylases in Resected HCC and Background Liver Tissue. N. NAKAGAWA, K. TANAKA, F. SONOHARA, R. KANDIMALLA, Y. SUNAGAWA, Y. INOKAWA, H. TAKAMI, M. HAYASHI, S. YAMADA, M. KANDA, C. TANAKA, G. NAKAYAMA, M. KOIKE, Y. KODERA (<i>Nagoya, Japan; Dallas, TX, USA</i>).....	6665
The Biological Role of the Long Non-coding RNA <i>LINK-A</i> in Ovarian Carcinoma. N. FILIPPOV-LEVY, B. DAVIDSON, R. REICH (<i>Jerusalem, Israel; Oslo, Norway</i>).....	6677
EZH2 Expression in Follicular Lymphoma Is Variable and Independent from the Progression of Disease Within 24 Months of First Treatment. A. SZUMERA-CIEĆKIEWICZ, J. POLESZCZUK, E. PASZKIEWICZ-KOZIK, G. RYMKIEWICZ, K. SOKÓŁ, A. BORYSIUK, M. KOTARSKA, D. OWCZAREK, M. KAWECKA, B. PYTLAK, J. WALEWSKI, M. PROCHOREC-SOBIESZEK (<i>Warsaw, Poland</i>).....	6685
Antitumor Activity of Eribulin After Fulvestrant Plus CDK4/6 Inhibitor in Breast Cancer Patient-derived Xenograft Models. Y. NIWA, M. ASANO, T. NAKAGAWA, D. FRANCE, T. SEMBA, Y. FUNAHASHI (<i>Ibaraki, Japan; Dijon, France</i>).....	6699
AMIGO2 Expression as a Potential Prognostic Biomarker for Gastric Cancer. S. NAKAMURA, M. KANDA, D. SHIMIZU, C. TANAKA, Y. INOKAWA, N. HATTORI, M. HAYASHI, S. YAMADA, G. NAKAYAMA, K. OMAE, M. KOIKE, Y. KODERA (<i>Nagoya; Fukushima, Japan</i>).....	6713
Anticancer Efficacy and Mechanism of Amentoflavone for Sensitizing Oral Squamous Cell Carcinoma to Cisplatin. C.-H. CHEN, Y.-C. HUANG, Y.-H. LEE, Z.-L. TAN, C.-J. TSAI, Y.-C. CHUANG, H.-F. TU, T.-C. LIU, F.-T. HSU (<i>Changhua; Taichung; Kaohsiung; Yilan; Taipei, Taiwan, ROC; Houston, TX, USA; Macau SAR, P.R. China</i>).....	6723
Aldehyde Dehydrogenase 1-related Genes in Triple-negative Breast Cancer Investigated Using Network Analysis. A. YAMADA, C. SUZUKI, H. SHIMA, K. KIDA, S. ADACHI, S. YAMAMOTO, K. NARUI, M. TANABE, D. SHIMIZU, R. TANIGUCHI, M. OSHI, K. TAKABE, Y. MIYAGI, Y. ICHIKAWA, T. ISHIKAWA, I. ENDO (<i>Kanagawa; Tokyo, Japan; Buffalo, NY, USA</i>).....	6733
Interleukin-13 Promoter Genotypes and Taiwanese Breast Cancer Susceptibility. C.-L. TSAI, C.-W. TSAI, W.-S. CHANG, C.-H. SU, L.-C. LIU, H.-C. WANG, H.-T. LEE, C.-M. YEN, J.-C. CHEN, Y.-C. WANG, C.-H. CHEN, D.-T. BAU (<i>Taichung; Changhua, Taiwan, ROC</i>).....	6743
Nitric Oxide Inhibits NF- κ B-mediated Survival Signaling: Possible Role in Overcoming TRAIL Resistance. J.A. BAUER, J.A. LUPICA, J.A. DIDONATO, D.J. LINDNER (<i>North Canton; Cleveland, OH, USA</i>).....	6751
A Universal Gelfoam 3-D Histoculture Method to Establish Patient-derived Cancer Cells (3D-PDCC) Without Fibroblasts from Patient-derived Xenografts. J. YAMAMOTO, N. SUGISAWA, K. HAMADA, H. NISHINO, K. MIYAKE, R. MATSUYAMA, S. INUBUSHI, H. TANINO, M. BOUVET, I. ENDO, R.M. HOFFMAN (<i>San Diego; La Jolla, CA, USA; Yokohama; Hyogo, Japan</i>).....	6765
Hyperthermia During Intraperitoneal Chemotherapy With Paclitaxel or Docetaxel for Ovarian Cancer: Is There Any Benefit? E. DE BREE, D. KATSOUGKRI, H. POLIOUDAKI, E. TSANGARIDOU, D. MICHELAKIS, O. ZORAS, P. THEODOROPOULOS (<i>Heraklion, Greece</i>).....	6769
Cytology-based Detection of Circulating Tumour Cells in Human Pancreatic Cancer Xenograft Models With KRAS Mutation. Y. ITO, E. INOUE, Y. MATSUI, S. KOBUCHI, C. MOYAMA, K. AMAGASE, M. YOSHIMURA, Y. IKEHARA, S. NAKATA, H. NAKANISHI (<i>Kyoto; Shiga; Aichi; Chiba, Japan</i>).....	6781