

Instructions for Authors 2020

General Policy. ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

NIH Open Access Policy. The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

Copyright. Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

Format. Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the "Shorter Oxford English Dictionary".

Manuscripts. Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication "review", "clinical", "epidemiological", or "experimental" study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors' contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author's opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

Figures. All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

Tables. All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

References. Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalglish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. *Anticancer Res* 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticancer.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones*. O' Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region, 2000-2015. Geneva, World Health Organisation, 2016. Available at http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html. Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

Nomenclature and Abbreviations. Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

Clinical Trials. Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

Ethical Policies and Standards. ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 (www.icmje.org). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human foetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

Submission of Manuscripts. Please follow the Instructions for Authors regarding the format of your manuscript and references.

Manuscripts must be submitted only through our online submission system at: <http://www.iar-submissions.com/login.html>

In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: journals@iar-anticancer.org

Galley Proofs. Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email (iar@iar-anticancer.org) within two days.

Specific information and additional instructions for Authors

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.
5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author’s writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.

6. Authors should pay attention to the following points when writing an article for AR:
 - The Instructions to Authors must be followed in every detail.
 - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
 - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
 - Results given in figures should not be repeated in tables.
 - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
 - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
 - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
 - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
 - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
 - The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
 - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
 7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
 8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
 9. Articles submitted to AR may be rejected without review if:
 - they do not fall within the journal's policy.
 - they do not follow the instructions for authors.
 - language is unclear.
 - results are not sufficient to support a final conclusion.
 - results are not objectively based on valid experiments.
 - they repeat results already published by the same or other authors before the submission to AR.
 - plagiarism is detected by plagiarism screening services.(Rejection rate (2016): 66%).
 10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
 11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to journals@iiar-anticancer.org
 12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
 13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service.
- (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

Copyright© 2020 - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

Inflammation Caused by Surgical Stress Has a Negative Impact on the Long-term Survival Outcomes in Patients With Colorectal Cancer. M. SHIBUTANI, S. NAKAO, K. MAEDA, H. NAGAHARA, T. FUKUOKA, Y. ISEKI, K. HIRAKAWA, M. OHIRA (<i>Osaka, Japan</i>)	3535
Tumor-to-nipple Distance Should Not Preclude Nipple-sparing Mastectomy in Breast Cancer Patients. Personal Experience and Literature Review. P. FREGATTI, M. GIPPONI, G. ZOPPOLI, M. LAMBERTINI, E. BLONDEAUX, L. BELGIOIA, R. DEROSA, F. MURELLI, F. DEPAOLI, M. CEPPI, A. GARLASCHI, D. FRIEDMAN (<i>Genoa, Italy</i>)	3543
Risk Factors for Postoperative Deep Infection After Malignant Bone Tumor Surgery of the Extremities. M.B. LANGIT, S. MIWA, N. YAMAMOTO, K. HAYASHI, A. TAKEUCHI, K. IGARASHI, K. TADA, T. HIGUCHI, H. YONEZAWA, S. MORINAGA, Y. ARAKI, Y. ASANO, H. TSUCHIYA (<i>Kanazawa, Japan; Manila, Philippines</i>).....	3551
Epithelial–Mesenchymal Transition Status of Circulating Tumor Cells Is Associated With Tumor Relapse in Head and Neck Squamous Cell Carcinoma. H. TADA, H. TAKAHASHI, S. IDA, Y. NAGATA, K. CHIKAMATSU (<i>Gunma, Japan</i>)	3559
A Phase II Study of Neoadjuvant Chemotherapy Followed by Extended Field Concurrent Chemoradiotherapy for Para-aortic Lymph Node Positive Cervical Cancer. Y. SHIMOJI, Y. NAGAI, T. TOITA, T. ARIGA, J. HEIANNA, T. NAKASONE, Y. TAIRA, Y. ARAKAKI, T. NAKAMOTO, T. OYAMA, W. KUDAKA, I. KANESHIMA, K. NISHIHARA, K. MEKARU, Y. AOKI (<i>Okinawa, Japan</i>)	3565
Effectiveness of Photodynamic Screening Using 5-Aminolevulinic Acid for the Diagnosis of Pancreatic Cancer. T. IKEURA, Y. HORI, T. MITSUYAMA, H. MIYOSHI, M. SHIMATANI, K. UCHIDA, M. TAKAOKA, U. OTA, A. KAMIYA, K. TAKAHASHI, M. ISHIZUKA, M. KAIBORI, K. OKAZAKI (<i>Osaka; Kochi; Tokyo; Hirakata, Japan</i>)	3571
Neoadjuvant Treatment in Upper Rectal Cancer Does Not Improve Oncologic Outcomes But Increases Postoperative Morbidity. N. TABCHOURI, Y. EID, G. MANCEAU, A. FRONTALI, Z. LAKKIS, E. SALAME, T. LECOMTE, S. CHAPET, G. CALAIS, B. HEYD, M. KAROUI, A. ALVES, Y. PANIS, M. OUAISSI (<i>Chambray Les Tours; Caen; Paris; Clichy; Besançon, France</i>)	3579
Erratum.....	3589

Clinical Utility of Combined Circulating Tumor Cell and Circulating Tumor DNA Assays for Diagnosis of Primary Lung Cancer. S.M. MOON, J.-H. KIM, S.K. KIM, S. KIM, H.-J. KWON, J.-S. BAE, S. LEE, H.S. LEE, M.-Y. CHOI, B.H. JEON, B.-H. JEONG, K. LEE, H.K. KIM, J. KIM, S.-W. UM (<i>Seoul; Changwon; Incheon, Republic of Korea</i>)	3435
Umbilical Defunctioning Ileostomy for Rectal Cancer Results in Reduced Risk for Incisional Hernia. K. ETO, M. KOSUGE, M. OHKUMA, D. ITO, Y. TAKEDA, S. YATABE, H. SUGANO, N. TAKADA, T. KUMAMOTO, K. YANAGA (<i>Tokyo, Japan</i>)	3445
Occurrence of Glioma in Pregnant Patients: An Institutional Case Series and Review of the Literature. P. SINGH, E. MANTILLA, J. SEWELL, K.J. HATANPAA, E. PAN (<i>Irvine, CA; Fort Worth; Dallas, TX, USA</i>)	3453
Correlation of Iodine Quantification and FDG Uptake in Early Therapy Response Assessment of Non-small Cell Lung Cancer: Possible Benefit of Dual-energy CT Scan as an Integral Part of PET/CT Examination. J. BAXA, J. LUDVIK, M. SEDLMAIR, T. FLOHR, B. SCHMIDT, P. HOŠEK, M. PESEK, M. SVATOŇ, J. FERDA (<i>Pilsen, Czech Republic; Forchheim, Germany</i>)	3459
Comparison Between Biweekly and Weekly Cetuximab in Patients With Metastatic Colorectal Cancer: A Meta-analysis. A. MATSUDA, T. YAMADA, S. JAMJITTRONG, S. SHINJI, R. OHTA, H. SONODA, T. KAMONVARAPITAK, K. SEKIGUCHI, M. MIYASHITA, H. SUZUKI, H. YOSHIDA (<i>Tokyo; Chiba, Japan; Chonburi, Thailand</i>)	3469
Impact of Implementing the Paris System for Reporting Urinary Cytology: A Single-institutional Experience With Emphasis on Diagnostic Yield of High-grade Urothelial Carcinoma and Low-grade Urothelial Neoplasm. H.H. KOH, M.J. LEE, N.J. PARK, H.-S. KIM, Y.L. OH (<i>Seoul, Republic of Korea</i>)	3477
Cytoplasmic Expression of AXL Is Associated With High Risk of Postoperative Relapse of Conventional Renal Cell Carcinoma. L. PETERFI, T. BJERCKE, M.V. YUSENKO, G. KOVACS, D. BANYAI (<i>Pecs, Hungary; Muenster; Heidelberg, Germany</i>)	3485
Classification of Abnormal Findings on Ring-type Dedicated Breast PET for the Detection of Breast Cancer. S. SASADA, N. MASUMOTO, Y. KIMURA, A. EMI, T. KADOYA, M. OKADA (<i>Hiroshima, Japan</i>)	3491
Occurrence of Seizures Prior to Single-fraction Radiosurgery or Multi-fraction Stereotactic Radiotherapy in Patients With Very Few Brain Metastases. D. RADES, J. WITTELER, T.W. KJAER, S. TVILSTED, S.E. SCHILD (<i>Lübeck, Germany; Roskilde; Koege, Denmark; Scottsdale, AZ, USA</i>)	3499
Clinical Significance of Nucleoli Cytomorphology Assessment in Patients With Uveal Melanoma. T. BERUS, A. MARKIEWICZ, P. BIECEK, J. ORŁOWSKA-HEITZMAN, A. HAŁOŃ, B. ROMANOWSKA-DIXON, P. DONIZY (<i>Wroclaw; Krakow; Warsaw, Poland</i>)	3505
Pattern of Local Failure and its Risk Factors of Locally Advanced Non-small Cell Lung Cancer Treated With Concurrent Chemo-radiotherapy. T. ABE, N. KOBAYASHI, T. AOSHIKA, Y. RYUNO, S. SAITO, M. IGARI, R. HIRAI, Y. KUMAZAKI, Y. MIURA, K. KAIRA, H. KAGAMU, S.-E. NODA, S. KATO (<i>Hidaka, Japan</i>)	3513
Clinical Features of Treatment-related Neuroendocrine Prostate Cancer: A Case Series. K. SUZUKI, T. TERAKAWA, N. JIMBO, R. INABA, Y. NAKANO, M. FUJISAWA (<i>Kobe, Japan</i>)	3519
Diagnostic Reliability, Accuracy and Safety of Ultrasound-guided Biopsy and Ascites Puncture in Primarily Inoperable Ovarian Tumours. P. VLASAK, J. BOUDA, J. KOSTUN, D. BEREZOVSKIY, M. ZIKAN, V. WEINBERGER, O. ONDIC, Z. RUSAVY, R. KUCERA, O. TOPOLCAN, Z. NOVOTNY, J. PRESL (<i>Pilsen; Prague; Brno, Czech Republic</i>)	3527

Symptomatic Intraosseous Vascular Malformation of Infraorbital Rim: A Case Report With Literature Survey. R.E. FRIEDRICH, U. GRZYSKA, F.K. KOHLRUSCH, S. VON KROGE, T. VOLLKOMMER, A.M. LUEBKE (<i>Hamburg, Germany</i>)	3333
Validation of Systemic and Local Tumour Immune Response to Eribulin Chemotherapy in the Treatment of Breast Cancer. S. KASHIWAGI, Y. ASANO, W. GOTO, K. TAKADA, T. MORISAKI, R. KOUHASHI, A. YABUMOTO, S. TANAKA, T. TAKASHIMA, M. OHSAWA, K. HIRAKAWA, M. OHIRA (<i>Osaka, Japan</i>)	3345
Classification Model to Estimate MIB-1 (Ki 67) Proliferation Index in NSCLC Patients Evaluated With ¹⁸ F-FDG-PET/CT. B. PALUMBO, R. CAPOZZI, F. BIANCONI, M.L. FRAVOLINI, S. CASCIANELLI, S.G. MESSINA, G. BELLEZZA, A. SIDONI, F. PUMA, M. RAGUSA (<i>Perugia; Terni, Italy</i>)	3355
Spleen Volume as a Predictive Biomarker for Thrombocytopenia and Liver Dysfunction After Oxaliplatin-based Chemotherapy. T. MIYATA, H. TAKAMURA, R. KIN, H. NISHIKI, A. HASHIMOTO, Y. FUJII, S. MIURA, J. FUJITA, D. KAIDA, Y. TOMITA, N. NAKAMURA, H. FUJITA, S. KINAMI, N. UEDA, T. KOSAKA (<i>Ishikawa, Japan</i>)	3361
The Lymphocyte-to-monocyte Ratio Is an Independent Prognostic Indicator in Pancreatic Head Cancer that Correlates With Obstructive Jaundice. M. TAKEUCHI, M. MITSUYOSHI, K. YOSHIDA, M. ONODA, M. IWAMURA, A. FURUTANI, K. KAWANO, T. KATOH (<i>Yamaguchi; Fukuoka, Japan</i>)	3371
The Role of Radiotherapy for Patients With Thyroid Cancer in the Modern Era. L. SAMHOURI, J. KRIZ, K. ELSAYAD, M. CHANNAOUI, A. PASCHER, B. RIEMANN, R. WIEWRODT, U. HAVERKAMP, S. SCOBIOALA, H.T. EICH (<i>Muenster, Germany</i>)	3379
Fractionated Stereotactic Sequential Boost in a Selected Cohort of Glioblastoma Patients: A Mono-institutional Analysis. A. MARCHIONNI, I. PALUMBO, G. MONTESEI, V. BINI, C. ZUCCHETTI, N. CENCI, P. CHIARINI, S. SACCIA, C. ARISTEI, M. LUPATTELLI (<i>Perugia; Rovigo, Italy</i>)	3387
Tumor-infiltrating Lymphocyte Score Based on FDG PET/CT for Predicting the Effect of Neoadjuvant Chemotherapy in Breast Cancer. S. SASADA, Y. KIMURA, A. EMI, N. MASUMOTO, T. KADOYA, K. ARIHIRO, M. OKADA (<i>Hiroshima, Japan</i>)	3395
Hydro-MDCT for Gastric Adenocarcinoma Staging. A Comparative Study With Surgical and Histopathological Findings for Selecting Patients for Echo-endoscopy. M. DI GIROLAMO, F. CARBONETTI, P. BONOME, A. GROSSI, F. MAZZUCA, L. MASONI (<i>Rome, Italy</i>)	3401
National Comprehensive Analysis of Characteristics of Acral Lentiginous Melanoma. M.T. HUAYLLANI, D.J. RESTREPO, D. BOCZAR, F.R. AVILA, S.P. BAGARIA, A.C. SPAULDING, B.D. RINKER, A.J. FORTE (<i>Jacksonville, FL, USA</i>)	3411
Intraluminal Brachytherapy in Unresectable Extrahepatic Biliary Duct Cancer: An Italian Pooled Analysis. R. AUTORINO, S. BISIELLO, B. PAPPALARDI, V. PRIVITERA, M. BUWENGE, F. PICCOLO, C. MASCIOCCHI, L. TAGLIAFERRI, G. MACCHIA, C.D. CURTI, M. LUPPATELLI, A. CERROTTA, A.G. MORGANTI, V. VALENTINI, G. MATTIUCCI (<i>Rome; Bologna; Milan; Campobasso; Perugia, Italy</i>)	3417
Mosaic Neurofibromatosis Type 1 With Multiple Cutaneous Diffuse and Plexiform Neurofibromas of the Lower Leg. R.E. FRIEDRICH, C. HAGEL, F.K. KOHLRUSCH, I. SCHANZE, I. WIELAND, M. ZENKER (<i>Hamburg; Magdeburg, Germany</i>)	3423
Seizures Prior to Whole-brain Irradiation for Metastatic Disease: Prevalence, Risk Factors and Association With Survival. D. RADES, J. WITTELER, L. DZIGGEL, T.W. KJAER, S. TVILSTED, S.E. SCHILD (<i>Lübeck, Germany; Roskilde; Koege, Denmark; Scottsdale, AZ, USA</i>)	3429

Tannic Acid Inhibits Non-small Cell Lung Cancer (NSCLC) Stemness by Inducing G0/G1 Cell Cycle Arrest and Intrinsic Apoptosis. N. SP, D.Y. KANG, D.H. KIM, J.-S. YOO, E.S. JO, A. RUGAMBA, K.-J. JANG, Y.M. YANG (<i>Seoul, Republic of Korea; Sapporo, Japan</i>).....	3209
Possible Diagnostic Application of CXCL12 and CXCR4 as Tumor Markers in Breast Cancer Patients. E. DAJBROWSKA, A. PRZYLIPIAK, M. ZAJKOWSKA, B.M. PISKOR, I. SIDORKIEWICZ, M. SZMITKOWSKI, S. LAWICKI (<i>Bialystok, Poland</i>)	3221
KHYG-1 Cells With EGFRvIII-specific CAR Induced a Pseudoprogession-like Feature in Subcutaneous Tumours Derived from Glioblastoma-like Cells. T. NAKAZAWA, T. MURAKAMI, A. NATSUME, F. NISHIMURA, T. MORIMOTO, R. MATSUDA, M. NAKAMURA, S. YAMADA, I. NAKAGAWA, Y.-S. PARK, Y. MOTOYAMA, T. TSUJIMURA, T. WAKABAYASHI, H. NAKASE (<i>Kashihara; Uda; Nagoya, Japan</i>).....	3231
NCAPH Is Required for Proliferation, Migration and Invasion of Non-small-cell Lung Cancer Cells. B. KIM, S.W. KIM, J.-Y. LIM, S.-J. PARK (<i>Gwangju, Republic of Korea</i>)	3239
Cell Cycle Dysregulation Is Associated With 5-Fluorouracil Resistance in Gastric Cancer Cells. D.S. KIM, K. MIN, S.K. LEE (<i>Seoul, Republic of Korea</i>)	3247
EBV Rta-induced IL-6 Promotes Migration of Bystander Tumor Cells Through IL-6R/JAK/STAT3 Pathway <i>In Vitro</i> . K.-L. TUNG, Y.-T. WU, C. LIU, S.-C. LIN, C.-H. WU, S.-Y. WU, Y. CHANG, Y.-Y. LAN (<i>Kaohsiung; Pingtung; Tainan, Taiwan, ROC</i>).....	3255
Investigation of the Effects of MicroRNA-221 Expression Levels in Glioblastoma Multiforme Tumors. S. OZDOGAN, C.K. YALTIRIK, S.G. YILMAZ, F.T. AKDENIZ, K. SUMERKENT, A.H. DUZKALIR, U. TURE, T. ISBIR (<i>Istanbul, Turkey</i>)	3265
The Putative Glyoxalase 1 Inhibitor Piceatannol Exhibits Both Anxiolytic-like and Antitumor Effects in Mice. K. YOSHIZAWA, M. TABUCHI, S. UKAI, H. SUZUKI, Y. KAWANO, R. TAKASAWA (<i>Chiba, Japan</i>)	3271
Induction Chemotherapy in Hypopharyngeal Cancer: Influence of DNA Repair Gene Polymorphisms. H. HIRAKAWA, T. IKEGAMI, S. AZECHI, S. AGENA, J. UEZATO, H. KINJYO, Y. YAMASHITA, A. KIYUNA, K. TANAKA, S. KONDO, H. MAEDA, M. SUZUKI, A. GANAHA (<i>Okinawa; Miyazaki, Japan</i>)	3277
Tranilast Inhibits TGF- β 1-induced Epithelial-mesenchymal Transition and Invasion/Metastasis <i>via</i> the Suppression of Smad4 in Human Lung Cancer Cell Lines. K. TAKAHASHI, T. MENJU, S. NISHIKAWA, R. MIYATA, S. TANAKA, Y. YUTAKA, Y. YAMADA, D. NAKAJIMA, M. HAMAJI, A. OHSUMI, T.F. CHEN-YOSHIKAWA, T. SATO, M. SONOBE, H. DATE (<i>Kyoto; Aichi; Osaka, Japan</i>)	3287
An Animal Model of Colorectal Cancer Liver Metastasis With a High Metastasis Rate and Clonal Dynamics. K.B. BAE, S.-H. KIM, M.S. KANG, D.-H. KIM (<i>Busan, Republic of Korea</i>).....	3297
<i>Clinical Studies</i>	
Race Does Not Affect Survival in Patients With Prostate Cancer Treated With Radiation Therapy. J. KODIYAN, M. ASHAMALLA, A. GUIRGUIS, H. ASHAMALLA (<i>New York, NY, USA</i>).....	3307
Efficacy of Adjuvant Combination Therapy With Trastuzumab and Chemotherapy in HER2-positive Early Breast Cancer: A Single Institutional Cohort Study from Clinical Practice. M. OKAMOTO, W. TAJIRI, H. UEO, T. MASUDA, H. IJICHI, C. KOGA, Y. NAKAMURA, K. TAGUCHI, S. OHNO, E. TOKUNAGA (<i>Fukuoka; Tokyo, Japan</i>)	3315
Melanoma Risk Estimation Based on Objective Measures as a Complement to Self-Assessment. A. CARLSSON, M. FALK (<i>Linköping, Sweden</i>)	3325

Experimental Studies

Retinoids Augment Thiazolidinedione PPAR γ Activation in Oral Cancer Cells. R. ROSAS, S. BURYSKA, R. SILVER, B. WUERTZ, F. ONDREY (<i>Duluth; Minneapolis, MN, USA</i>).....	3071
Lack of Correlation Between Immunohistochemical Expression of SPARC and Invasion in Different Grades of Meningiomas. H.K. ROOPRAI, A.J. MARTIN, A. KING, U.D. APPADU, R.W. GULLAN, N.W.M. THOMAS, G.J. PILKINGTON (<i>London; Portsmouth, UK</i>)	3081
Oncogenic miRNAs Identified in Tear Exosomes From Metastatic Breast Cancer Patients. S. INUBUSHI, H. KAWAGUCHI, S. MIZUMOTO, T. KUNIHISA, M. BABA, Y. KITAYAMA, T. TAKEUCHI, R.M. HOFFMAN, R. SASAKI (<i>Hyogo, Japan; San Diego, CA, USA</i>)	3091
Interaction Between CCL18 and GPR30 Differs from the Interaction Between Estradiol and GPR30. R. SCHMIDT-WOLF, G. ZISSEL (<i>Bonn; Freiburg, Germany</i>).....	3097
New Pancreatic Cancer Biomarkers eIF1, eIF2D, eIF3C and eIF6 Play a Major Role in Translational Control in Ductal Adenocarcinoma. N. GOLOB-SCHWARZL, P. PUCHAS, M. GOGG-KAMERER, W. WEICHERT, B. GÖPPERT, J. HAYBAECK (<i>Graz; Innsbruck, Austria; Munich; Heidelberg, Germany</i>).....	3109
Knockdown of Myoferlin Suppresses Migration and Invasion in Clear-Cell Renal-Cell Carcinoma. A. COX, C. ZHAO, Y. TOLKACH, D. NETTERSHEIM, D. SCHMIDT, G. KRISTIANSEN, S.C. MUELLER, M. RITTER, S. HAUSER, J. ELLINGER (<i>Bonn; Düsseldorf, Germany</i>)	3119
Paclitaxel, Carboplatin and 1,25-D3 Inhibit Proliferation of Ovarian Cancer Cells <i>In Vitro</i> . T. KUITTINEN, P. ROVIO, T. LUUKKAALA, M. LAURILA, S. GRÉNMAN, A. KALLIONIEMI, J. MÄENPÄÄ (<i>Tampere; Turku, Finland</i>).....	3129
Anti-infectious and Anti-tumor Activities of β -glucans. V. VETVICKA, J. VETVICKOVA (<i>Louisville, KY, USA</i>)	3139
Six Candidate miRNAs Associated With Early Relapse in Pediatric B-Cell Acute Lymphoblastic Leukemia. E.K. AMANKWAH, M. DEVIDAS, D.T. TEACHEY, K.R. RABIN, P.A. BROWN (<i>Baltimore, MD; St. Petersburg; Gainesville, FL; Philadelphia, PA; Houston, TX, USA</i>).....	3147
Sirtuin 1 Activation Suppresses the Growth of T-lymphoblastic Leukemia Cells by Inhibiting NOTCH and NF- κ B Pathways. S.M. OKASHA, M. ITOH, S. TOHDA (<i>Tokyo, Japan</i>)	3155
Oncological Safety of Ultrasonically Activated Surgical Devices During Gastric Cancer Surgery. T. KUBOTA, K. SHODA, S. OGAWA, T. MATSUMOTO, H. KUBO, M. YUBAKAMI, T. OHASHI, T. KOSUGA, H. KONISHI, A. SHIOZAKI, T. ARITA, H. SHIMIZU, Y. YAMAMOTO, R. MORIMURA, H. IKOMA, Y. KURIU, H. FUJIWARA, K. OKAMOTO, E. OTSUJI (<i>Kyoto, Japan</i>)	3163
Investigation of the Involvement of Parkin in Parkinson's Disease and Cancer by Monitoring the Changes in SH-SY5Y Cells at the Nuclear Proteome Level. A. AYIMUGU, M. SARIHAN, M. KASAP, G. AKPINAR (<i>Kocaeli, Turkey</i>)	3169
Galectin-8 Favors VEGF-Induced Angiogenesis: <i>In Vitro</i> Study in Human Umbilical Vein Endothelial Cells and <i>In Vivo</i> Study in Chick Chorioallantoic Membrane. L. VARINSKÁ, L. FÁBER, E. PETROVOVÁ, L. BALÁŽOVÁ, E. IVANČOVÁ, M. KOLÁŘ, P. GÁL (<i>Košice, Slovak Republic; Prague, Czech Republic</i>)	3191
Characteristics of Gastric Carcinomas With High ERCC1 Expression and the Prognostic Value of ERCC1 Expression. J.W. YANG, J.-H. LEE, J.S. LEE, D.C. KIM, D.H. SONG, S.M. JANG, H.J. AN, H.M. KOH, M. KIM, J.M. NA, S.-H. JEONG, Y.-J. LEE, G.H. KO (<i>Jinju; Changwon, Republic of Korea</i>)	3203