

## Instructions for Authors 2020

**General Policy.** ANTICANCER RESEARCH (AR) will accept original high quality works and reviews on all aspects of experimental and clinical cancer research. The Editorial Policy suggests that priority will be given to papers advancing the understanding of cancer causation, and to papers applying the results of basic research to cancer diagnosis, prognosis, and therapy. AR will also accept the following for publication: (a) Abstracts and Proceedings of scientific meetings on cancer, following consideration and approval by the Editorial Board; (b) Announcements of meetings related to cancer research; (c) Short reviews (of approximately 120 words) and announcements of newly received books and journals related to cancer, and (d) Announcements of awards and prizes.

The principal aim of AR is to provide prompt publication (print and online) for original works of high quality, generally within 1-2 months from final acceptance. Manuscripts will be accepted on the understanding that they report original unpublished works in the field of cancer research that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to AR will be subject to peer-review, when appropriate, by two members of the Editorial Board and by one suitable outside referee. All manuscripts submitted to AR are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal's secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The Editors and Publishers of AR accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

**NIH Open Access Policy.** The journal acknowledges that authors of NIH-funded research retain the right to provide a copy of the published manuscript to the NIH four months after publication in ANTICANCER RESEARCH, for public archiving in PubMed Central.

**Copyright.** Once a manuscript has been published in ANTICANCER RESEARCH, which is a copyrighted publication, the legal ownership of all published parts of the paper has been transferred from the Author(s) to the journal. Material published in the journal may not be reproduced or published elsewhere without the written consent of the Managing Editor or Publisher.

**Format.** Two types of papers may be submitted: (i) Full papers containing completed original work, and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Reasonable economy should be exercised with respect to the number of tables and illustrations used. Papers should be written in clear, concise English. Spelling should follow that given in the "Shorter Oxford English Dictionary".

**Manuscripts.** Submitted manuscripts exceeding 4 printed pages will be subject to excess page charges. The 4 printed pages correspond approximately to twelve (12) document pages (~250 words per double-spaced typed page in Arial 12), including abstract, text, tables, figures, and references. All manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication "review", "clinical", "epidemiological", or "experimental" study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work); (b) *Abstract* not exceeding 150 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors' contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author's opinion. Review articles should not exceed 35 pages (approximately 250 words per double-spaced typed page) including all tables, figures, and references.

**Figures.** All figures should appear at the end of the submitted document file. Once a manuscript is accepted all figures and graphs should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. Symbols, numbering and lettering should be clearly legible. The number and top of each figure must be indicated. Pages that include color figures are subject to color charges..

**Tables.** All tables should appear at the end of the submitted document file. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

**References.** Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalglish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. *Anticancer Res* 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticancer.12924. (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones*. O' Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region, 2000-2015. Geneva, World Health Organisation, 2016. Available at [http://www.who.int/healthinfo/global\\_burden\\_disease/estimates/en/index2.html](http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html). Last accessed on 3rd April 2018. (The web address should link directly to the cited information and not to a generic webpage).

**Nomenclature and Abbreviations.** Nomenclature should follow that given in “Chemical Abstracts”, “Index Medicus”, “Merck Index”, “IUPAC -IUB”, “Bergey’s Manual of Determinative Bacteriology”, The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

**Clinical Trials.** Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by “ISRCTN”). Please note that there is no space between the prefix “ISRCTN” and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by ‘NCT’). Please note that there is no space between the prefix ‘NCT’ and the number. Example: NCT00001789.

**Ethical Policies and Standards.** ANTICANCER RESEARCH agrees with and follows the “Uniform Requirements for Manuscripts Submitted to Biomedical Journals” established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 ([www.icmje.org](http://www.icmje.org)). Microarray data analysis should comply with the “Minimum Information About Microarray Experiments (MIAME) standard”. Specific guidelines are provided at the “Microarray Gene Expression Data Society” (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human fetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

**Submission of Manuscripts.** Please follow the Instructions for Authors regarding the format of your manuscript and references.

Manuscripts must be submitted only through our online submission system at: <http://www.iar-submissions.com/login.html>

In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: [journals@iar-anticancer.org](mailto:journals@iar-anticancer.org)

**Galley Proofs.** Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Reprints, PDF files, and/or Open Access may be ordered after the acceptance of the paper. Authors of online open access articles are entitled to a complimentary online subscription to Anticancer Research for the current year and all previous digital content since 2004 (upon request to the Subscriptions Office). Galley proofs should be returned corrected to the Editorial Office by email ([iar@iar-anticancer.org](mailto:iar@iar-anticancer.org)) within two days.

### **Specific information and additional instructions for Authors**

1. Anticancer Research (AR) closely follows the new developments in all fields of experimental and clinical cancer research by (a) inviting reviews on topics of immediate importance and substantial progress in the last three years, and (b) providing the highest priority for rapid publication to manuscripts presenting original results judged to be of exceptional value. Theoretical papers will only be considered and accepted if they bear a significant impact or formulate existing knowledge for the benefit of research progress.
2. Anticancer Research will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
3. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 20 days from submission, the author should call or write to the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail or during electronic submission.
4. Each manuscript submitted to AR is sent for review in confidence to two suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to AR, are treated in confidence, without access to any person other than the Managing Editor, the journal’s secretary, the reviewers and the printers.
5. All accepted manuscripts are peer-reviewed and carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author’s writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.

6. Authors should pay attention to the following points when writing an article for AR:
    - The Instructions to Authors must be followed in every detail.
    - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
    - The presentation of results should be simple and straightforward in style. Results and discussion should not be combined into one section, unless the paper is short.
    - Results given in figures should not be repeated in tables.
    - Figures (graphs or photographs) should be prepared at a width of 8 or 17 cm with legible numbers and lettering.
    - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
    - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
    - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
    - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
    - The References section should provide as complete a coverage of the literature as possible including all the relevant works published up to the time of submission.
    - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
  7. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
  8. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably with a red pen. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
  9. Articles submitted to AR may be rejected without review if:
    - they do not fall within the journal's policy.
    - they do not follow the instructions for authors.
    - language is unclear.
    - results are not sufficient to support a final conclusion.
    - results are not objectively based on valid experiments.
    - they repeat results already published by the same or other authors before the submission to AR.
    - plagiarism is detected by plagiarism screening services.(Rejection rate (2016): 66%).
  10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
  11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to [journals@iiar-anticancer.org](mailto:journals@iiar-anticancer.org)
  12. Authors who wish to edit a special issue on a particular topic should contact the Managing Editor.
  13. Authors, Editors and Publishers of books are welcome to submit their books for immediate review in AR. There is no fee for this service.
- (This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of AR).

**Copyright© 2020** - International Institute of Anticancer Research (G.J. Delinasios). All rights reserved (including those of translation into other languages). No part of this journal may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher.

The Promising Treatment Schedule of Concurrent Chemoradiotherapy for Stage III Non-small Cell Lung Cancer: Alternative for Conventional Fractionation Using Mathematical Analysis. Y. UEDA, O. SUZUKI, S. OHIRA, M. YAGI, I. SUMIDA, K. WADA, S. INUI, M. ISONO, M. MIYAZAKI, K. OGAWA, T. TESHIMA ( <i>Osaka, Japan</i> ) .....	4095
Usefulness of Tumor Tissue Biopsy for Predicting the Biological Behavior of Hepatocellular Carcinoma. T. SHIOGA, R. KONDO, S. OGASAWARA, J. AKIBA, S. MIZUOCHI, H. KUSANO, Y. MIHARA, M. TANIGAWA, Y. KINJYO, Y. NAITO, R. KUROMATSU, O. NAKASHIMA, H. YANO ( <i>Kurume, Japan</i> ) ...	4105
Magnetic Resonance and Ultrasound Fusion Imaging to Characterise Ovarian Masses: A Feasibility Study. A. CRESTANI, C. THEODORE, J.-M. LEVAILLANT, I. THOMASSIN-NAGGARA, D. SKALLI, G. MIAIHLE, Y. DABI, B. HADDAD, C. TOUBOUL ( <i>Créteil; Paris, France</i> ) .....	4115
Effective Response of Intrahepatic Cholangiocarcinoma to Pembrolizumab: A Case Report. M. NAKAMURA, M. UENO, S. HAYAMI, M. KAWAI, A. MIYAMOTO, N. SUZAKI, S. HIRONO, K.-I. OKADA, M. MIYAZAWA, Y. KITAHATA, R. KOBAYASHI, F. KOJIMA, H. YAMAUE ( <i>Wakayama, Japan</i> ).....	4123
Pembrolizumab and Radiotherapy for Platinum-refractory Recurrent Uterine Carcinosarcoma With an Abscopal Effect: A Case Report. M. YANO, S. ASO, M. SATO, Y. AOYAGI, H. MATSUMOTO, K. NASU ( <i>Oita; Saitama, Japan</i> ).....	4131
Coprevalence and Incidence of Lung Cancer in Patients Screened for Abdominal Aortic Aneurysm. A. HOHNECK, T. SHCHETYNSKA-MARINOVA, G. RUEMENAPF, M. PANCHEVA, R. HOFHEINZ, J. BODA-HEGGEMANN, E. SPERK, P. RIFFEL, J. MICHELS, M. BORGGREFE, I. AKIN, M. SIGL ( <i>Mannheim; Speyer, Germany</i> ) .....	4137
C-Reactive Protein and Absolute Lymphocyte Count Can Predict Overall Survival of Patients Treated With Eribulin. A. SATA, R. FUKUI, Y. MIYAGAWA, A. BUN, H. OZAWA, Y. FUJIMOTO, T. HIGUCHI, M. IMAMURA, Y. MIYOSHI ( <i>Nishinomiya; Yao, Japan</i> ) .....	4147
Combining Bevacizumab With Trifluridine/Thymidine Phosphorylase Inhibitor Improves the Survival Outcomes Regardless of the Usage History of Bevacizumab in Front-line Treatment of Patients With Metastatic Colorectal Cancer. M. SHIBUTANI, H. NAGAHARA, T. FUKUOKA, Y. ISEKI, E. WANG, Y. OKAZAKI, S. KASHIWAGI, K. MAEDA, K. HIRAKAWA, M. OHIRA ( <i>Osaka, Japan</i> ) .....	4157
Prognostic Impact of Geriatric Nutritional Risk Index in Patients With Synchronous Colorectal Liver Metastasis. T. IGUCHI, K. SUGIMACHI, Y. MANO, T. MOTOMURA, M. SUGIYAMA, M. OTA, M. IKEBE, T. ESAKI, T. YOSHIZUMI, M. MORITA, M. MORI, Y. TOH ( <i>Fukuoka, Japan</i> ) .....	4165
Sorafenib Might Induce Sarcopenia in Patients With Hepatocellular Carcinoma by Inhibiting Carnitine Absorption. M. AMANUMA, H. NAGAI, Y. IGARASHI ( <i>Tokyo, Japan</i> ) .....	4173
A Single Institution's Experience of Definitive Radiotherapy Using Volumetric-modulated Arc Therapy for Hypopharyngeal Cancers. K. KUBO, Y. MURAKAMI, N. IMANO, Y. TAKEUCHI, I. NISHIBUCHI, T. KIMURA, D. KAWAHARA, K. MIKI, A. SAITO, T. NAKASHIMA, T. HAMAMOTO, T. UEDA, S. TAKENO, Y. NAGATA ( <i>Hiroshima, Japan</i> ) .....	4183
Radioembolization-induced Tumor Calcifications as a Surrogate Marker of Tumor Response in Patients With Hepatocellular Carcinoma. H.-C. KIM, I. JOO, M. LEE, Y.J. KIM, J.C. PAENG, J.W. CHUNG ( <i>Seoul, Republic of Korea</i> ) .....	4191
Recurrent Leiomyosarcoma of the Small Bowel: A Case Series. C. FERRARI, S. DI DOMENICO, M. MASCHERINI, M. SANTOLIVUDO, L. MASTRACCI, F. DE CIAN ( <i>Genoa, Italy</i> ) .....	4199
Errata .....	4205

Safety and Efficacy of Gemcitabine, Docetaxel, Capecitabine, Cisplatin as Second-line Therapy for Advanced Pancreatic Cancer After FOLFIRINOX. J.-D. FUMET, J. VINCENT, L. BENGRINE, A. HENNEQUIN, L. GRANCONATO, R. PALMIER, F. GHIRINGHELLI ( <i>Dijon, France</i> ).....	4011
Skin Architecture, Kidney Transplantation, and Their Relationship to Basal and Squamous Cell Carcinomas. A. CAPASSO, G. BILANCIO, M.W. LEE, G. PALLADINO, R.M. POLLASTRO, M. SIMEONI, C. SECONDULFO, A. RONCHI, A. CAPUTO, R. FRANCO, P. ZEPPA, G. CAPASSO, D. VIGGIANO ( <i>Austin, TX, USA; Salerno; Naples; Ariano Irpino, Italy</i> ).....	4017
Prognostic Impact of a Novel Tumor Marker and Inflammation Index for Patients With Non-small-cell Lung Cancer. M. TOMITA, R. MAEDA, T. AYABE, K. NAKAMURA ( <i>Miyazaki, Japan</i> ) .....	4023
Synchronous Primary Pancreatic Ductal Carcinoma and Colonic Adenocarcinoma Present in a Patient With History of Skin Squamous Cell Carcinoma. C. CAO, P. PARIKH, K. MOEZARDALAN, A. ANANTHARAMAN, A. AZARM, J. LAI ( <i>Sacramento, CA; Providence, RI, USA</i> ).....	4029
Preoperative Scoring System to Predict Prognosis in Patients Who Undergo Neoadjuvant Therapy for Pancreatic Cancer. K.-I. OKADA, M. KAWAI, S. HIRONO, K. TANIOKA, M. MIYAZAWA, Y. KITAHATA, R. KOBAYASI, M. UENO, S. HAYAMI, H. YAMAUE ( <i>Wakayama, Japan</i> ) .....	4033
Radiotherapy Dose and Volume De-escalation in Ocular Adnexal Lymphoma. S. REHN, K. ELSAYAD, M. OERTEL, A. BAEHR, N. ETER, U. HAVERKAMP, G. LENZ, H.T. EICH ( <i>Muenster, Germany</i> ).....	4041
Low Eosinophil Percentages as a New Predictive Marker for Infusion Reactions Due to Trastuzumab. M. TAKAHASHI, K. TAKAHASHI, S. MATSUMOTO, T. TAKASHIMA, Y. ASANO, T. MORISAKI, S. KASHIWAGI, S. NODA, N. ONODA, M. OHIRA, K. NAGAYAMA ( <i>Osaka, Japan</i> ) .....	4047
Proposal of a Classification System for Adenocarcinoma Involving the Ileocecal Valve (Bauhin's Valve): A Retrospective Study of 689 Right Hemicolectomized Patients. E. VIRGILIO, F. MONTALI, R. COSTI, M. CAVALLINI ( <i>Rome; Parma; Fidenza; L'Aquila, Italy</i> ) .....	4053
Long-term Efficacy of Ibrutinib in Relapsed or Refractory Chronic Lymphocytic Leukemia: Results of the Polish Adult Leukemia Study Group Observational Study. B. PULA, E. ISKIERKA-JAZDZEWSKA, M. DLUGOSZ-DANECKA, A. SZYMCZYK, M. HUS, A. SZEREMET, J. DROZD-SOKOLOWSKA, A. WASZCZUK-GAJDA, J.M. ZAUCHA, J. HOLOJDA, W. PISZCZEK, P. STECKIEWICZ, M. WOJCIECHOWSKA, M. OSOWIECKI, W. KNOPINSKA-POSLUSZNY, M. DUDZINSKI, D. ZAWIRSKA, E. SUBOCZ, J. HALKA, A. PLUTA, R. WICHARY, B. KUMIEGA, B.K. BUDZISZEWSKA, W. JURCZAK, E. LECH-MARANDA, K. GIANNOPOULOS, T. ROBAK, K. JAMROZIAK ( <i>Warsaw; Lodz; Krakow; Lublin; Wroclaw; Gdansk; Legnica; Torun; Kielce; Olsztyn; Rzeszow; Brzozow; Katowice; Nowy Sacz, Poland</i> ) .....	4059
The Impact of Severe Infectious Complications on Long-term Prognosis for Gastric Cancer. Y. MAEZAWA, T. AOYAMA, M. JU, K. KOMORI, K. KANO, S. SAWAZAKI, M. NUMATA, T. HAYASHI, T. YAMADA, H. TAMAGAWA, T. SATO, T. OGATA, H. CHO, T. OSHIMA, N. YUKAWA, T. YOSHIKAWA, M. MASUDA, Y. RINO ( <i>Yokohama; Tokyo, Japan</i> ) .....	4067
Retzius-sparing Robotic-assisted Radical Prostatectomy Facilitates Early Continence Regardless of Neurovascular Bundle Sparing. P.-C. LIAO, S.-C. HUNG, J.-C. HU, K.-Y. CHIU ( <i>Taichung; Nantou, Taiwan, ROC</i> ).....	4075
Predicting the Risk of Subsequent Distant Brain Metastases After Stereotactic Radiosurgery or Fractionated Stereotactic Radiotherapy in Elderly Patients. D. RADES, T. NGUYEN, L. DZIGGEL, O. BLANCK, S.E. SCHILD ( <i>Lübeck; Güstrow, Germany; Scottsdale, AZ, USA</i> ).....	4081
The Impact of Hypertension on the Clinicopathological Outcome and Progression of Renal Cell Carcinoma. T. MAKINO, K. IZUMI, H. IWAMOTO, S. KADOMOTO, R. NAITO, H. YAEGASHI, K. SHIGEHARA, Y. KADONO, A. MIZOKAMI ( <i>Kanazawa, Japan</i> ).....	4087

GONCALVES, G. CHENUC, M. ROBAIN, G. SIMON, D. PEROL ( <i>Lyon; Villejuif; Reims; Bordeaux; Caen; Toulouse; Paris; Vandoeuvre-lès-Nancy; Montpellier; Saint-Herblain; Lille; Rennes; Clermont-Ferrand; Rouen; Strasbourg; Nice; Dijon; Marseille, France</i> ) .....	3905
Reflector-guided Localization of Non-palpable Breast Lesions: The First Reported European Evaluation of the SAVI SCOUT® System. S. TAYEH, S. MUKTAR, J. HEENEY, M.J. MICHELL, N. PERRY, T. SUARIS, D. EVANS, A. MALHOTRA, K. MOKBEL ( <i>London, UK</i> ).....	3915
Primary and Interval Debulking Surgery Provide Similar Survival and Platinum Sensitivity Outcomes in Advanced Ovarian Cancer: A Retrospective Study. O. GLOVER, V. ASHER, A. BALI, S. ABDUL, A. COLLINS, A. PHILLIPS ( <i>Derby; Leicester, UK</i> ).....	3925
The Association Between Extracellular Water-to-Total Body Water Ratio and Therapeutic Durability for Advanced Lung Cancer. Y. NODA, H. SUZUKI, T. KANAI, Y. SAMEJIMA, S. NASU, A. TANAKA, N. MORISHITA, N. OKAMOTO, T. HIRASHIMA ( <i>Osaka, Japan</i> ).....	3931
GINECO Prospective Non-interventional PROSPECTYON Study: Trabectedin Plus Pegylated Liposomal Doxorubicin for Platinum-sensitive Recurrent Ovarian Cancer. F. SELLE, P.-E. HEUDEL, A.-C. HARDY-BESSARD, A. POZET, J. MEUNIER, L. GLADIEFF, J.-P. LOTZ, M. PROVANSAL, P. AUGEREAU, D. BERTON, N. BONICHON-LAMICHHANE, H. ORFEUVRE, P. PAUTIER, E. KALBACHER, Y. TAZI, D. SPAETH ( <i>Paris; Lyon; Plerin; Besançon; Orléans; Toulouse; Marseille; Angers; Saint-Herblain; Bordeaux; Bourg-en-Bresse; Villejuif; Strasbourg; Nancy, France</i> ) .....	3939
Evaluating the Platelet Distribution Width-to-Plateletcrit Ratio as a Prognostic Marker for Patients With Breast Cancer. H. TAKEUCHI, D. NODA, M. ABE, K. ANAMI, M. MIYAWAKI, A. OSOEGAWA, K. SUGIO ( <i>Oita, Japan</i> ) .....	3947
Intrahepatic Tumor Burden as a Novel Factor Influencing the Introduction of Second-line Chemotherapy for Hepatocellular Carcinoma. M. MORIGUCHI, T. ARAMAKI, R. SATO, K. IWAI, S. TSUCHIYA, K. ASAKURA, A. TAKAHASHI, Y. SEKO, A. UMEMURA, K. YMAGUCHI, M. ENDO, Y. ITOH ( <i>Kyoto; Nagaizumi, Japan</i> ).....	3953
Seizures Prior to Radiotherapy of Gliomas: Prevalence, Risk Factors and Survival Prognosis. J. WITTELER, T.W. KJAER, S. TVILSTED, S.E. SCHILD, D. RADES ( <i>Lübeck, Germany; Roskilde; Koege, Denmark; Scottsdale, AZ, USA</i> ) .....	3961
Non-invasive Detection of Bladder Cancer by UBC Rapid Test, Ultrasonography and Cytology. V. BARAK, D. ITZKOVICH, R. EINARSSON, O. GOFRIT, D. PODE ( <i>Jerusalem, Israel; Stockholm, Sweden</i> ) .....	3967
Resumption of Trastuzumab in Patients With Disease Recurrence After (Neo-) Adjuvant Anti-HER2-therapy in Patients With HER2-positive Breast Cancer. L.C. HANKER, F. FÖRSTER, J. SCHRÖDER, A. GRAFE, T. HITSCHOLD, T. HESSE, C.R. LATTRICH, A. RODY ( <i>Lübeck; Chemnitz; Mülheim an der Ruhr; Nordhausen; Worms; Rotenburg an der Wümme; Grenzach, Germany</i> ) .....	3973
Features of Hepatocellular Carcinoma With Micro Hepatic Vein Invasion and their Correlation With Hepatitis B and C Virus. Y. SAKURAOKA, K. KUBOTA, G. TANAKA, T. SHIMIZU, K. TAGO, K.H. PARK, T. MATSUMOTO, T. SHIRAKI, S. MORI, Y. ISO, T. AOKI ( <i>Tochigi, Japan</i> ).....	3983
Russell Body Gastroesophagitis Concurrent With Barrett's Esophagus. J. ARSHI, J. NGUYEN, F. YIN ( <i>Columbia, MO, USA</i> ).....	3991
Rapid Improvement in Gemcitabine-associated Thrombotic Microangiopathy After a Single Dose of Eculizumab: Case Report and Review of the Literature. S.T. BURNS, L. DAMON, N. AKAGI, Z. LASZIK, A.H. KO ( <i>San Francisco, CA, USA</i> ) .....	3995
Comprehensive Analysis and Clinical Implication of PD-L1 Expression Considering HPV Status in Oropharyngeal Squamous Cell Carcinoma. J.Y. JEONG, T.-I. PARK, D. AHN ( <i>Daegu, Republic of Korea</i> ).....	4001

Molecular Characterization of Second Primary Endometrial Cancer. J. HARAGA, K. NAKAMURA, T. HARUMA, A. NYUYA, T. NAGASAKA, H. MASUYAMA ( <i>Okayama; Kurashiki, Japan</i> ).....	3811
Anti-tumor Properties of <i>Picrasma quassioides</i> Extracts in H-Ras <sup>G12V</sup> Liver Cancer Are Mediated Through ROS-dependent Mitochondrial Dysfunction. D.-P. XIE, Y.-X. GONG, Y.-H. JIN, C.-X. REN, Y. LIU, Y.-H. HAN, M.-H. JIN, D. ZHU, Q.-Z. PAN, L.-Y. YU, D.-S. LEE, J. LEE, J. KIM, Y.H. PARK, J.W. HYUN, T. KWON, Y.-D. CUI, H.-N. SUN ( <i>Daqing, PR China; Daegu; Gyeonggi; Seoul; Jeju; Jeonbuk, Republic of Korea</i> ).....	3819
Cytotoxicity of Exogenous Acetoacetate in Lithium Salt Form Is Mediated by Lithium and Not Acetoacetate. R. COHEN-HARAZI, S. HOFMANN, V. KOGAN, H. FULMAN-LEVY, K. ABAEV, O. SHOVMAN, T. BRIDER, I. KOMAN ( <i>Ariel, Israel</i> ).....	3831
Novel Prognostic Factor for Uveal Melanoma: Bioinformatics Analysis of Three Independent Cohorts. S. CHOI, M. HA, J.S. LEE, H.J. HEO, G.H. KIM, S.-O. OH, J.J. LEE, T.S. GOH, Y.H. KIM ( <i>Yangsan; Busan, Republic of Korea</i> ) .....	3839
Tyrosine Kinase Inhibitors and Everolimus Reduce IGF1R Expression in HPV16-positive and -negative Squamous Cell Carcinoma. B. KRAMER, A. SCHELL, C. ADERHOLD, L. HUBER, C.E. MUELLER, N. ROTTER, R. BIRK ( <i>Mannheim; Marburg, Germany</i> ) .....	3847
Activity of Alcohol Dehydrogenase and Aldehyde Dehydrogenase in Lung Cancer Cells. K. ORYWAL, W. JELSKI, M.D. KOZŁOWSKI, B. MROCZKO ( <i>Bialystok, Poland</i> ).....	3857
Cytokine-induced Killer T Cells Enhance the Cytotoxicity Against Carboplatin-resistant Ovarian Cancer Cells. Y. PAN, Y.-H. CHIU, S.-C. CHIU, D.-Y. CHO, L.-M. LEE, Y.-C. WEN, J. WHANG-PENG, C.-H. HSIAO, P.-H. SHIH ( <i>Taipei; Taichung, Taiwan, ROC</i> ) .....	3865
<i>Clinical Studies</i>	
Pathological Validity of Using Near-infrared Fluorescence Imaging for Securing Surgical Margins During Liver Resection. Y. TASHIRO, T. AOKI, T. HIRAI, T. KOIZUMI, D.A. MANSOU, T. KUSANO, K. MATSUDA, K. YAMADA, K. NOGAKI, T. HAKOZAKI, Y. WADA, H. SHIBATA, K. TOMIOKA, T. YAMAZAKI, K. SAITO, A. FUJIMORI, Y. ENAMI, R.M. HOFFMAN, M. MURAKAMI ( <i>Tokyo, Japan; Cairo, Egypt; San Diego, CA, USA</i> ) .....	3873
Phase 1b Study of IGF-Methotrexate Conjugate in the Treatment of High-grade Myelodysplastic Syndromes. H.B. ALKHATEEB, M.M. PATNAIK, A. AL-KALI, D.L. ZBLEWSKI, S. WALLERICH, H. MCTAVISH, A.Z. DUDEK ( <i>Rochester; Saint Paul; Minneapolis, MN, USA</i> ).....	3883
Identification of Biomarkers for Non-small-cell Lung Cancer Patients Treated With an Immune Checkpoint Inhibitor. S. KUBO, N. KOBAYASHI, K. SOMEKAWA, M. HIRATA, C. KAMIMAKI, H. AIKO, S. KATAKURA, S. TERANISHI, K. WATANABE, Y. HARA, M. YAMAMOTO, M. KUDO, T. KANEKO ( <i>Yokohama, Japan</i> ) .....	3889
Geographical Differences in Likelihood of Home Death Among Palliative Cancer Patients: A National Population-based Register Study. J. NILSSON, B. AXELSSON, G. HOLGERSSON, T. CARLSSON, M. BERGQVIST, S. BERGSTROM ( <i>Gävle; Umeå; Uppsala, Sweden</i> ).....	3897
Real-world Evaluation of Oral Vinorelbine in the Treatment of Metastatic Breast Cancer: An ESME-MBC Study. P. HEUDEL, S. DELALOGUE, D. PARENT, N. MADRANGES, C. LEVY, F. DALENC, E. BRAIN, L. UWER, V. D'HONDT, P. AUGEREAU, A. MAILLIEZ, C. PERRIN, J.-S. FRENEL, M.-P. SABLIN, M.-A. MOURET-REYNIER, T. VERMEULIN, J.-C. EYMARD, T. PETIT, J.-M. FERRERO, S. ILIE, A.	

Modulation of Estrogen $\alpha$ and Progesterone Receptors in Triple Negative Breast Cancer Cell Lines: The Effects of Vorinostat and Indole-3-Carbinol <i>In Vitro</i> . F. NOURIEMAMZADEN, B. WORD, E. COTTON, A. HAWKINS, K. LITTLEJOHN, R. MOORE, G. MIRANDA-CARBON, C.N. ORISH, B. LYN-COOK (Jefferson, AR; White Oak, MD; Memphis, TN, USA; Port Harcourt, Nigeria) .....	3669
Protection of Bortezomib-induced Neurotoxicity by Antioxidants. Y. IJIMA, K. BANDOW, S. AMANO, M. SANO, S. HINO, T. KANEKO, N. HORIE, H. SAKAGAMI (Kawagoe; Sakado; Tokyo, Japan) .....	3685
Metabolome of Mammary Tumors Differs from Normal Mammary Glands But Is Not Altered by Time-restricted Feeding Under Obesogenic Conditions. L. YAN, S. SUNDARAM, B.M. RUST, M.J. PICKLO, M.R. BUKOWSKI (Grand Forks, ND, USA) .....	3697
The Contribution of Interleukin-12A Genotypes to Oral Cancer Risk in Taiwanese. C.-H. LI, L.-C. SHIH, C.-L. HSU, H.-T. LEE, Y.-C. WANG, W.-S. CHANG, C.-W. TSAI, C.-Y. LI, D.-T. BAU (Taichung, Taiwan, ROC).....	3707
MicroRNAs Associated With Biological Pathways of Left- and Right-sided Colorectal Cancer. S. ENEH, S. HEIKKINEN, J.M. HARTIKAINEN, T. KUOPIO, J.-P. MECKLIN, V.-M. KOSMA, A. MANNERMAA (Kuopio; Jyväskylä, Finland) .....	3713
BNIP3L Is a New Autophagy Related Prognostic Biomarker for Melanoma Patients Treated With AGI-101H. U. KAZIMIERCZAK, T. KOLENDA, D. KOWALCZYK, J. MACKIEWICZ, A. MACKIEWICZ (Poznan, Poland)..	3723
The Expression Level of <i>PD-L1</i> ( <i>CD274</i> ) mRNA in Peripheral Blood Is a Potential Biomarker for Predicting Recurrence in Breast Cancer. T. MASUDA, M. NODA, A. KITAGAWA, Q. HU, A. FUJII, S. ITO, K. KOSAI, Y. ANDO, Y. MATSUMOTO, H. OHTSU, H. UCHIDA, S. OHNO, K. MIMORI (Beppu; Tokyo, Japan).....	3733
Determination of Immediate vs. Kinetic Growth Retardation in Physically Plasma-treated Cells by Experimental and Modelling Data. L. HARALAMBIEV, A. BANDYOPHADYAY, B. SUCHY, M. WEISS, A. KRAMER, S. BEKESCHUS, A. EKKERNKAMP, A. MUSTEA, L. KADERALI, M.B. STOPE (Greifswald; Berlin; Tübingen; Bonn, Germany) .....	3743
Adiponectin Is Inversely Associated With Tumour Grade in Colorectal Cancer Patients. R. POLITO, E. NIGRO, L. FEI, L. DE MAGISTRIS, M.L. MONACO, R. D'AMICO, S. NAVIGLIO, G. SIGNORIELLO, A. DANIELE (Naples, Italy) .....	3751
Chromosome 17 <i>In Situ</i> Hybridization Grid-based Analysis in Oral Squamous Cell Carcinoma. A. CHRYSOVERGIS, V. PAPANIKOLAOU, N. MASTRONIKOLIS, E. TSIAMBAS, V. RAGOS, D. PESCHOS, C. RIZIOTIS, C. STAVRAKA, D. ROUKAS, E. KYRODIMOS (Athens; Patras; Ioannina, Greece; Nicosia, Cyprus; London, UK) .....	3759
Epigenetic Regulation of APAF-1 Through DNA Methylation in Pancreatic Cancer. A. LUKOSIUTE-URBONIENE, A. MAZEIKE, M. KAZOKAITE, G. SILKUNIENE, M. SILKUNAS, V. BARAUSKAS, G. BARAUSKAS, A. GULBINAS, A. DAUKSA, Z. DAMBRAUSKAS (Kaunas, Lithuania) .....	3765
Pan- and Isoform-specific Inhibition of the Bromodomain and Extra-terminal Proteins and Evaluation of Synergistic Potential With Entospletinib in Canine Lymphoma. W. KONG, S. SENDER, S.V. PEREZ, A. SEKORA, B. RUETGEN, C. JUNGHANSS, I. NOLTE, H.M. ESCOBAR (Rostock; Hannover, Germany; Vienna, Austria).....	3781
Photosensitizer With Illumination Enhances <i>In Vivo</i> Antitumor Effect of Anti-ROBO1 Immunotoxin on Maxillary Sinus Squamous Cell Carcinoma. N. KOMATSU, M. KOMATSU, R. OHASHI, A. HORII, K. HOSHI, T. TAKATO, T. ABE, T. HAMAKUBO (Tokyo; Kawasaki; Miyagi; Niigata, Japan).....	3793
Papillary Thyroid Cancer Tumor Spheres Cultured by Passaging Without Sorting Exhibit Cancer Stemness. J.-M. CHO, H.J. LEE, J.H. CHUNG, W.Y. KIM, M.H. KANG, K.S. HA, S.U. WOO, J.B. LEE (Seoul, Republic of Korea) .....	3801